

# ATE New Parts ATE Neuteile

**03/2025**



**Brakethrough Technology**

## EN Table of contents

Index of vehicles
Product details
Applications of vehicles
Technical translations

## DE Inhaltsverzeichnis

3	Herstellerverzeichnis
5	Produktdetails
13	Fahrzeugverwendungen
34	Technische Übersetzungen

## ES Índice

3	Índice de vehículos	3
5	Descripción del producto	5
13	Aplicaciones	13
34	Traducciones técnicas	34

## FR Table des matières

Liste des véhicules
Présentation du produit
Applications
Traductions techniques

## IT Sommario

3	Indice autovetture	3
5	Panoramica prodotti	5
13	Applicazioni autoveicoli	13
34	Traduzioni tecniche	34





- EN** Index of vehicles
- DE** Herstellerverzeichnis
- ES** Índice de vehículos
- FR** Liste des véhicules
- IT** Indice autovettura

**3/2025**



**AUDI 14**

A1 (8X1, 8XK)	14
A1 Allstreet (GBH)	14
A1 City Carver (GBH)	14
A1 Sportback (8XA, 8XF)	14
A1 Sportback (GBA)	14
A4 Allroad B9 (8WH, 8WJ)	14
A4 B9 (8W2, 8WC)	15
A4 B9 Avant (8W5, 8WD)	15
A5 (F53, F5P)	16
A5 Convertible (F57, F5E)	16
A5 Sportback (F5A, F5F)	17

**CITROËN 17**

DISPATCH III Van (V_)	17
JUMPY III Bus (V_)	17
JUMPY III Platform/Chassis (V_)	17
SPACETOURER Bus (V_)	17

**DACIA 18**

DOKKER Box Body/MPV	18
DOKKER MPV (KE_)	18
DUSTER (HS_)	18
DUSTER SUV Van	18
LODGY (JS_)	18

**FORD 19**

C-MAX II (DXA/CB7, DXA/CEU)	19
C-MAX II Van	19
FOCUS III	19
FOCUS III Estate Van	20
FOCUS III Hatchback Van	20
FOCUS III Saloon	20
FOCUS III Turnier	20
GALAXY III (CK)	21
GALAXY MK III VAN (CK)	21
GRAND C-MAX (DXA/CB7, DXA/CEU)	21
GRAND C-MAX Van	21
KUGA II (DM2)	21
KUGA II VAN	22
S-MAX (CJ, WA6)	22

**HYUNDAI 22**

TUCSON (NX4E, NX4A)	22
---------------------	----

**KIA 22**

SPORTAGE V (NQ5)	22
------------------	----

**MERCEDES-BENZ 22**

E-CLASS (W214)	22
E-CLASS All-Terrain (S214)	23
E-CLASS T-Model (S214)	23
GLC (X254)	23
GLC Coupe (C254)	23
GLE (W166)	23
GLE Coupe (C292)	23
M-CLASS (W166)	23
S-CLASS (V223)	24
S-CLASS (W223)	24
S-CLASS (Z223)	24

**MITSUBISHI 24**

ASX (VSX_, VSE_)	24
PAJERO CLASSIC (V2_W, V6_W, V7_W)	25
PAJERO IV Van (V9_, V8_, V8_V)	24
PAJERO IV Wagon Hardtop (V8_W, V9_W, NS, NT, NW, NX)	25

**NISSAN 25**

JUKE (F16_)	25
-------------	----

**OPEL 25**

KARL (C16)	25
VIVARO C Bus (K0)	25
VIVARO C Platform Cabin (K0)	25
VIVARO C Van (K0)	25
ZAFIRA LIFE Bus (K0)	25

**PEUGEOT 25**

EXPERT Bus (V_)	25
EXPERT Platform/Chassis (V_)	25
EXPERT Van (V_)	26
TRAVELLER Bus (V_)	26

**PORSCHE 26**

718 BOXSTER (982)	26
718 BOXSTER Spyder (982)	26
718 CAYMAN (982)	26
911 (991)	26
911 (992)	27
911 Convertible (991)	27
911 Convertible (992)	27
911 Speedster (991)	27
911 Speedster (997)	27
911 Targa (992)	27
918 Spyder	27
928	28
BOXSTER (981)	28
BOXSTER Spyder (981)	28
PANAMERA (970)	28
PANAMERA (971)	28
PANAMERA (976)	28
PANAMERA Sport Turismo (971)	28

**RENAULT 29**

AUSTRAL	29
CAPTUR II (HF_)	29
DOKKER	29
DUSTER (HS_)	29
KANGOO / GRAND KANGOO II (KW0/1_)	29
KANGOO Express (FW0/1_)	29
KAPTUR (H5_)	30
LODGY (JS_)	30
MEGANE E-TECH SUV	30
MEGANE IV Grandtour (K9A/M/N_)	30
MEGANE IV Hatchback (B9A/M/N_)	30

**SEAT 30**

ARONA (KJ7, KJP)	30
IBIZA IV (6J5, 6P1)	30
IBIZA IV Hatchback Van (6J1)	31
IBIZA IV SC (6J1, 6P5)	31
IBIZA IV ST (6J8, 6P8)	31
IBIZA V (KJ1, KJG)	31

**SKODA 32**

FABIA IV (PJ3)	32
KAMIQ (NW4)	32
SCALA (NW1)	32

**VAUXHALL 32**

VIVA (C16)	32
VIVARO C Platform Cabin (K0)	32
VIVARO C Van (K0)	32
VIVARO LIFE Bus (K0)	32

**VW 32**

TAIGO (CS1)	32
T-CROSS (C11, D31)	33





- EN** Product details
- DE** Produktdetails
- ES** Descripción del producto
- FR** Présentation du produit
- IT** Panoramica prodotti

**3/2025**



03.7845-4302.4

300332



**Brake Booster**

Parameter: T52/4Z Tandem  
Diameter [inch]: 7 / 8  
Operating Mode: pneumatic  
Brake System: ATE  
**AUDI, SEAT, SKODA, VW**

03.7860-5532.4

300337



**Brake Booster**

Parameter: T52/4Z  
Diameter [inch]: 10  
Operating Mode: pneumatic  
Brake System: ATE  
**DACIA, RENAULT**

03.7870-2902.4

300341




**Brake Booster**

Parameter: T52/4Z  
Diameter [inch]: 11  
Operating Mode: pneumatic  
Brake System: ATE  
**CITROËN, OPEL, PEUGEOT, VAUXHALL**

13.0460-2672.2

602672




**Brake Pad Set, disc brake**

Height 2 [mm]: 80.4  
Thickness [mm]: 16.9  
MAPP code available:  
Width [mm]: 131.9  
Test Mark: E9 90R-02A1163/5651  
Wear Warning Contact: + WE / - WK  
Height 1 [mm]: 71.5  
Article number of recommended accessories: 24.8190-0067.2  
**MERCEDES-BENZ**



### 13.0460-5565.2

### 605565




#### Brake Pad Set, disc brake

Thickness [mm]: 15.7  
 MAPP code available:  
 Width [mm]: 111.8  
 Height [mm]: 44  
 Brake System: Mobis  
 Test Mark: E9 90R-02A1379/5738  
 Wear Warning Contact: + WK  
 Supplementary Article/Supplementary Info: + Zub

**HYUNDAI, KIA**

### 13.0460-7374.2

### 607374




#### Brake Pad Set, disc brake

Test Mark: E1 90R-02A2518/2526  
 Wear Warning Contact: + WK  
 Thickness [mm]: 18.2  
 MAPP code available:  
 Width [mm]: 167.1  
 Height [mm]: 64.9  
 Brake System: ATE

**RENAULT**

### 13.0470-5565.2

### LD5565




#### Brake Pad Set, disc brake


Thickness [mm]: 15.7  
 MAPP code available:  
 Width [mm]: 111.8  
 Height [mm]: 44  
 Brake System: Mobis  
 Test Mark: E9 90R-02A1242/5738  
 Wear Warning Contact: + WK  
 Supplementary Article/Supplementary Info: + Zub

Permissible up to vehicle capacity [kW]: 225


**HYUNDAI, KIA**

**24.0108-0122.1****408122****Brake Disc**

Bolt Hole Circle Ø [mm]: 114.3
Bore Diameter [mm]: 15.7
Number of Holes: 5
Centering Diameter [mm]: 68
MAPP code available:
Minimum thickness [mm]: 7
Height [mm]: 51.5
Test Mark: E1 90R-02C0165/1035
Brake Disc Thickness [mm]: 8
Brake Disc Type:
Inner Diameter [mm]: 148.2
Outer Diameter [mm]: 260
Surface: B
<b>MITSUBISHI, NISSAN, RENAULT</b>

**24.0128-0334.1****428334****Brake Disc**

Bolt Hole Circle Ø [mm]: 108
Bore Diameter [mm]: 15.8
Number of Holes: 5
Centering Diameter [mm]: 63.5
MAPP code available:
Minimum thickness [mm]: 26
Height [mm]: 50.9
Test Mark: E1 90R-02C0115/1003
Brake Disc Thickness [mm]: 28
Brake Disc Type: Vented
Inner Diameter [mm]: 139.7
Outer Diameter [mm]: 316
Surface: B
<b>FORD</b>

**24.0220-0050.1****480334****Brake Drum**

Bolt Hole Circle Ø [mm]: 100
Bore Diameter [mm]: 12.5
Number of Holes: 4
MAPP code available:
Inner brake drum diameter [mm]: 200
Outer brake drum diameter [mm]: 230
Support plate diameter [mm]: 60.1
Test Mark: E1 90R-02D0324/1876
max. brake drum re boring dimension [mm]: 201
Inner brake drum height [mm]: 40.5
Total brake drum height [mm]: 56.8
<b>OPEL, VAUXHALL</b>



**24.3481-4895.5****241473****Brake Caliper**

Brake Caliper Type:

paired article number: 24.3481-4896.5

MAPP code available:

Brake System: ATE

Piston Diameter [mm]: 48

Exchange Part:

Supplementary Article/Supplementary Info: without holder

**MERCEDES-BENZ****24.3481-4896.5****241474****Brake Caliper**

Brake Caliper Type:

paired article number: 24.3481-4895.5

MAPP code available:

Brake System: ATE

Piston Diameter [mm]: 48

Exchange Part:

Supplementary Article/Supplementary Info: without holder

**MERCEDES-BENZ****24.3541-9726.5****241582****Brake Caliper**

Brake Caliper Type:

paired article number: 24.3541-9725.5

MAPP code available:

Brake System: ATE

Piston Diameter [mm]: 54

Brake Caliper Colour: black

Exchange Part:

Supplementary Article/Supplementary Info: without holder

Article number of recommended accessories: 11.0101-5409.2 / 11.8171-0008.1

**AUDI, SEAT****24.3571-1139.5****241665****Brake Caliper**

Brake Caliper Type:

paired article number: 24.3571-1140.5

MAPP code available:

Brake System: ATE

Piston Diameter [mm]: 57

Exchange Part:

Supplementary Article/Supplementary Info: without holder

Article number of recommended accessories: 11.0101-5407.2 / 11.8171-0008.1

**AUDI**

24.3571-1140.5

241666



**Brake Caliper**

Brake Caliper Type:

paired article number: 24.3571-1139.5

MAPP code available:

Brake System: ATE

Piston Diameter [mm]: 57

Exchange Part:


Supplementary Article/Supplementary Info: without holder

Article number of recommended accessories: 11.0101-5407.2 / 11.8171-0008.1

**AUDI**

24.3727-3604.2

583604



**Cable Pull, parking brake**

Length [mm]: 2392

**RENAULT**

24.4451-0011.5

230171



**Brake Caliper**

Exchange Part:

Brake Caliper Type:

paired article number: 24.4451-0012.5

MAPP code available:

Brake System: SUM

Piston Diameter [mm]: 45

**MITSUBISHI**

24.5134-0400.3

331813



**Brake Hose**

Internal Thread [mm]: M10x1

External Thread [mm]: M10x1

Length [mm]: 455

MAPP code available:

**FORD**



24.5140-0464.3

331819



**Brake Hose**

Spanner Size: 14

Internal Thread [mm]: M10x1

External Thread [mm]: M10x1

Length [mm]: 490

MAPP code available:

**FORD**

24.5199-4801.5

241403



**Brake Caliper**

Brake Caliper Type:

paired article number: 24.5199-4802.5

MAPP code available:

Brake System: ATE

Piston Diameter [mm]: 48

Exchange Part:

Supplementary Article/Supplementary Info: without holder

**MERCEDES-BENZ**

24.5199-4802.5

241404



**Brake Caliper**

Brake Caliper Type:

paired article number: 24.5199-4801.5

MAPP code available:

Brake System: ATE

Piston Diameter [mm]: 48

Exchange Part:

Supplementary Article/Supplementary Info: without holder

**MERCEDES-BENZ**

24.5231-0390.3

331822



**Brake Hose**

Spanner Size: 17

Internal Thread [mm]: M10x1

Flange Hole Diameter [mm]: 10

Length [mm]: 420

MAPP code available:

Supplementary Article/Info 2: without banjo bolt

**PORSCHE**

24.6181-0131.5

250180



**Adjustment/Control Element, parking brake**

Vehicle Equipment: + eFSB

paired article number: 24.6181-0132.5

MAPP code available:

Operating Mode: Electric

Brake System: ATE

**PORSCHE**

24.6181-0132.5

250181



**Adjustment/Control Element, parking brake**

Vehicle Equipment: + eFSB

paired article number: 24.6181-0131.5

MAPP code available:

Operating Mode: Electric

Brake System: ATE

**PORSCHE**





**EN** Applications of vehicles

**DE** Fahrzeugverwendungen














**ES** Aplicaciones

**FR** Applications


**IT** Applicazioni autoveicoli



**3/2025**




	kw			 	! #		
<b>AUDI - A1 (8X1, 8XK) 05/10→09/19</b>							
 <b>Brake Caliper</b>							
1.0 TFSI	60 - 70	03/15→10/18	←	+PR 1ZM; ☐		24.3541-9726.5 241582	ATE without holder
1.2 TFSI	63	05/10→04/15					
1.4 TDI	66	11/14→10/18					
1.4 TFSI	90 - 136	05/10→10/18					
1.6 TDI	66 - 85	05/10→10/18					
1.8 TFSI	141	02/15→10/18					
2.0 TDI	100 - 105	09/11→04/15					
S1 quattro	170	03/14→10/18					
2.0 TFSI quattro	188	03/12→11/12	←	10/12→; +PR 1ZM; ☐		24.3541-9726.5 241582	ATE without holder
<b>AUDI - A1 Allstreet (GBH) 07/22→</b>							
 <b>Brake Booster</b>							
25 TFSI	70	07/22→		for right-hand drive vehicles; +PR 1ZA / 1ZE / 1ZK / 1ZM / 1ZQ / 1ZR / 1ZS		03.7845-4302.4 300332	ATE Ø 7 / 8" pneumatic
30 TFSI	81 - 85	07/22→					
35 TFSI	110	07/22→					
<b>AUDI - A1 City Carver (GBH) 07/19→06/22</b>							
 <b>Brake Booster</b>							
25 TFSI	70	07/19→06/22		for right-hand drive vehicles; +PR 1ZA / 1ZE / 1ZK / 1ZM / 1ZQ / 1ZR / 1ZS		03.7845-4302.4 300332	ATE Ø 7 / 8" pneumatic
30 TFSI	81 - 85	07/19→06/22					
35 TFSI	110	07/19→06/22					
<b>AUDI - A1 Sportback (8XA, 8XF) 09/11→09/19</b>							
 <b>Brake Caliper</b>							
1.0 TFSI	60 - 70	03/15→10/18	←	+PR 1ZM; ☐		24.3541-9726.5 241582	ATE without holder
1.2 TFSI	63	01/12→04/15					
1.4 TDI	66	11/14→10/18					
1.4 TFSI	90 - 136	11/11→10/18					
1.4 TSI	110	11/14→10/18					
1.6 TDI	66 - 85	11/11→10/18					
1.8 TFSI	141	02/15→10/18					
2.0 TDI	100 - 105	09/11→04/15					
S1 quattro	170	03/14→10/18					
<b>AUDI - A1 Sportback (GBA) 07/18→</b>							
 <b>Brake Booster</b>							
25 TFSI	70	11/18→		for right-hand drive vehicles; +PR 1ZA / 1ZE / 1ZK / 1ZM / 1ZQ / 1ZR / 1ZS		03.7845-4302.4 300332	ATE Ø 7 / 8" pneumatic
30 TFSI	81 - 85	07/18→					
35 TFSI	110	09/18→					
40 TFSI	147 - 152	09/18→					
<b>AUDI - A4 Allroad B9 (8WH, 8WJ) 01/16→</b>							
 <b>Brake Caliper</b>							
2.0 TDI quattro	100 - 140	01/16→	←	+PR 1LA / 1LB; ☐		24.3571-1139.5 241665	ATE without holder
2.0 TFSI Mild Hybrid quattro	185	11/18→10/19	←	+PR 1LA / 1LB; ☐		24.3571-1140.5 241666	ATE without holder
2.0 TFSI quattro	183 - 185	01/16→					
3.0 TDI quattro	160 - 210	01/16→10/19					
40 TDI Mild Hybrid quattro	150	09/20→					
40 TDI quattro	140	01/20→					
45 TDI quattro	170	07/18→					
45 TFSI Mild Hybrid quattro	180 - 195	07/18→					
50 TDI Mild Hybrid quattro	210	08/20→					
50 TDI quattro	210	11/19→					



**AUDI - A4 B9 (8W2, 8WC) 05/15→**











 **Brake Caliper**

1.4 TFSI	110	08/15→11/19	←	+PR 1LA / 1LB; 		<b>24.3571-1139.5</b>	<b>241665</b>	ATE without holder
2.0 TDI	90 - 140	05/15→	←	+PR 1LA / 1LB; 		<b>24.3571-1140.5</b>	<b>241666</b>	ATE without holder
2.0 TDI quattro	110 - 140	09/15→11/19						
2.0 TFSI	140 - 185	05/15→						
2.0 TFSI Mild Hybrid	185	05/17→11/19						
2.0 TFSI Mild Hybrid quattro	185	05/17→11/19						
2.0 TFSI quattro	183 - 185	05/15→						
3.0 TDI	160	09/15→08/18						
3.0 TDI quattro	160 - 200	05/15→08/18						
30 TDI	90	05/16→11/19						
30 TDI Mild Hybrid	100	07/19→						
35 TDI	110	08/15→11/19						
35 TDI Mild Hybrid	120	03/19→						
35 TFSI Mild Hybrid	110	12/18→11/19						
40 TDI	140	05/15→11/19						
40 TDI Mild Hybrid	150	09/20→						
40 TDI Mild Hybrid quattro	150	05/20→						
40 TDI quattro	140	09/15→11/19						
40 TFSI Mild Hybrid	140 - 150	05/17→						
40 TFSI Mild Hybrid quattro	150	06/20→						
45 TDI quattro	170	07/18→11/19						
45 TFSI Mild Hybrid	180	07/18→11/19						
45 TFSI Mild Hybrid quattro	180 - 195	07/18→						
50 TDI Mild Hybrid quattro	210	08/20→						
50 TDI quattro	210	07/18→11/19						
S4 quattro	260	05/16→11/19						
S4 TDI Mild Hybrid quattro	251 - 255	05/19→						

**AUDI - A4 B9 Avant (8W5, 8WD) 08/15→**













 **Brake Caliper**














1.4 TFSI	110	02/16→10/19	←	+PR 1LA / 1LB; 		<b>24.3571-1139.5</b>	<b>241665</b>	ATE without holder
2.0 TDI	90 - 140	08/15→10/19	←	+PR 1LA / 1LB; 		<b>24.3571-1140.5</b>	<b>241666</b>	ATE without holder
2.0 TDI quattro	110 - 140	10/15→10/19						
2.0 TFSI	140 - 185	08/15→						
2.0 TFSI g-tron	125	11/16→10/19						
2.0 TFSI Mild Hybrid	185	05/17→10/19						
2.0 TFSI Mild Hybrid quattro	185	11/18→						
2.0 TFSI quattro	183 - 185	08/15→10/19						
3.0 TDI	160	10/15→08/18						
3.0 TDI quattro	160 - 200	08/15→08/18						
30 TDI	90	10/18→10/19						
30 TDI Mild Hybrid	100	07/19→						
35 TDI	110	10/18→10/19						
35 TDI Mild Hybrid	120	07/19→						
35 TFSI Mild Hybrid	110	12/18→10/19						
40 TDI	140	10/18→05/19						
40 TDI Mild Hybrid	150	09/20→						
40 TDI Mild Hybrid quattro	150	05/20→						
40 TDI quattro	140	10/18→09/20						
40 TFSI	150	12/20→						
40 TFSI g-tron	125	11/16→10/19						
40 TFSI Mild Hybrid	140 - 150	05/17→						
40 TFSI Mild Hybrid quattro	150	06/20→						
45 TDI quattro	170	07/18→10/19						
45 TFSI Mild Hybrid	180	07/18→10/19						
45 TFSI Mild Hybrid quattro	180 - 195	07/18→						
50 TDI Mild Hybrid quattro	210	08/20→						
50 TDI quattro	210	07/18→10/19						
S4 quattro	260	05/16→10/19						
→								












	kw			 	! #		
<b>AUDI - A4 B9 Avant (8W5, 8WD) 08/15→</b>							
 <b>Brake Caliper</b>							
S4 TDI Mild Hybrid quattro	251 - 255	05/19→	←	+PR 1LA / 1LB; ☐		<b>24.3571-1139.5 241665</b>	ATE without holder
			←	+PR 1LA / 1LB; ☐		<b>24.3571-1140.5 241666</b>	ATE without holder
<b>AUDI - A5 (F53, F5P) 06/16→</b>							
 <b>Brake Caliper</b>							
1.4 TFSI	110	11/16→02/20	←	+PR 1LA / 1LB; ☐		<b>24.3571-1139.5 241665</b>	ATE without holder
2.0 TDI	110 - 140	07/16→	←	+PR 1LA / 1LB; ☐		<b>24.3571-1140.5 241666</b>	ATE without holder
2.0 TDI quattro	140	10/16→					
2.0 TFSI	140 - 185	09/16→					
2.0 TFSI Mild Hybrid	185	05/17→02/20					
2.0 TFSI Mild Hybrid quattro	185	05/17→02/20					
2.0 TFSI quattro	183 - 185	06/16→					
3.0 TDI	160	11/16→08/18					
3.0 TDI quattro	160 - 210	07/16→02/20					
30 TDI Mild Hybrid	100	10/19→					
35 TDI	110 - 120	05/17→					
35 TFSI	110	03/20→					
35 TFSI Mild Hybrid	110	02/19→02/20					
40 TDI	140	06/16→02/20					
40 TDI Mild Hybrid	150	09/20→					
40 TDI Mild Hybrid quattro	150	09/20→					
40 TDI quattro	140	10/16→02/20					
40 TFSI	150	11/20→					
40 TFSI Mild Hybrid	140 - 150	05/17→					
40 TFSI Mild Hybrid quattro	150	07/20→					
45 TDI quattro	170	07/18→02/20					
45 TFSI Mild Hybrid	180	07/18→08/20					
45 TFSI Mild Hybrid quattro	180 - 195	07/18→					
50 TDI Mild Hybrid quattro	210	08/20→					
50 TDI quattro	210	01/17→02/20					
RS5 quattro	331 - 346	04/17→					
S5 quattro	260	07/16→					
S5 TDI Mild Hybrid quattro	251 - 255	12/18→					
<b>AUDI - A5 Convertible (F57, F5E) 11/16→</b>							
 <b>Brake Caliper</b>							
2.0 TDI	110 - 140	11/16→12/19	←	+PR 1LA / 1LB; ☐		<b>24.3571-1139.5 241665</b>	ATE without holder
2.0 TDI quattro	140	03/17→	←	+PR 1LA / 1LB; ☐		<b>24.3571-1140.5 241666</b>	ATE without holder
2.0 TFSI	140 - 185	03/17→12/19					
2.0 TFSI Mild Hybrid	185	05/17→12/19					
2.0 TFSI Mild Hybrid quattro	185	05/17→12/19					
2.0 TFSI quattro	185	11/16→12/19					
3.0 TDI	160	03/17→08/18					
3.0 TDI quattro	160 - 210	11/16→12/19					
30 TDI MILD HYBRID	100	07/18→12/19					
35 TDI	120	10/19→					
35 TFSI Mild Hybrid	110	06/20→					
40 TDI	140	11/16→12/19					
40 TDI Mild Hybrid	150	09/20→					
40 TDI Mild Hybrid quattro	150	09/20→					
40 TDI quattro	140	03/17→12/19					
40 TFSI	150	11/20→					
40 TFSI Mild Hybrid	140 - 150	05/17→					
40 TFSI Mild Hybrid quattro	150	06/20→					
45 TFSI Mild Hybrid	180	07/18→12/19					
45 TFSI Mild Hybrid quattro	180 - 195	07/18→					
50 TDI quattro	210	11/16→12/19					
S5 quattro	260	03/17→					









































	kw			 	! #		
<b>AUDI - A5 Sportback (F5A, F5F) 06/16→</b>							
 <b>Brake Caliper</b>							
1.4 TFSI 2.0 TDI	110 100 - 140	01/17→02/20 09/16→	←	+PR 1LA / 1LB; <input type="checkbox"/>		24.3571-1139.5 241665	ATE without holder
2.0 TDI quattro	110 - 140	10/16→	←	+PR 1LA / 1LB; <input type="checkbox"/>		24.3571-1140.5 241666	ATE without holder
2.0 TFSI	140 - 185	11/16→					
2.0 TFSI g-tron	125	02/17→02/20					
2.0 TFSI Mild Hybrid	185	05/17→02/20					
2.0 TFSI Mild Hybrid quattro	185	05/17→02/20					
2.0 TFSI quattro	183 - 185	09/16→					
3.0 TDI	160	03/17→08/18					
3.0 TDI quattro	160 - 210	09/16→					
30 TDI Mild Hybrid	100	10/19→					
35 TDI	110 - 120	01/17→					
35 TFSI Mild Hybrid	110	08/18→02/20					
40 TDI	140	09/16→02/20					
40 TDI Mild Hybrid	150	09/20→					
40 TDI Mild Hybrid quattro	150	09/20→					
40 TDI quattro	140	08/16→02/20					
40 TFSI	150	11/20→					
40 TFSI g-tron	125	02/17→					
40 TFSI Mild Hybrid	140 - 150	05/17→					
40 TFSI Mild Hybrid quattro	150	06/20→					
45 TDI quattro	170	07/18→02/20					
45 TFSI Mild Hybrid	180	07/18→02/20					
45 TFSI Mild Hybrid quattro	180 - 195	02/19→					
50 TDI Mild Hybrid quattro	210	08/20→					
50 TDI quattro	210	01/17→02/20					
RS5 quattro	331	06/18→					
S5 quattro	260	09/16→					
S5 TDI Mild Hybrid quattro	251 - 255	12/18→					
<b>CITROËN - DISPATCH III Van (V_) 04/16→</b>							
 <b>Brake Booster</b>							
1.5 BlueHDi 100	75	06/18→				03.7870-2902.4 300341	ATE Ø 11" pneumatic
1.5 BlueHDi 120	88	06/18→					
1.6 BlueHDi 115	85	04/16→06/22					
1.6 BlueHDi 90	66	09/18→					
1.6 BlueHDi 95	70	04/16→04/20					
2.0 BlueHDi 120	90	04/16→					
2.0 BlueHDi 120 4x4	90	04/16→					
2.0 BlueHDi 145	106	08/21→					
2.0 BlueHDi 145 4x4	106	01/22→					
2.0 BlueHDi 150	110	04/16→					
2.0 BlueHDi 150 4x4	110	04/16→					
2.0 BlueHDi 180	130	04/16→					
<b>CITROËN - JUMPY III Bus (V_) 04/16→</b>							
 <b>Brake Booster</b>							
1.5 BlueHDi 100	75	06/18→				03.7870-2902.4 300341	ATE Ø 11" pneumatic
1.5 BlueHDi 120	88	06/18→					
1.6 BlueHDi 115	85	04/16→06/22					
1.6 BlueHDi 95	70	04/16→					
2.0 BlueHDi 120	90	04/16→					
2.0 BlueHDi 150	110	04/16→					
2.0 BlueHDi 180	130	04/16→					
<b>CITROËN - JUMPY III Platform/Chassis (V_) 09/16→</b>							
 <b>Brake Booster</b>							
1.6 BlueHDi 95	70	09/16→04/20				03.7870-2902.4 300341	ATE Ø 11" pneumatic
2.0 BlueHDi 120	90	09/16→					
2.0 BlueHDi 145	106	01/23→					
2.0 BlueHDi 150	110	09/16→					
<b>CITROËN - SPACETOURER Bus (V_) 04/16→</b>							
 <b>Brake Booster</b>							
1.5 BlueHDi 100	75	06/18→				03.7870-2902.4 300341	ATE Ø 11" pneumatic
1.5 BlueHDi 120	88	06/18→					
















	kW			 	! #		
<b>CITROËN - SPACETOURER Bus (V_) 04/16→</b>							
 <b>Brake Booster</b>							
1.6 BlueHDi 115	85	04/16→04/19				03.7870-2902.4 300341	ATE Ø 11" pneumatic
1.6 BlueHDi 95	70	04/16→04/19					
1.6 HDi 90	66	07/18→					
2.0 BlueHDi 120	90	12/19→					
2.0 BlueHDi 145	106	09/20→					
2.0 BlueHDi 150	110	04/16→					
2.0 BlueHDi 150 4x4	110	04/16→					
2.0 BlueHDi 180	130	04/16→					
<b>DACIA - DOKKER Box Body/MPV 11/12→12/21</b>							
 <b>Brake Booster</b>							
1.2 TCe 115	84 - 85	12/12→12/21		+ ESP		03.7860-5532.4 300337	ATE Ø 10" pneumatic
1.3 TCe 100	75	08/19→12/21					
1.3 TCe 130	96	08/19→12/21					
1.5 Blue dCi 95	70	06/19→12/21					
1.5 dCi	62 - 66	11/12→12/21					
1.5 dCi 75 / Blue dCi 75	55	12/12→12/21					
1.6	61 - 75	12/12→12/21					
1.6 LPG	61 - 80	11/13→12/21					
<b>DACIA - DOKKER MPV (KE_) 11/12→12/21</b>							
 <b>Brake Booster</b>							
1.2 TCe	85	11/12→12/21		+ ESP		03.7860-5532.4 300337	ATE Ø 10" pneumatic
1.3 TCe 100	75	08/19→12/21					
1.3 TCe 130	96	03/19→12/21					
1.5 Blue dCi 95	70	12/18→12/21					
1.5 dCi / Blue dCi 75	55	11/12→12/21					
1.5 dCi	63 - 66	11/12→12/21					
1.6	61 - 75	11/12→12/21					
1.6 LPG	61 - 80	11/13→12/21					
<b>DACIA - DUSTER (HS_) 04/10→01/18</b>							
 <b>Brake Booster</b>							
1.2 TCe 125	92	10/13→01/18		- ABS		03.7860-5532.4 300337	ATE Ø 10" pneumatic
1.2 TCe 125 4x4	92	06/15→01/18					
1.6 SCe 115	84	06/15→01/18					
1.5 dCi	63 - 79	04/10→01/18		11/13→; - ABS		03.7860-5532.4 300337	ATE Ø 10" pneumatic
1.5 dCi 4x4	66 - 81	10/10→01/18					
1.6 16V	77	04/10→01/18					
1.6 16V 4x4	77	06/10→01/18					
1.6 16V Hi-Flex	77	08/10→01/18					
1.6 16V LPG	77	04/11→01/18					
1.5 dCi 4x4	80	08/13→01/18		for right-hand drive vehicles		03.7860-5532.4 300337	ATE Ø 10" pneumatic
1.6 SCe 115 4x4	84	06/15→01/18		+ ABS / + ESP		03.7860-5532.4 300337	ATE Ø 10" pneumatic
1.6 SCe 115 LPG	84	06/15→01/18					
<b>DACIA - DUSTER SUV Van 04/11→</b>							
 <b>Brake Booster</b>							
1.2 TCe 125 4x4	92	10/13→		06/15→; - ABS		03.7860-5532.4 300337	ATE Ø 10" pneumatic
1.5 dCi	66	04/11→		11/13→; - ABS		03.7860-5532.4 300337	ATE Ø 10" pneumatic
1.5 dCi 4x4	66	04/11→					
1.6 16V	77	04/11→					
1.6 16V 4x4	77	04/11→					
1.6 16V Hi-Flex	77	04/11→					
1.5 dCi 4x4	80	04/13→		08/13→; for right-hand drive vehicles		03.7860-5532.4 300337	ATE Ø 10" pneumatic
1.6 SCe 115	84	06/15→		- ABS		03.7860-5532.4 300337	ATE Ø 10" pneumatic
1.6 SCe 115 LPG	84	06/15→01/18					
1.6 SCe 115 4x4	84	06/15→01/18		+ ABS / + ESP		03.7860-5532.4 300337	ATE Ø 10" pneumatic
<b>DACIA - LODGY (JS_) 03/12→</b>							
 <b>Brake Booster</b>							
1.2 TCe	85	03/12→		+ ESP		03.7860-5532.4 300337	ATE Ø 10" pneumatic
1.3 TCe 100	75	01/19→					
1.3 TCe 130	96	01/19→					
1.5 Blue dCi 115	85	08/18→					
1.5 Blue dCi 95	70	08/18→					
→							














	kW			 	! #		
<b>DACIA - LODGY (JS_) 03/12→</b>							
 <b>Brake Booster</b>							
1.5 dCi	63 - 81	03/12→		+ ESP		<b>03.7860-5532.4 300337</b>	ATE Ø 10" pneumatic
1.6	61	03/12→					
1.6 LPG	61 - 80	11/13→					
1.6 SCe 100	75	06/15→		for left-hand drive vehicles; + ESP		<b>03.7860-5532.4 300337</b>	ATE Ø 10" pneumatic
<b>FORD - C-MAX II (DXA/CB7, DXA/CEU) 04/10→06/19</b>							
 <b>Brake Hose</b>							
1.0 EcoBoost	74 - 92	10/12→06/19	←		2	<b>24.5134-0400.3 331813</b>	L= 455
1.5 EcoBoost	110 - 134	03/15→06/19					
1.5 TDCi	70 - 88	03/15→06/19					
1.5 TDCi ECONetic	77	03/15→06/19					
1.6 CNG	86	01/13→12/14					
1.6 EcoBoost	110 - 134	12/10→06/19					
1.6 Flexifuel	88	02/11→06/19					
1.6 LPG	86 - 88	02/12→06/19					
1.6 TDCi	70 - 85	12/10→06/19					
1.6 Ti	63 - 92	12/10→06/19					
2.0 Energi	136	01/15→06/19					
2.0 TDCi	85 - 125	12/10→06/19					
2.0 TDCi	103	04/10→06/19	←	12/10→	2	<b>24.5134-0400.3 331813</b>	L= 455
<b>FORD - C-MAX II Van 10/10→06/19</b>							
 <b>Brake Hose</b>							
1.0 EcoBoost	74 - 92	10/12→06/19	←		2	<b>24.5134-0400.3 331813</b>	L= 455
1.5 EcoBoost	110 - 134	03/15→06/19					
1.5 TDCi	88	03/15→06/19					
1.5 TDCi ECONetic	77	03/15→06/19					
1.6 EcoBoost	110 - 134	12/10→06/19					
1.6 TDCi	70 - 85	12/10→06/19					
1.6 Ti	77	10/10→06/19					
2.0 TDCi	85 - 125	12/10→06/19					
<b>FORD - FOCUS III 07/10→02/20</b>							
 <b>Brake Hose</b>							
1.0 EcoBoost	74 - 103	02/12→02/20	←		2	<b>24.5134-0400.3 331813</b>	L= 455
1.5 EcoBoost	110 - 134	09/14→12/17					
1.5 TDCi	70 - 88	09/14→04/18					
1.5 TDCi ECONetic	77	09/14→12/17					
1.6 Flexifuel	110	07/13→02/20					
1.6 LPG	86 - 88	02/12→02/20					
1.6 TDCi ECONetic	77	05/12→07/15					
1.6 Ti	63 - 88	08/11→12/17					
2.0	110 - 119	09/11→06/18					
2.0 ST	184	07/12→12/17					
2.0 TDCi	110	11/14→12/17					
2.0 TDCi ST	136	11/14→12/17					
2.0 Ti-GDi Electric	125 - 107	08/11→02/20 07/13→12/17					
1.6 EcoBoost	110 - 134	07/10→06/14	←	03/11→	2	<b>24.5134-0400.3 331813</b>	L= 455
1.6 Flexifuel	88	07/10→02/20					
1.6 TDCi	70 - 85	07/10→12/17					
1.6 Ti	77 - 92	07/10→02/20					
2.0 TDCi	85 - 120	07/10→06/14					

	kW			 	! #		
<b>FORD - FOCUS III Estate Van 02/12→02/20</b>							
 <b>Brake Hose</b>							
1.0 EcoBoost	74 - 92	02/12→02/20	←		2	24.5134-0400.3 331813	L= 455
1.5 EcoBoost	110 - 134	09/14→02/20					
1.5 TDCi	70 - 88	09/14→02/20					
1.5 TDCi ECONetic	77	09/14→02/20					
2.0 TDCi	110	11/14→02/20					
<b>FORD - FOCUS III Hatchback Van 01/11→02/20</b>							
 <b>Brake Hose</b>							
1.0 EcoBoost	74 - 92	02/12→12/17	←		2	24.5134-0400.3 331813	L= 455
1.5 EcoBoost	110 - 134	09/14→12/17					
1.5 TDCi	70 - 88	09/14→12/17					
1.5 TDCi ECONetic	77	09/14→12/17					
1.6 EcoBoost	110 - 134	11/11→06/14					
1.6 TDCi	85	02/12→12/17					
2.0 TDCi	110	11/14→12/17					
1.6 TDCi	70	01/11→12/17	←	03/11→	2	24.5134-0400.3 331813	L= 455
1.6 Ti	77	01/11→02/20					
2.0 TDCi	85 - 120	01/11→06/14					
<b>FORD - FOCUS III Saloon 07/10→02/20</b>							
 <b>Brake Hose</b>							
1.0 EcoBoost	74 - 103	02/12→02/20	←		2	24.5134-0400.3 331813	L= 455
1.5 EcoBoost	110 - 134	11/14→02/20					
1.5 TDCi	70 - 88	11/14→02/20					
1.5 TDCi ECONetic	77	11/14→02/20					
1.6 Flexifuel	110	07/13→02/20					
1.6 TDCi	77	05/12→07/15					
1.6 Ti	63	08/11→02/20					
2.0	110	10/13→02/20					
2.0 GDi	125	08/11→02/20					
2.0 TDCi	110	11/14→02/20					
1.6 EcoBoost	110 - 134	07/10→06/14	←	03/11→	2	24.5134-0400.3 331813	L= 455
1.6 Flexifuel	88	07/10→02/20					
1.6 TDCi	70 - 85	07/10→02/20					
1.6 Ti	77 - 92	07/10→02/20					
2.0 TDCi	85 - 120	07/10→06/14					
<b>FORD - FOCUS III Turnier 07/10→02/20</b>							
 <b>Brake Hose</b>							
1.0 EcoBoost	74 - 103	02/12→02/20	←		2	24.5134-0400.3 331813	L= 455
1.5 EcoBoost	110 - 134	09/14→02/20					
1.5 TDCi	70 - 88	09/14→02/20					
1.5 TDCi ECONetic	77	09/14→02/20					
1.6 Flexifuel	110	07/13→02/20					
1.6 LPG	86 - 88	02/12→02/20					
1.6 TDCi ECONetic	77	05/12→07/15					
1.6 Ti	63 - 88	08/11→02/20					
2.0	110	10/13→02/20					
2.0 ST	184	07/12→02/20					
2.0 TDCi	110	11/14→02/20					
2.0 TDCi ST	136	11/14→02/20					
1.6 EcoBoost	110 - 134	07/10→06/14	←	03/11→	2	24.5134-0400.3 331813	L= 455
1.6 Flexifuel	88	07/10→02/20					
1.6 TDCi	70 - 85	07/10→02/20					
1.6 Ti	77 - 92	07/10→02/20					
→							


















	kw					! #		
<b>FORD - FOCUS III Turnier 07/10→02/20</b>								
 <b>Brake Hose</b>								
2.0 TDCi	85 - 120	07/10→06/14	←	03/11→		2	24.5134-0400.3 331813	L= 455
2.0 Ti-GDi	125	07/10→02/20	←	08/11→		2	24.5134-0400.3 331813	L= 455
<b>FORD - GALAXY III (CK) 01/15→</b>								
 <b>Brake Disc</b>								
1.5 EcoBoost 2.0 EcoBoost 2.0 TDCi	118 176 88 - 132	01/15→06/18 01/15→ 01/15→06/18	←	10/17→; Rim Size [inch]: 17.0			24.0128-0334.1 428334	Ø 316 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 26 Vented
2.0 TDCi 4x4 2.0 TDCi Bi-Turbo	110 - 132 154	05/15→06/18 01/15→06/18						
1.5 EcoBoost 2.0 EcoBlue	121 88 - 140	07/18→ 07/18→	←	Rim Size [inch]: 17.0			24.0128-0334.1 428334	Ø 316 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 26 Vented
2.0 EcoBlue 4x4 2.0 EcoBlue Bi-Turbo 2.5 FHEV	110 - 140 176 140	07/18→ 07/18→ 07/21→						
<b>FORD - GALAXY MK III VAN (CK) 03/19→</b>								
 <b>Brake Disc</b>								
2.0 EcoBlue 2.0 EcoBlue AWD	110 140	03/19→ 03/19→	←	Rim Size [inch]: 17.0			24.0128-0334.1 428334	Ø 316 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 26 Vented
<b>FORD - GRAND C-MAX (DXA/CB7, DXA/CEU) 12/10→06/19</b>								
 <b>Brake Hose</b>								
1.0 EcoBoost 1.5 EcoBoost	74 - 92 110 - 134	10/12→06/19 03/15→06/19	←			2	24.5134-0400.3 331813	L= 455
1.5 TDCi 1.6 EcoBoost	70 - 88 110 - 134	03/15→06/19 12/10→06/19						
1.6 TDCi 1.6 Ti	70 - 85 63 - 92	12/10→06/19 12/10→06/19						
2.0 TDCi	85 - 125	12/10→06/19						
<b>FORD - GRAND C-MAX Van 12/10→06/19</b>								
 <b>Brake Hose</b>								
1.0 EcoBoost 1.5 EcoBoost 1.5 TDCi 1.6 EcoBoost	74 - 92 110 88 110 - 134	10/12→06/19 03/15→06/19 03/15→06/19 12/10→06/19	←			2	24.5134-0400.3 331813	L= 455
1.6 TDCi 1.6 Ti 2.0 TDCi 2.0 TDCI	70 - 85 92 103 - 125 85	12/10→06/19 12/10→12/14 12/10→06/19 02/11→06/19						
<b>FORD - KUGA II (DM2) 05/12→</b>								
 <b>Brake Hose</b>								
1.5 EcoBoost 1.5 EcoBoost 4x4	88 - 134 110 - 134	09/14→ 09/14→12/19	→	- eFSB		2	24.5140-0464.3 331819	L= 490
1.5 TDCi 1.6 EcoBoost 1.6 EcoBoost 4x4	88 110 110 - 134	07/16→06/19 03/13→09/14 10/12→12/19						
2.0 4x4 2.0 EcoBoost 4x4 2.0 TDCi	179 178 85 - 110	03/13→06/16 08/17→06/18 03/13→12/19						
2.0 TDCi 4x4 2.5	100 - 132 110 - 125	03/13→12/19 09/13→						











	kW			 	! #		
<b>FORD - KUGA II VAN 05/12→12/19</b>							
 <b>Brake Hose</b>							
1.5 EcoBoost	88 - 110	09/14→12/19	➔	- eFSB	2	24.5140-0464.3 331819	L= 490
1.5 EcoBoost 4x4	129 - 134	09/14→12/19					
1.5 TDCi	88	01/19→12/19					
2.0 TDCi	88 - 110	09/14→12/19					
2.0 TDCi 4x4	110 - 132	09/14→12/19					
<b>FORD - S-MAX (CJ, WA6) 01/15→</b>							
 <b>Brake Disc</b>							
1.5 EcoBoost	118	01/15→06/18	➔	10/17→; Rim Size [inch]: 17.0		24.0128-0334.1 428334	Ø 316 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 26 Vented
2.0 EcoBoost	176	01/15→					
2.0 TDCi	88 - 132	01/15→06/18					
2.0 TDCi 4x4	110 - 132	01/15→06/18					
2.0 TDCi BI-Turbo	154	01/15→06/18					
1.5 EcoBoost	121	07/18→	➔	Rim Size [inch]: 17.0		24.0128-0334.1 428334	Ø 316 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 26 Vented
2.0 EcoBlue	88 - 140	07/18→					
2.0 EcoBlue 4x4	110 - 140	07/18→					
2.0 EcoBlue BI-Turbo	176	07/18→					
2.5 FHEV	140	07/21→					
<b>HYUNDAI - TUCSON (NX4E, NX4A) 10/20→</b>							
 <b>Brake Pad Set, disc brake</b>							
1.6 CRDi	85 - 100	11/20→	➔	- eFSB		13.0460-5565.2 605565	Mobis + WK + Zub
1.6 CRDi HTRAC	100	11/20→				13.0470-5565.2 LD5565	Mobis + WK + Zub Ceramic
1.6 CRDi Hybrid 48V	100	11/20→					
1.6 CRDi Hybrid 48V HTRAC	100	11/20→					
1.6 T-GDi	110 - 132	05/21→					
1.6 T-GDi HTRAC	110	01/22→					
1.6 T-GDi HTRAC	132	01/21→					
1.6 T-GDi Hybrid	158	06/24→					
1.6 T-GDi Hybrid 48V	110 - 118	11/20→					
1.6 T-GDi Hybrid 4WD	158	06/24→					
1.6 T-GDi Plug-in-Hybrid	185	06/24→					
2.0 MPI	110	01/21→					
2.0 MPI HTRAC	110	01/21→					
2.5 GDi HTRAC	140	01/21→					
<b>KIA - SPORTAGE V (NQ5) 09/21→</b>							
 <b>Brake Pad Set, disc brake</b>							
1.6 CRDi	85	11/21→	➔	- eFSB		13.0460-5565.2 605565	Mobis + WK + Zub
1.6 LPG	100	01/23→				13.0470-5565.2 LD5565	Mobis + WK + Zub Ceramic
1.6 T-GDi	110 - 139	09/21→					
1.6 T-GDi AWD	132 - 139	09/21→					
1.6 T-GDi Hybrid	169	11/21→					
1.6 T-GDi MHEV	118	02/24→					
1.6 T-GDi Plug-in Hybrid AWD	195	11/21→					
2.0 MPI	115	09/21→					
1.6 CRDi MHEV	100	11/21→	➔	- eFSB; Vehicle Production Country Slovakia		13.0460-5565.2 605565	Mobis + WK + Zub
1.6 CRDi MHEV AWD	100	11/21→				13.0470-5565.2 LD5565	Mobis + WK + Zub Ceramic
1.6 T-GDi MHEV	110 - 132	11/21→					
1.6 T-GDi MHEV AWD	110 - 132	11/21→					
<b>MERCEDES-BENZ - E-CLASS (W214) 07/23→</b>							
 <b>Brake Pad Set, disc brake</b>							
E 180	125	07/23→	➔	+SA B3D; for brake disc diameter [mm]: 360		13.0460-2672.2 602672	+ WE / - WK
E 200	150	07/23→					
E 200 4-matic	150	07/23→					
E 220 d	145	07/23→					
E 220 d 4-matic	145	07/23→					
E 300 de	230	10/23→					
E 300 de 4-matic	230	10/23→					
E 300 e	230	07/23→					








	kW					! #		
<b>MERCEDES-BENZ - E-CLASS (W214) 07/23→</b>								
 <b>Brake Pad Set, disc brake</b>								
E 300 e 4-matic E 400 e 4-matic E 450 4-matic E 450 d 4-matic	230 280 280 270	07/23→ 07/23→ 10/23→ 10/23→	➔	+SA B3D; for brake disc diameter [mm]: 360			<b>13.0460-2672.2 602672</b>	+ WE / - WK
<b>MERCEDES-BENZ - E-CLASS All-Terrain (S214) 10/23→</b>								
 <b>Brake Pad Set, disc brake</b>								
E 220 d 4-matic E 300 de 4-matic E 450 4-matic E 450 d 4-matic	145 230 280 270	10/23→ 10/23→ 10/23→ 10/23→	➔	+SA B3D; for brake disc diameter [mm]: 360			<b>13.0460-2672.2 602672</b>	+ WE / - WK
<b>MERCEDES-BENZ - E-CLASS T-Model (S214) 07/23→</b>								
 <b>Brake Pad Set, disc brake</b>								
E 200 E 200 4-matic E 220 d E 220 d 4-matic E 300 de E 300 de 4-matic E 300 e E 450 4-matic E 450 d 4-matic	150 150 145 145 230 230 230 280 270	07/23→ 02/24→ 06/23→ 10/23→ 10/23→ 10/23→ 07/23→ 10/23→ 10/23→	➔	+SA B3D; for brake disc diameter [mm]: 360			<b>13.0460-2672.2 602672</b>	+ WE / - WK
<b>MERCEDES-BENZ - GLC (X254) 06/22→</b>								
 <b>Brake Pad Set, disc brake</b>								
300de 4-matic 300e 4-matic 400e 4-matic 450d 4-matic AMG 43 4-matic	245 230 280 270 310	09/22→ 09/22→ 09/22→ 10/23→ 07/23→	➔				<b>13.0460-2672.2 602672</b>	+ WE / - WK
AMG 63S E Performance 4-matic	500	07/23→	➔	Brake Caliper Colour: red			<b>13.0460-2672.2 602672</b>	+ WE / - WK
<b>MERCEDES-BENZ - GLC Coupe (C254) 06/22→</b>								
 <b>Brake Pad Set, disc brake</b>								
300de 4-matic 300e 4-matic 400e 4-matic 450d 4-matic AMG 43 4-matic	245 230 280 270 310	09/22→ 09/22→ 09/22→ 10/23→ 07/23→	➔				<b>13.0460-2672.2 602672</b>	+ WE / - WK
<b>MERCEDES-BENZ - GLE (W166) 04/15→10/18</b>								
 <b>Brake Caliper</b>								
250 d 250 d 4-matic 350 d 4-matic	150 150 183 - 190	04/15→10/18 04/15→10/18 04/15→10/18	←	for vehicles without AMG sports package; <input type="checkbox"/>			<b>24.3481-4895.5 241473</b>	ATE without holder
			←	for vehicles without AMG sports package; <input type="checkbox"/>			<b>24.3481-4896.5 241474</b>	ATE without holder
			←	for vehicles with AMG Sports Package; <input type="checkbox"/>			<b>24.5199-4801.5 241403</b>	ATE without holder
			←	for vehicles with AMG Sports Package; <input type="checkbox"/>			<b>24.5199-4802.5 241404</b>	ATE without holder
<b>MERCEDES-BENZ - GLE Coupe (C292) 03/15→10/19</b>								
 <b>Brake Caliper</b>								
350 d 4-matic	183 - 190	03/15→10/19	←	for vehicles without AMG sports package; <input type="checkbox"/>			<b>24.3481-4895.5 241473</b>	ATE without holder
			←	for vehicles without AMG sports package; <input type="checkbox"/>			<b>24.3481-4896.5 241474</b>	ATE without holder
			←	for vehicles with AMG Sports Package; <input type="checkbox"/>			<b>24.5199-4801.5 241403</b>	ATE without holder
			←	for vehicles with AMG Sports Package; <input type="checkbox"/>			<b>24.5199-4802.5 241404</b>	ATE without holder
<b>MERCEDES-BENZ - M-CLASS (W166) 06/11→12/15</b>								
 <b>Brake Caliper</b>								
ML 250 CDI / BlueTEC 4-matic ML 350 BlueTEC 4-matic	150 190	06/11→12/15 06/11→02/15	←	for vehicles without AMG sports package; <input type="checkbox"/>			<b>24.3481-4895.5 241473</b>	ATE without holder
			←	for vehicles without AMG sports package; <input type="checkbox"/>			<b>24.3481-4896.5 241474</b>	ATE without holder
			←	for vehicles with AMG Sports Package; <input type="checkbox"/>			<b>24.5199-4801.5 241403</b>	ATE without holder
→								








	kw			 	! #				
<b>MERCEDES-BENZ - M-CLASS (W166) 06/11→12/15</b>									
 <b>Brake Caliper</b>									
ML 250 CDI / BlueTEC 4-matic	150	06/11→12/15	←	for vehicles with AMG Sports Package; <input type="checkbox"/>		24.5199-4802.5	241404	ATE without holder	
ML 350 BlueTEC 4-matic	190	06/11→02/15							
ML 300 4-matic	183 - 185	08/12→02/15	←	04/14→; for vehicles without AMG sports package; <input type="checkbox"/>		24.3481-4895.5	241473	ATE without holder	
			←	04/14→; for vehicles without AMG sports package; <input type="checkbox"/>		24.3481-4896.5	241474	ATE without holder	
			←	for vehicles with AMG Sports Package; <input type="checkbox"/>		24.5199-4801.5	241403	ATE without holder	
			←	for vehicles with AMG Sports Package; <input type="checkbox"/>		24.5199-4802.5	241404	ATE without holder	
<b>MERCEDES-BENZ - S-CLASS (V223) 09/20→</b>									
 <b>Brake Pad Set, disc brake</b>									
S 350 d	210	09/20→	→	for vehicles with sports brake system; not for armoured vehicles; China		13.0460-2672.2	602672	+ WE / - WK	
S 350 d 4-matic	210	09/20→							
S 400 d 4-matic	243	09/20→	→	for vehicles with sports brake system; not for armoured vehicles		13.0460-2672.2	602672	+ WE / - WK	
S 350 d Mild Hybrid	230	05/23→	→	for vehicles with sports brake system; not for armoured vehicles		13.0460-2672.2	602672	+ WE / - WK	
S 450 d Mild Hybrid 4-matic	270	05/23→							
S 450 EQ Boost	270	07/21→							
S 450 EQ Boost 4-matic	270 - 280	10/20→							
S 450 e	300	05/22→	→	not for armoured vehicles		13.0460-2672.2	602672	+ WE / - WK	
S 500 EQ Boost 4-matic	320 - 330	09/20→							
S 580 4-matic	370	05/21→							
S 580 e	375	07/21→							
S 580 e 4-matic	375	07/21→							
<b>MERCEDES-BENZ - S-CLASS (W223) 09/20→</b>									
 <b>Brake Pad Set, disc brake</b>									
S 350 d	210	09/20→06/23	→	for vehicles with sports brake system; not for armoured vehicles; China		13.0460-2672.2	602672	+ WE / - WK	
S 350 d 4-matic	210	09/20→06/23							
S 400 d 4-matic	243	09/20→	→	for vehicles with sports brake system; not for armoured vehicles		13.0460-2672.2	602672	+ WE / - WK	
S 350 d Mild Hybrid	230	06/23→	→	for vehicles with sports brake system		13.0460-2672.2	602672	+ WE / - WK	
S 450 d Mild Hybrid 4-matic	270	05/23→							
S 450 e	300	05/22→	→			13.0460-2672.2	602672	+ WE / - WK	
S 580 e 4-matic	375	07/21→							
S 450 EQ Boost	270	07/21→	→	for vehicles with sports brake system; not for armoured vehicles		13.0460-2672.2	602672	+ WE / - WK	
S 450 EQ Boost 4-matic	270 - 280	10/20→							
S 500 EQ Boost 4-matic	320 - 330	09/20→	→	not for armoured vehicles		13.0460-2672.2	602672	+ WE / - WK	
S 580 4-matic	370	05/21→							
S 580 e	375	07/21→							
<b>MERCEDES-BENZ - S-CLASS (Z223) 04/21→</b>									
 <b>Brake Pad Set, disc brake</b>									
S 580 Maybach EQ Boost 4-matic	370	08/21→	→			13.0460-2672.2	602672	+ WE / - WK	
S 680 Maybach 4-matic	450	05/21→							
<b>MITSUBISHI - ASX (VSX_, VSE_) 01/23→</b>									
 <b>Brake Disc</b>									
1.6 HYBRID	105	01/23→	→			24.0108-0122.1	408122	Ø 260 Brake Disc Thickness [mm] 8 Minimum thickness [mm] 7	
<b>MITSUBISHI - PAJERO IV Van (V9_, V8_, V8_V) 11/06→</b>									
 <b>Brake Caliper</b>									
3.2 DI-D	118	11/06→	←	02/07→; for model code: V98W; <input type="checkbox"/>		24.4451-0011.5	230171	SUM	
3.2 DI-D 4WD	140	02/07→	←	<input type="checkbox"/>		24.4451-0011.5	230171	SUM	
3.2 TD 4WD	147	01/10→							


































	kW					! #			
<b>MITSUBISHI - PAJERO IV Wagon Hardtop (V8_W, V9_W, NS, NT, NW, NX) 10/06→</b>									
 <b>Brake Caliper</b>									
3.0 4WD	131	02/07→	←	☐			24.4451-0011.5	230171	SUM
3.2 DI-D 4WD	140 - 147	02/07→							
3.5 V6 4WD	139	09/09→							
3.2 DI-D	118 - 125	02/07→	←		for model code: V98W; ☐		24.4451-0011.5	230171	SUM
3.8 V6	184	02/07→	←		for model code: V87W; ☐		24.4451-0011.5	230171	SUM
3.8 V6	182	10/06→	←		02/10→; ☐		24.4451-0011.5	230171	SUM
<b>MITSUBISHI - PAJERO CLASSIC (V2_W, V6_W, V7_W) 07/01→</b>									
 <b>Brake Caliper</b>									
3.0	131	09/06→	←		02/07→; for model code: V98W; ☐		24.4451-0011.5	230171	SUM
3.0 ZR	132	08/03→							
3.2 DI-D	125	09/06→							
<b>NISSAN - JUKE (F16_) 08/19→</b>									
 <b>Brake Disc</b>									
1.0	84	08/19→	→				24.0108-0122.1	408122	Ø 260 Brake Disc Thickness [mm] 8 Minimum thickness [mm] 7
1.6 Hybrid	105	08/19→							
DIG-T 117	86	08/19→							
<b>OPEL - KARL (C16) 01/15→03/19</b>									
 <b>Brake Drum</b>									
1.0	54 - 55	01/15→03/19	→				24.0220-0050.1	480334	Ø 230 Inner brake drum height [mm] 40.5 / 201
1.0 LPG	54	02/15→03/18							
<b>OPEL - VIVARO C Bus (K0) 03/19→</b>									
 <b>Brake Booster</b>									
1.5	75 - 88	03/19→					03.7870-2902.4	300341	ATE Ø 11" pneumatic
2.0	90 - 130	03/19→							
<b>OPEL - VIVARO C Platform Cabin (K0) 03/19→</b>									
 <b>Brake Booster</b>									
2.0	90 - 110	03/19→					03.7870-2902.4	300341	ATE Ø 11" pneumatic
<b>OPEL - VIVARO C Van (K0) 03/19→</b>									
 <b>Brake Booster</b>									
1.5	75 - 88	03/19→					03.7870-2902.4	300341	ATE Ø 11" pneumatic
1.5 4x4	88	03/19→							
2.0	90 - 130	03/19→							
2.0 4x4	106 - 110	03/19→							
<b>OPEL - ZAFIRA LIFE Bus (K0) 03/19→</b>									
 <b>Brake Booster</b>									
1.5	75 - 88	03/19→					03.7870-2902.4	300341	ATE Ø 11" pneumatic
2.0	90 - 130	03/19→							
2.0 4x4	110	03/19→							
<b>PEUGEOT - EXPERT Bus (V_) 04/16→</b>									
 <b>Brake Booster</b>									
1.5 BlueHDi 100	75	06/18→					03.7870-2902.4	300341	ATE Ø 11" pneumatic
1.5 BlueHDi 120	88	06/18→							
1.6 BlueHDi 115	85	04/16→							
1.6 BlueHDi 95	70	04/16→							
2.0 BlueHDi 120	90	09/19→							
2.0 BlueHDi 145	106	07/21→							
2.0 BlueHDi 150	110	04/16→							
2.0 BlueHDi 180	130	04/16→							
<b>PEUGEOT - EXPERT Platform/Chassis (V_) 09/16→</b>									
 <b>Brake Booster</b>									
1.6 BlueHDi 95	70	09/16→					03.7870-2902.4	300341	ATE Ø 11" pneumatic













	kW			 	! #		
<b>PEUGEOT - EXPERT Platform/Chassis (V_) 09/16→</b>							
 <b>Brake Booster</b>							
2.0 BlueHDi 120	90	09/16→				03.7870-2902.4 300341	ATE Ø 11" pneumatic
2.0 BlueHDi 145	106	01/23→					
2.0 BlueHDi 150	110	09/16→					
<b>PEUGEOT - EXPERT Van (V_) 04/16→</b>							
 <b>Brake Booster</b>							
1.5 BlueHDi 100	75	06/18→				03.7870-2902.4 300341	ATE Ø 11" pneumatic
1.5 BlueHDi 120	88	06/18→					
1.6 BlueHDi 115	85	04/16→					
1.6 BlueHDi 95	70	04/16→					
2.0 BlueHDi 120	90	04/16→					
2.0 BlueHDi 120 4x4	90	04/16→					
2.0 BlueHDi 145	106	08/21→					
2.0 BlueHDi 150	110	04/16→					
2.0 BlueHDi 150 4x4	110	04/16→					
2.0 BlueHDi 180	130	04/16→					
<b>PEUGEOT - TRAVELLER Bus (V_) 04/16→</b>							
 <b>Brake Booster</b>							
1.5 BlueHDi 100	75	06/18→				03.7870-2902.4 300341	ATE Ø 11" pneumatic
1.5 BlueHDi 120	88	06/18→					
1.6 BlueHDi 115	85	04/16→					
1.6 BlueHDi 95	70	04/16→					
2.0 BlueHDi 120	90	09/19→					
2.0 BlueHDi 145	106	09/20→					
2.0 BlueHDi 150 / HDi 150	110	04/16→					
2.0 BlueHDi 150 / HDi 150 4x4	110	04/16→					
2.0 BlueHDi 180	130	04/16→					
<b>PORSCHE - 718 BOXSTER (982) 04/16→</b>							
<b>Adjustment/Control Element, parking brake</b>							
2.0	184	04/16→	→	<input type="checkbox"/>		24.6181-0131.5 250180	ATE
2.0 T	220	04/16→					
2.5 GTS	269	10/17→	→	<input type="checkbox"/>		24.6181-0132.5 250181	ATE
2.5 S	257	04/16→					
GTS 4.0	294	01/19→					
<b>PORSCHE - 718 BOXSTER Spyder (982) 07/19→</b>							
<b>Adjustment/Control Element, parking brake</b>							
4.0	309	07/19→	→	<input type="checkbox"/>		24.6181-0131.5 250180	ATE
4.0 RS	368	05/23→	→	<input type="checkbox"/>		24.6181-0132.5 250181	ATE
<b>PORSCHE - 718 CAYMAN (982) 04/16→</b>							
<b>Adjustment/Control Element, parking brake</b>							
2.0	184 - 220	04/16→	→	<input type="checkbox"/>		24.6181-0131.5 250180	ATE
2.5 GTS	269	10/17→	→	<input type="checkbox"/>		24.6181-0132.5 250181	ATE
4.0 GT4	309	07/19→					
4.0 GT4 RS	368	11/21→					
GTS 4.0	294	01/19→					
S 2.5	257	04/16→					
<b>PORSCHE - 911 (991) 05/11→12/20</b>							
<b>Adjustment/Control Element, parking brake</b>							
3.0 Carrera	272	11/15→12/19	→	<input type="checkbox"/>		24.6181-0131.5 250180	ATE
3.0 Carrera 4	272	11/15→12/19					
3.0 Carrera 4 GTS	331	03/17→12/19	→	<input type="checkbox"/>		24.6181-0132.5 250181	ATE
3.0 Carrera 4S	309	11/15→12/19					
3.0 Carrera GTS	331	03/17→12/19					
3.0 Carrera S	309	11/15→12/19					
3.0 Carrera T	272	01/18→12/19					
3.4 Carrera	257	12/11→12/19					
3.4 Carrera 4	257	11/12→12/19					
3.8 Carrera 4S	294	11/12→12/19					
3.8 Carrera 4S / 4 GTS	316	11/12→12/19					
3.8 Carrera S	294	05/11→12/19					
3.8 Carrera S / GTS	316	07/12→12/19					
3.8 GT2 RS	515	07/17→05/20					
3.8 GT3	350	08/13→05/17					
3.8 Turbo	383 - 397	09/13→05/20					
3.8 Turbo S	412 - 446	09/13→05/20					
4.0 GT3	368	05/17→12/20					
→							

















	kw			 	! #		
<b>PORSCHE - 911 (991) 05/11→12/20</b>							
<b>Adjustment/Control Element, parking brake</b>							
4.0 GT3 RS	383	05/18→12/20	➡	<input type="checkbox"/>		24.6181-0131.5 250180	ATE
4.0 GT3 RS / R	368	04/15→12/20	➡	<input type="checkbox"/>		24.6181-0132.5 250181	ATE
<b>PORSCHE - 911 (992) 11/18→</b>							
<b>Adjustment/Control Element, parking brake</b>							
3.0 Carrera	283	01/19→05/24	➡	<input type="checkbox"/>		24.6181-0131.5 250180	ATE
3.0 Carrera 4	283	01/19→05/24	➡	<input type="checkbox"/>		24.6181-0132.5 250181	ATE
3.0 Carrera 4 GTS	353	01/21→05/24	➡	<input type="checkbox"/>			
3.0 Carrera 4 S	331	01/19→05/24					
3.0 Carrera GTS	353	01/21→05/24					
3.0 Carrera S	331	01/19→05/24					
3.0 Carrera T	283	04/22→05/24					
3.8 Sport Classic	405	01/21→05/24					
3.8 Turbo	427	03/20→05/24					
3.8 Turbo S	478	03/20→05/24					
GT3	375	05/21→05/24					
GT3 RS	386	09/22→05/24					
S/T	386	06/23→05/24					
<b>PORSCHE - 911 Convertible (991) 03/12→05/20</b>							
<b>Adjustment/Control Element, parking brake</b>							
3.0 Carrera	272	11/15→12/19	➡	<input type="checkbox"/>		24.6181-0131.5 250180	ATE
3.0 Carrera 4	272	11/15→12/19	➡	<input type="checkbox"/>		24.6181-0132.5 250181	ATE
3.0 Carrera 4 GTS	331	03/17→12/19	➡	<input type="checkbox"/>			
3.0 Carrera 4S	309	11/15→12/19					
3.0 Carrera GTS	331	03/17→12/19					
3.0 Carrera S	309	11/15→12/19					
3.4 Carrera	257	03/12→12/19					
3.4 Carrera 4	257	11/12→12/19					
3.8 Carrera 4S	294	11/12→12/19					
3.8 Carrera 4S / 4 GTS	316	11/12→12/19					
3.8 Carrera S	294	03/12→12/19					
3.8 Carrera S / GTS	316	07/12→12/19					
3.8 Turbo	383 - 397	12/13→05/20					
3.8 Turbo S	412 - 427	12/13→05/20					
<b>PORSCHE - 911 Convertible (992) 01/19→</b>							
<b>Adjustment/Control Element, parking brake</b>							
3.0 Carrera	283	01/19→05/24	➡	<input type="checkbox"/>		24.6181-0131.5 250180	ATE
3.0 Carrera 4	283	01/19→05/24	➡	<input type="checkbox"/>		24.6181-0132.5 250181	ATE
3.0 Carrera 4 GTS	353	01/21→05/24	➡	<input type="checkbox"/>			
3.0 Carrera 4 S	331	01/19→05/24					
3.0 Carrera GTS	353	01/21→05/24					
3.0 Carrera S	331	01/19→05/24					
3.8 Turbo	427	03/20→05/24					
3.8 Turbo S	478	03/20→05/24					
<b>PORSCHE - 911 Speedster (991) 06/18→12/20</b>							
<b>Adjustment/Control Element, parking brake</b>							
4.0	375	06/18→12/20	➡	<input type="checkbox"/>		24.6181-0131.5 250180	ATE
			➡	<input type="checkbox"/>		24.6181-0132.5 250181	ATE
<b>PORSCHE - 911 Speedster (997) 08/10→05/11</b>							
<b>Adjustment/Control Element, parking brake</b>							
3.8	300	08/10→05/11	➡	<input type="checkbox"/>		24.6181-0131.5 250180	ATE
			➡	<input type="checkbox"/>		24.6181-0132.5 250181	ATE
<b>PORSCHE - 911 Targa (992) 05/20→</b>							
<b>Adjustment/Control Element, parking brake</b>							
4	283	05/20→	➡	<input type="checkbox"/>		24.6181-0131.5 250180	ATE
4 GTS	353	01/21→	➡	<input type="checkbox"/>		24.6181-0132.5 250181	ATE
4S	331	05/20→	➡	<input type="checkbox"/>			
<b>PORSCHE - 918 Spyder 11/13→</b>							
<b>Adjustment/Control Element, parking brake</b>							
4.6 Plug-in Hybrid	652	11/13→	➡	<input type="checkbox"/>		24.6181-0131.5 250180	ATE
			➡	<input type="checkbox"/>		24.6181-0132.5 250181	ATE

	kw					! #		
<b>PORSCHE - 928 09/77→11/95</b>								
<b>Brake Hose</b>								
4.7 S	228	08/83→07/86	←	01/86→		2	24.5231-0390.3 331822	L= 420
5.0 GT	243	01/89→07/91	←			2	24.5231-0390.3 331822	L= 420
5.0 S	212 - 235	09/85→07/91						
S4	235	08/86→07/91						
5.0 S4 Cat	235	08/86→07/91						
5.4 GTS	257	08/91→11/95						
<b>PORSCHE - BOXSTER (981) 04/12→12/16</b>								
<b>Adjustment/Control Element, parking brake</b>								
2.7	155 - 195	04/12→05/16	→	<input type="checkbox"/>			24.6181-0131.5 250180	ATE
GTS 3.4	243	02/14→05/16	→	<input type="checkbox"/>			24.6181-0132.5 250181	ATE
S 3.4	232	04/12→05/16						
<b>PORSCHE - BOXSTER Spyder (981) 01/15→05/16</b>								
<b>Adjustment/Control Element, parking brake</b>								
3.8	276	01/15→05/16	→	<input type="checkbox"/>			24.6181-0131.5 250180	ATE
			→	<input type="checkbox"/>			24.6181-0132.5 250181	ATE
<b>PORSCHE - PANAMERA (970) 03/09→12/17</b>								
<b>Adjustment/Control Element, parking brake</b>								
3.0 4S	235 - 309	07/13→10/16	→	<input type="checkbox"/>			24.6181-0131.5 250180	ATE
3.0 D	155 - 221	08/11→10/16	→	<input type="checkbox"/>			24.6181-0132.5 250181	ATE
3.0 S	235 - 309	07/13→10/16						
3.0 S E-Hybrid	279 - 306	03/11→10/16						
3.6	220 - 228	05/10→10/16						
3.6 4	220 - 228	05/10→10/16						
4.8 4S	294 - 302	09/09→07/13						
4.8 GTS	316 - 324	01/12→10/16						
4.8 S	294	09/09→07/13						
4.8 Turbo	368 - 397	09/09→10/16						
4.8 Turbo S	404 - 419	05/11→10/16						
<b>PORSCHE - PANAMERA (971) 05/16→12/23</b>								
<b>Adjustment/Control Element, parking brake</b>								
2.9	243	04/19→12/23	→	<input type="checkbox"/>			24.6181-0131.5 250180	ATE
2.9 4	243	05/16→12/23	→	<input type="checkbox"/>			24.6181-0132.5 250181	ATE
2.9 4 E-Hybrid	340	05/16→12/23	→	<input type="checkbox"/>				
2.9 4S	324	05/16→12/23						
2.9 4S E-Hybrid	412	08/20→12/23						
3.0	243	05/16→12/23						
3.0 4	243	05/16→12/23						
4.0 GTS	338 - 353	01/18→12/23						
4.0 S 4 Diesel	310	05/16→12/23						
4.0 Turbo	404	05/16→12/23						
4.0 Turbo S	463	08/20→12/23						
4.0 Turbo S E-Hybrid	500 - 515	05/17→12/23						
<b>PORSCHE - PANAMERA (976) 06/23→</b>								
<b>Adjustment/Control Element, parking brake</b>								
2.9	260	06/23→	→	+PR 0J2; <input type="checkbox"/>			24.6181-0131.5 250180	ATE
2.9 4	260	06/23→	→	+PR 0J2; <input type="checkbox"/>			24.6181-0132.5 250181	ATE
2.9 4 E-Hybrid	346	02/24→	→	+PR 0J2; <input type="checkbox"/>				
2.9 4S E-Hybrid	400	02/24→						
4.0 GTS	368	07/24→						
4.0 Turbo E-Hybrid	500	02/24→						
4.0 Turbo S E-Hybrid	575	07/24→						
<b>PORSCHE - PANAMERA Sport Turismo (971) 05/17→12/23</b>								
<b>Adjustment/Control Element, parking brake</b>								
2.9 4	243	05/17→12/23	→	<input type="checkbox"/>			24.6181-0131.5 250180	ATE
2.9 4 E-Hybrid	340	05/17→12/23	→	<input type="checkbox"/>			24.6181-0132.5 250181	ATE
2.9 4S	324	05/17→12/23	→	<input type="checkbox"/>				
→								

	kW			 	! #			
<b>PORSCHE - PANAMERA Sport Turismo (971) 05/17→12/23</b>								
<b>Adjustment/Control Element, parking brake</b>								
2.9 4S E-Hybrid	412	08/20→12/23	➡	<input type="checkbox"/>		24.6181-0131.5	250180	ATE
3.0 4	243	05/17→12/23						
4.0 GTS	338 - 353	01/18→12/23	➡	<input type="checkbox"/>		24.6181-0132.5	250181	ATE
4.0 S 4 Diesel	310	05/17→12/23						
4.0 Turbo	404	05/17→12/23						
4.0 Turbo S	463	08/20→12/23						
4.0 Turbo S E-Hybrid	500 - 515	05/17→12/23						
<b>RENAULT - AUSTRAL 07/22→</b>								
<b> Brake Pad Set, disc brake</b>								
E-TECH 200 Hybrid	146	10/22→	←	for vehicles without four wheel steering		13.0460-7374.2	607374	ATE + WK
<b>RENAULT - CAPTUR II (HF_) 01/20→</b>								
<b> Brake Disc</b>								
1.0 TCe 90 ECO-G	67	01/21→	➡			24.0108-0122.1	408122	Ø 260 Brake Disc Thickness [mm] 8 Minimum thickness [mm] 7
Blue dCi 115	85	01/20→						
Blue dCi 95	70	01/20→						
LPG	74	01/20→						
TCe 100	74	01/20→						
TCe 130	96	01/20→						
TCe 140	103	01/20→						
TCe 155	113	01/20→						
TCe 160	116	09/20→						
TCe 90	67	09/20→						
<b>RENAULT - DOKKER 12/13→</b>								
<b> Brake Booster</b>								
1.5 dCi	66	12/13→		+ ESP		03.7860-5532.4	300337	ATE Ø 10" pneumatic
1.6	62	12/13→12/21						
<b>RENAULT - DUSTER (HS_) 01/11→</b>								
<b> Brake Booster</b>								
1.5 dCi	63	02/12→		11/13→; - ABS		03.7860-5532.4	300337	ATE Ø 10" pneumatic
1.6 16V	76	02/12→						
1.5 dCi 4x4	80	09/13→01/18		for right-hand drive vehicles		03.7860-5532.4	300337	ATE Ø 10" pneumatic
<b>RENAULT - KANGOO / GRAND KANGOO II (KW0/1_) 02/08→</b>								
<b> Cable Pull, parking brake</b>								
1.2 TCe 115	84	07/13→		for extended wheelbase; Disc Brake; <input type="checkbox"/>	2	24.3727-3604.2	583604	L= 2392
1.5 dCi	78	02/08→						
1.5 dCi 105	76	02/08→						
1.5 dCi 110	80 - 81	09/10→						
1.5 dCi 115	85	03/19→						
1.5 dCi 70	50	02/08→						
1.5 dCi 75	55	11/12→						
1.5 dCi 80	59	03/19→						
1.5 dCi 85	63	02/08→						
1.5 dCi 90	66 - 67	06/08→						
1.5 dCi 95	70	03/19→						
1.6	64	02/08→						
1.6 16V	78	02/08→						
1.6 16V FLEX	78	02/08→						
1.6 16V LPG	78	12/08→						
<b>RENAULT - KANGOO Express (FW0/1_) 02/08→</b>								
<b> Cable Pull, parking brake</b>								
1.2 TCe 115	84	07/13→		for extended wheelbase; Disc Brake; <input type="checkbox"/>	2	24.3727-3604.2	583604	L= 2392
1.5 dCi 105	76	02/08→						
1.5 dCi 110	80 - 81	09/10→						
1.5 dCi 115	85	10/19→						
1.5 dCi 70	50	02/08→						
1.5 dCi 75	55	09/10→						
1.5 dCi 80	59	10/19→						
1.5 dCi 85	63	02/08→						
1.5 dCi 90	66 - 67	06/09→						
1.5 dCi 95	70	10/19→						
1.6	64 - 81	02/08→						
1.6 16V	78	02/08→						
1.6 16V FLEX	78	02/08→						

	kw					! #		
<b>RENAULT - KANGOO Express (FW0/1_) 02/08→</b>								
 <b>Cable Pull, parking brake</b>								
1.6 16V LPG Z.E.	78 44	02/08→ 10/11→			for extended wheelbase; Disc Brake; 	2	24.3727-3604.2 583604	L= 2392
<b>RENAULT - KAPTUR (H5_) 03/16→</b>								
 <b>Brake Booster</b>								
1.6 2.0 4WD	84 105	03/16→ 03/16→					03.7860-5532.4 300337	ATE Ø 10" pneumatic
<b>RENAULT - LODGY (JS_) 07/13→</b>								
 <b>Brake Booster</b>								
1.5 dCi 1.6	62 59	01/15→ 07/13→			+ ESP		03.7860-5532.4 300337	ATE Ø 10" pneumatic
<b>RENAULT - MEGANE IV Grandtour (K9A/M/N_) 04/16→</b>								
 <b>Brake Disc</b>								
1.0 TCe 115 1.3 TCe 160	84 116	07/21→ 08/20→	➔				24.0108-0122.1 408122	Ø 260 Brake Disc Thickness [mm] 8 Minimum thickness [mm] 7
1.3 TCe 100 1.3 TCe 140 1.5 Blue dCi 115 1.5 Blue dCi 95	75 103 85 70	08/18→ 01/18→ 08/18→ 08/18→	➔		for vehicles without four wheel steering		24.0108-0122.1 408122	Ø 260 Brake Disc Thickness [mm] 8 Minimum thickness [mm] 7
1.8 Blue dCi 150	110	02/19→	➔		- eFSB		24.0108-0122.1 408122	Ø 260 Brake Disc Thickness [mm] 8 Minimum thickness [mm] 7
<b>RENAULT - MEGANE IV Hatchback (B9A/M/N_) 11/15→</b>								
 <b>Brake Disc</b>								
1.0 TCe 115 1.3 TCe 160	84 116	10/20→ 08/20→	➔				24.0108-0122.1 408122	Ø 260 Brake Disc Thickness [mm] 8 Minimum thickness [mm] 7
1.3 TCe 100 1.3 TCe 160 1.5 Blue dCi 115 1.5 Blue dCi 95	75 117 85 70	08/18→ 11/18→ 08/18→ 08/18→	➔		for vehicles without four wheel steering		24.0108-0122.1 408122	Ø 260 Brake Disc Thickness [mm] 8 Minimum thickness [mm] 7
1.8 Blue dCi 150	110	02/19→	➔		- eFSB		24.0108-0122.1 408122	Ø 260 Brake Disc Thickness [mm] 8 Minimum thickness [mm] 7
<b>RENAULT - MEGANE E-TECH SUV 11/21→</b>								
 <b>Brake Pad Set, disc brake</b>								
EV40 EV60	96 160	11/21→ 11/21→	←				13.0460-7374.2 607374	ATE + WK
<b>SEAT - ARONA (KJ7, KJP) 07/17→</b>								
 <b>Brake Booster</b>								
1.0 TGI 1.0 TSI 1.5 TSI 1.6 SRE 1.6 TDI	66 70 - 85 110 81 70 - 85	11/18→ 07/17→ 07/17→ 07/17→ 07/17→			for right-hand drive vehicles		03.7845-4302.4 300332	ATE Ø 7 / 8" pneumatic
<b>SEAT - IBIZA IV (6J5, 6P1) 03/08→12/17</b>								
 <b>Brake Caliper</b>								
1.0 1.0 TSI 1.2 TSI 1.4 TDI 1.6	55 70 - 81 66 - 81 55 - 77 81	05/15→06/17 05/15→06/17 05/15→06/17 05/15→06/17 07/15→06/17	←		+PR 1ZR / 1ZS / 1ZC; 		24.3541-9726.5 241582	ATE without holder
1.2 1.2 TDI 1.2 TSI 1.4 TDI 1.4 TSI 1.6 LPG 1.9 TDI 2.0 →	44 55 63 - 77 59 110 60 66 85	07/09→05/15 06/10→05/15 09/10→05/15 07/08→06/10 06/09→06/17 05/11→05/15 07/08→06/10 10/08→05/15	←		+PR 1ZR / 1ZS; 		24.3541-9726.5 241582	ATE without holder

	kw			 	! #		
<b>SEAT - IBIZA IV (6J5, 6P1) 03/08→12/17</b>							
 <b>Brake Caliper</b>							
2.0 TDI	105	01/10→05/15	←	+PR 1ZR / 1ZS; ☐		24.3541-9726.5 241582	ATE without holder
1.2	51	03/08→05/15	←	07/08→; +PR 1ZR / 1ZS; ☐		24.3541-9726.5 241582	ATE without holder
1.2 LPG	51	03/08→05/11					
1.4	63	03/08→05/15					
1.4 LPG	63	03/08→05/11					
1.6	77	05/08→03/12					
1.9 TDI	77	03/08→06/10					
1.4 TSI	103	10/13→05/15	←	12/13→; +PR 1ZR / 1ZS; ☐		24.3541-9726.5 241582	ATE without holder
1.6 TDI	55 - 77	05/09→05/15	←	06/09→; +PR 1ZR / 1ZS; ☐		24.3541-9726.5 241582	ATE without holder
<b>SEAT - IBIZA IV Hatchback Van (6J1) 04/08→05/15</b>							
 <b>Brake Caliper</b>							
1.2	51	04/08→05/15	←	07/08→; +PR 1ZR / 1ZS; ☐		24.3541-9726.5 241582	ATE without holder
1.2 TDI	55	05/10→05/15	←	+PR 1ZR / 1ZS; ☐		24.3541-9726.5 241582	ATE without holder
1.6 TDI	66	05/09→05/15	←	06/09→; +PR 1ZR / 1ZS; ☐		24.3541-9726.5 241582	ATE without holder
<b>SEAT - IBIZA IV SC (6J1, 6P5) 06/08→12/18</b>							
 <b>Brake Caliper</b>							
1.0	55	05/15→12/16	←	+PR 1ZR / 1ZS / 1ZC; ☐		24.3541-9726.5 241582	ATE without holder
1.0 TSI	70 - 81	05/15→12/16					
1.2 TSI	66 - 81	05/15→12/16					
1.4 TDI	55 - 77	05/15→12/16					
1.6	81	07/15→12/16					
1.8 TSI Cupra	141	11/15→12/16					
1.2	44 - 51	07/08→05/15	←	+PR 1ZR / 1ZS; ☐		24.3541-9726.5 241582	ATE without holder
1.2 TDI	55	05/10→05/15					
1.2 TSI	63 - 77	09/10→05/15					
1.4	63	07/08→05/15					
1.4 LPG	63	07/08→05/11					
1.4 TDI	59	07/08→06/10					
1.4 TSI	110	11/15→12/16					
1.6	77	07/08→05/15					
1.6 LPG	60	05/11→05/15					
1.6 TDI	55	05/10→06/10					
1.9 TDI	77	07/08→06/10					
2.0	85	10/08→05/15					
2.0 TDI	105	01/10→05/15					
1.4 TSI	103	10/13→05/15	←	12/13→; +PR 1ZR / 1ZS; ☐		24.3541-9726.5 241582	ATE without holder
1.4 TSI	110	01/09→05/15	←	06/09→; +PR 1ZR / 1ZS; ☐		24.3541-9726.5 241582	ATE without holder
1.6 TDI	66 - 77	05/09→05/15					
1.9 TDI	66	06/08→06/10	←	07/08→; +PR 1ZR / 1ZS; ☐		24.3541-9726.5 241582	ATE without holder
<b>SEAT - IBIZA IV ST (6J8, 6P8) 03/10→07/16</b>							
 <b>Brake Caliper</b>							
1.0	55	05/15→07/16	←	+PR 1ZR / 1ZS / 1ZC; ☐		24.3541-9726.5 241582	ATE without holder
1.0 TSI	70 - 81	05/15→07/16					
1.2 TSI	66 - 81	05/15→07/16					
1.4 TDI	55 - 77	05/15→07/16					
1.2	44 - 51	05/10→05/15	←	+PR 1ZR / 1ZS; ☐		24.3541-9726.5 241582	ATE without holder
1.2 TDI	55	04/10→05/15					
1.2 TSI	63 - 77	09/10→05/15					
1.4	63	03/10→05/15					
1.4 TSI	110	02/12→07/16					
1.6	77	02/12→05/15					
1.6 TDI	66 - 77	03/10→05/15					
1.4 TSI	103	10/13→05/15	←	12/13→; +PR 1ZR / 1ZS; ☐		24.3541-9726.5 241582	ATE without holder
<b>SEAT - IBIZA V (KJ1, KJG) 01/17→</b>							
 <b>Brake Booster</b>							
1.0	48 - 55	01/17→		for right-hand drive vehicles		03.7845-4302.4 300332	ATE Ø 7 / 8" pneumatic

	kW			 	! #		
<b>SEAT - IBIZA V (KJ1, KJG) 01/17→</b>							
 <b>Brake Booster</b>							
1.0 MPI	59	07/18→		for right-hand drive vehicles		<b>03.7845-4302.4 300332</b>	ATE Ø 7 / 8" pneumatic
1.0 TGI	66	11/17→					
1.0 TSI	70 - 85	01/17→					
1.5 TSI	110	07/17→					
1.6	81	05/17→					
1.6 TDI	59 - 85	09/17→					
<b>SKODA - FABIA IV (PJ3) 06/21→</b>							
 <b>Brake Booster</b>							
1.0 MPI	48 - 59	06/21→		for right-hand drive vehicles; +PR 1ZE		<b>03.7845-4302.4 300332</b>	ATE Ø 7 / 8" pneumatic
1.0 TSI	70 - 85	06/21→					
1.5 TSI	110	11/21→					
1.6	81	06/21→					
<b>SKODA - KAMIQ (NW4) 07/19→</b>							
 <b>Brake Booster</b>							
1.0 TGI CNG	66	11/19→		+PR 1ZA / 1ZE / 1ZS; for right-hand drive vehicles		<b>03.7845-4302.4 300332</b>	ATE Ø 7 / 8" pneumatic
1.0 TSI	70 - 85	07/19→					
1.5 TSI	110	07/19→					
1.6 SRE	81	07/19→					
1.6 TDI	70 - 85	07/19→					
<b>SKODA - SCALA (NW1) 02/19→</b>							
 <b>Brake Booster</b>							
1.0 TGI CNG	66	11/19→		for right-hand drive vehicles; +PR 1ZE / 1ZS		<b>03.7845-4302.4 300332</b>	ATE Ø 7 / 8" pneumatic
1.0 TSI	70 - 85	02/19→					
1.5 TSI	110	02/19→					
1.6 SRE	81	02/19→					
1.6 TDI	70 - 85	02/19→					
<b>VAUXHALL - VIVA (C16) 01/15→03/19</b>							
 <b>Brake Drum</b>							
1.0	54 - 55	01/15→03/19	➔			<b>24.0220-0050.1 480334</b>	Ø 230 Inner brake drum height [mm] 40.5 / 201
1.0 LPG	54	06/15→03/18					
<b>VAUXHALL - VIVARO C Platform Cabin (K0) 03/19→</b>							
 <b>Brake Booster</b>							
2.0	90 - 106	03/19→				<b>03.7870-2902.4 300341</b>	ATE Ø 11" pneumatic
<b>VAUXHALL - VIVARO C Van (K0) 03/19→</b>							
 <b>Brake Booster</b>							
1.5	75 - 88	03/19→				<b>03.7870-2902.4 300341</b>	ATE Ø 11" pneumatic
1.5 4x4	88	03/19→					
2.0	90 - 130	03/19→					
2.0 4x4	110	03/19→					
<b>VAUXHALL - VIVARO LIFE Bus (K0) 03/19→</b>							
 <b>Brake Booster</b>							
1.5	75 - 88	03/19→				<b>03.7870-2902.4 300341</b>	ATE Ø 11" pneumatic
2.0	106 - 130	03/19→					
2.0 4x4	110	03/19→					
<b>VW - TAIGO (CS1) 09/21→</b>							
 <b>Brake Booster</b>							
1.0 TSI	70 - 85	09/21→		for right-hand drive vehicles		<b>03.7845-4302.4 300332</b>	ATE Ø 7 / 8" pneumatic
1.5 TSI	110	09/21→					





kW



! #



## VW - T-CROSS (C11, D31) 12/18→



## Brake Booster

1.0 TSi	70 -	12/18→		for right-hand drive vehicles; +PR 1ZP / 1ZS	<b>03.7845-4302.4 300332</b>	ATE Ø 7 / 8" pneumatic
	85					
1.0 TSI	81	06/20→				
1.5 TSI	110	01/20→				
1.6 TDi	70	12/18→				















- EN** Technical translations
- DE** Technische Übersetzungen
- ES** Traducciones técnicas
- FR** Traductions techniques
- IT** Traduzioni tecniche

**3/2025**

# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

EN		EN	
	Brake Hose	<b>B</b>	Coated
		<b>black</b>	black
	Cable Pull, parking brake	<b>Bolt Hole Circle Ø [mm]</b>	Bolt Hole Circle Ø [mm]
	Brake Caliper	<b>Bore Diameter [mm]</b>	Bore Diameter [mm]
	Brake Drum	<b>Brake Caliper Colour</b>	Brake Caliper Colour
	Brake Pad Set, disc brake	<b>Brake Disc Thickness [mm]</b>	Brake Disc Thickness [mm]
	Brake Disc	<b>Centering Diameter [mm]</b>	Centering Diameter [mm]
	Brake Booster	<b>China</b>	China
	Rear	<b>Disc Brake</b>	Disc Brake
	Rear Axle Left	<b>- eFSB</b>	for vehicles without electric parking brake
	Rear Axle Right	<b>Electric</b>	Electric
	Front Axle Left	<b>Exchange Part</b>	Exchange Part
	Front Axle Right	<b>Flange Hole Diameter [mm]</b>	Flange Hole Diameter [mm]
/	max. brake drum reboring dimension [mm]	<b>for brake disc diameter [mm]</b>	for brake disc diameter [mm]
<b>+ ABS</b>	for vehicles with ABS	<b>for extended wheelbase</b>	for extended wheelbase
<b>+ eFSB</b>	for vehicles with electric parking brake	<b>for left-hand drive vehicles</b>	for left-hand drive vehicles
<b>+ ESP</b>	for vehicles with ESP	<b>for model code</b>	for model code
<b>+PR</b>	for PR number	<b>for right-hand drive vehicles</b>	for right-hand drive vehicles
<b>+SA</b>	for special equipment code	<b>for vehicles with AMG Sports Package</b>	for vehicles with AMG Sports Package
<b>+ WE</b>	prepared for wear warning indicator	<b>for vehicles without AMG sports package</b>	for vehicles without AMG sports package
<b>+ WK</b>	with acoustic wear warning		
<b>+ Zub</b>	with accessories		
<b>17.0</b>	17.0		
<b>- ABS</b>	for vehicles without ABS		
<b>Article number of recommended accessories</b>	Article number of recommended accessories		

# Technical translations













Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

EN		EN	
<b>for vehicles without four wheel steering</b>	for vehicles without four wheel steering	<b>Total brake drum height [mm]</b>	Total brake drum height [mm]
<b>for vehicles with sports brake system</b>	for vehicles with sports brake system	<b>Vehicle Production Country</b>	Vehicle Production Country
<b>Height [mm]</b>	Height [mm]	<b>Width [mm]</b>	Width [mm]
<b>Height 1 [mm]</b>	Height 1 [mm]	<b>without banjo bolt</b>	without banjo bolt
<b>Height 2 [mm]</b>	Height 2 [mm]	<b>- WK</b>	excl. wear warning contact
<b>Inner brake drum height [mm]</b>	Inner brake drum height [mm]	<b>Yes</b>	Yes
<b>L=</b>	Length [mm]	<b>∅</b>	Outer brake drum diameter [mm] Inner Diameter [mm] Outer Diameter [mm] Inner brake drum diameter [mm]
<b>Minimum thickness [mm]</b>	Minimum thickness [mm]	<b>∅ "</b>	Diameter [inch]
<b>not for armoured vehicles</b>	not for armoured vehicles	<b>→</b>	Construction Year from
<b>Number of Holes</b>	Number of Holes		
<b>Permissible up to vehicle capacity [kW]</b>	Permissible up to vehicle capacity [kW]		
<b>Piston Diameter [mm]</b>	Piston Diameter [mm]		
<b>pneumatic</b>	pneumatic		
<b>red</b>	red		
<b>replacement part</b>	replacement part		
<b>Rim Size [inch]</b>	Rim Size [inch]		
<b>Slovakia</b>	Slovakia		
<b>Spanner Size</b>	Spanner Size		
<b>SUM</b>	Brake System, Sumitomo		
<b>Support plate diameter [mm]</b>	Support plate diameter [mm]		
<b>Surface</b>	Surface		
<b>Thickness [mm]</b>	Thickness [mm]		



# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

DE		DE	
	Bremsschlauch	<b>B</b>	beschichtet
	Seilzug, Feststellbremse	<b>black</b>	schwarz
	Bremssattel	<b>Bolt Hole Circle Ø [mm]</b>	Lochkreis-Ø [mm]
	Bremstrommel	<b>Bore Diameter [mm]</b>	Bohrungsdurchmesser [mm]
	Bremsbelagsatz, Scheibenbremse	<b>Brake Caliper Colour</b>	Bremssattelfarbe
	Bremsscheibe	<b>Brake Disc Thickness [mm]</b>	Bremsscheibendicke [mm]
	Bremskraftverstärker	<b>Centering Diameter [mm]</b>	Zentrierungsdurchmesser [mm]
	hinten	<b>China</b>	China
	Hinterachse links	<b>Disc Brake</b>	Scheibenbremse
	Hinterachse rechts	<b>- eFSB</b>	für Fahrzeuge ohne elektrische Feststellbremse
	Vorderachse links	<b>Electric</b>	elektrisch
	Vorderachse rechts	<b>Exchange Part</b>	Austauschteil
/	max. Bremstrommelausdrehmaß [mm]	<b>Flange Hole Diameter [mm]</b>	Flanschlochdurchmesser [mm]
<b>+ ABS</b>	für Fahrzeuge mit ABS	<b>for brake disc diameter [mm]</b>	für Bremsscheibendurchmesser [mm]
<b>+ eFSB</b>	für Fahrzeuge mit elektrischer Feststellbremse	<b>for extended wheelbase</b>	für verlängerten Radstand
<b>+ ESP</b>	für Fahrzeuge mit ESP	<b>for left-hand drive vehicles</b>	für Linkslenker
<b>+PR</b>	für PR-Nummer	<b>for model code</b>	für Modellreihenbaumuster
<b>+SA</b>	für Sonderausstattungscode (SA-Code)	<b>for right-hand drive vehicles</b>	für Rechtslenker
<b>+ WE</b>	für Verschleißwarnanzeige vorbereitet	<b>for vehicles with AMG Sports Package</b>	für Fahrzeuge mit AMG-Sportpaket
<b>+ WK</b>	mit akustischer Verschleißwarnung	<b>for vehicles without AMG sports package</b>	für Fahrzeuge ohne AMG-Sportpaket
<b>+ Zub</b>	mit Zubehör		
<b>17.0</b>	17,0		
<b>- ABS</b>	für Fahrzeuge ohne ABS		
<b>Article number of recommended accessories</b>	Artikelnummer des empfohlenen Zubehörs		

# Technical translations













Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

DE		DE	
<b>for vehicles without four wheel steering</b>	für Fahrzeuge ohne Vierradlenkung	<b>Total brake drum height [mm]</b>	Bremstrommelhöhe gesamt [mm]
<b>for vehicles with sports brake system</b>	für Fahrzeuge mit Sportbremsanlage	<b>Vehicle Production Country</b>	Fahrzeugproduktionsland
<b>Height [mm]</b>	Höhe [mm]	<b>Width [mm]</b>	Breite [mm]
<b>Height 1 [mm]</b>	Höhe 1 [mm]	<b>without banjo bolt</b>	ohne Hohlschraube
<b>Height 2 [mm]</b>	Höhe 2 [mm]	<b>- WK</b>	exkl. Verschleißwarnkontakt
<b>Inner brake drum height [mm]</b>	Bremstrommelhöhe innen [mm]	<b>Yes</b>	Ja
<b>L=</b>	Länge [mm]	<b>Ø</b>	Bremstrommeldurchmesser außen [mm] Innendurchmesser [mm] Außendurchmesser [mm] Bremstrommeldurchmesser innen [mm]
<b>Minimum thickness [mm]</b>	Mindestdicke [mm]	<b>Ø "</b>	Durchmesser [Zoll]
<b>not for armoured vehicles</b>	nicht für gepanzerte Fahrzeuge	<b>→</b>	Baujahr ab
<b>Number of Holes</b>	Lochanzahl		
<b>Permissible up to vehicle capacity [kW]</b>	Zulässig bis Fahrzeugleistung [kW]		
<b>Piston Diameter [mm]</b>	Kolbendurchmesser [mm]		
<b>pneumatic</b>	pneumatisch		
<b>red</b>	rot		
<b>replacement part</b>	Austauschteil		
<b>Rim Size [inch]</b>	Felgengröße [Zoll]		
<b>Slovakia</b>	Slowakische Republik		
<b>Spanner Size</b>	Schlüsselweite		
<b>SUM</b>	Bremssystem, Sumitomo		
<b>Support plate diameter [mm]</b>	Durchmesser Aufnahme [mm]		
<b>Surface</b>	Oberfläche		
<b>Thickness [mm]</b>	Dicke/Stärke [mm]		



# Technical translations

Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

ES		ES	
	Tubo flexible de frenos	<b>B</b>	revestido
	Cable de accionamiento, freno de estacionamiento	<b>black</b>	negro
	Pinza de freno	<b>Bolt Hole Circle Ø [mm]</b>	corona de agujeros - Ø [mm]
	Tambor de freno	<b>Bore Diameter [mm]</b>	Diámetro de orificio [mm]
	Juego de pastillas de freno	<b>Brake Caliper Colour</b>	Color pinza freno
	Disco de freno	<b>Brake Disc Thickness [mm]</b>	Espesor de disco de frenos [mm]
	Servofrenos	<b>Centering Diameter [mm]</b>	Diámetro de centrado [mm]
	posterior	<b>China</b>	China
	Eje trasero izquierda	<b>Disc Brake</b>	Discos
	Eje trasero, derecha	<b>- eFSB</b>	para vehículos sin freno de estacionamiento electrónico
	Eje delantero, izquierda	<b>Electric</b>	eléctrico
	Eje delantero, derecha	<b>Exchange Part</b>	Pieza de intercambio
/	distancia máx. de desenroscado de tambor de freno [mm]	<b>Flange Hole Diameter [mm]</b>	Diám. taladro brida [mm]
<b>+ ABS</b>	para vehículos con ABS	<b>for brake disc diameter [mm]</b>	para diámetro disco de freno [mm]
<b>+ eFSB</b>	para vehículos con freno de estacionamiento electrónico	<b>for extended wheelbase</b>	para distancia entre ejes prolongada
<b>+ ESP</b>	para vehículos con ESP	<b>for left-hand drive vehicles</b>	para vehic. dirección izquierda
<b>+PR</b>	Número de PR	<b>for model code</b>	para el tipo de serie del modelo
<b>+SA</b>	para código de equipamiento especial	<b>for right-hand drive vehicles</b>	para vehíc. dirección a la derecha
<b>+ WE</b>	preparado para indicador de desgaste	<b>for vehicles with AMG Sports Package</b>	para vehículos con paquete sport AMG
<b>+ WK</b>	con avisador acústico de desgaste	<b>for vehicles without AMG sports package</b>	para vehículos sin paquete deportivo AMG
<b>+ Zub</b>	con accesorios		
<b>17.0</b>	17,0		
<b>- ABS</b>	para vehículos sin ABS		
<b>Article number of recommended accessories</b>	Nº art. de accesorio recomendado		

# Technical translations

Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche













ES		ES	
<b>for vehicles without four wheel steering</b>	para vehículos sin dirección en las 4 ruedas	<b>Total brake drum height [mm]</b>	Altura total de tambor de freno [mm]
<b>for vehicles with sports brake system</b>	para vehículos con sistema de frenos deportivos	<b>Vehicle Production Country</b>	País producción vehículo
<b>Height [mm]</b>	Altura [mm]	<b>Width [mm]</b>	Ancho [mm]
<b>Height 1 [mm]</b>	Altura 1 [mm]	<b>without banjo bolt</b>	sin tornillo hueco
<b>Height 2 [mm]</b>	Altura 2 [mm]	<b>- WK</b>	excl. contacto de avisador de desgaste
<b>Inner brake drum height [mm]</b>	Altura interior de tambor de freno [mm]	<b>Yes</b>	sí
<b>L=</b>	Longitud [mm]	<b>Ø</b>	Diámetro exterior del tambor de freno [mm] Diámetro interior [mm] Diámetro exterior [mm] Diámetro interior de tambor de freno [mm]
<b>Minimum thickness [mm]</b>	Espesor mínimo [mm]	<b>Ø "</b>	Diámetro [pulgada]
<b>not for armoured vehicles</b>	no para vehículos blindados	<b>→</b>	año construcción desde
<b>Number of Holes</b>	Número de orificios		
<b>Permissible up to vehicle capacity [kW]</b>	Permitido hasta la potencia del vehículo [kW]		
<b>Piston Diameter [mm]</b>	Diámetro del pistón [mm]		
<b>pneumatic</b>	neumático		
<b>red</b>	rojo		
<b>replacement part</b>	Recambio		
<b>Rim Size [inch]</b>	Tamaño de llanta [pulgada]		
<b>Slovakia</b>	República eslovaca		
<b>Spanner Size</b>	Ancho de llave		
<b>SUM</b>	Sistema de frenos, Sumitomo		
<b>Support plate diameter [mm]</b>	Diámetro alojamiento [mm]		
<b>Surface</b>	Superficie		
<b>Thickness [mm]</b>	Espesor [mm]		





# Technical translations

Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

FR		FR	
	Flexible de frein	<b>Article number of recommended accessories</b>	Référence de l'accessoire recommandé
	Tirette à câble, frein de stationnement		
	Étrier de frein	<b>B</b>	revêtu
		<b>black</b>	noir
	Tambour de frein	<b>Bolt Hole Circle Ø [mm]</b>	Cercle de perçage -Ø [mm]
	Kit de plaquettes de frein, frein à disque	<b>Bore Diameter [mm]</b>	Diamètre de l'alésage [mm]
	Disque de frein	<b>Brake Caliper Colour</b>	Couleur de l'étrier
	Dispositif d'assistance de frein	<b>Brake Disc Thickness [mm]</b>	Épaisseur du disque de frein [mm]
	arrière	<b>Centering Diameter [mm]</b>	Diamètre du centrage [mm]
	Essieu arrière gauche	<b>China</b>	Chine
	Essieu arrière droit	<b>Disc Brake</b>	Frein à disque
	Essieu avant gauche	<b>- eFSB</b>	pour véhicules sans frein d'arrêt électrique
	Essieu avant droit	<b>Electric</b>	électrique
/	dimension max. d'extraction du tambour de frein [mm]	<b>Exchange Part</b>	Echange standard
<b>+ ABS</b>	pour véhicules avec système antiblo-cage	<b>Flange Hole Diameter [mm]</b>	Diamètre du trou de bride [mm]
<b>+ eFSB</b>	pour véhicules avec frein d'arrêt électrique	<b>for brake disc diameter [mm]</b>	pour diamètre du disque de frein [mm]
<b>+ ESP</b>	pour véhicules avec ESP	<b>for extended wheelbase</b>	pour empattement rallongé
<b>+PR</b>	pour numéro PR	<b>for left-hand drive vehicles</b>	pour véhicules avec direction à gauche
<b>+SA</b>	pour code d'équipement spécial	<b>for model code</b>	pour le modèle de la série de modèles
<b>+ WE</b>	préparé pour l'indicateur d'usure	<b>for right-hand drive vehicles</b>	pour véhicules avec direction à droite
<b>+ WK</b>	avec indicateur d'usure	<b>for vehicles with AMG Sports Package</b>	pour véhicules avec pack sport AMG
<b>+ Zub</b>	avec accessoires		
<b>17.0</b>	17,0		
<b>- ABS</b>	pour véhicules sans système antiblo-cage		

# Technical translations













Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

FR		FR	
<b>for vehicles without AMG sports package</b>	pour véhicules sans pack sport AMG	<b>Thickness [mm]</b>	Épaisseur [mm]
<b>for vehicles without four wheel steering</b>	pour véhicules sans direction par quatre roues	<b>Total brake drum height [mm]</b>	Hauteur totale du tambour de frein [mm]
<b>for vehicles with sports brake system</b>	pour véhicules avec système de freinage sport	<b>Vehicle Production Country</b>	Pays constructeur du véhicule
<b>Height [mm]</b>	Hauteur [mm]	<b>Width [mm]</b>	Largeur [mm]
<b>Height 1 [mm]</b>	Hauteur 1 [mm]	<b>without banjo bolt</b>	sans vis creuse
<b>Height 2 [mm]</b>	Hauteur 2 [mm]	<b>- WK</b>	contact de signal d'usure exclu
<b>Inner brake drum height [mm]</b>	Hauteur intérieure du tambour de frein [mm]	<b>Yes</b>	Oui
<b>L=</b>	Longueur [mm]	<b>Ø</b>	Diamètre extérieur du tambour de frein [mm] Diamètre intérieur [mm] Diamètre extérieur [mm] Diamètre intérieur du tambour de frein [mm]
<b>Minimum thickness [mm]</b>	Épaisseur minimum [mm]	<b>Ø "</b>	Diamètre [pouces]
<b>not for armoured vehicles</b>	pas pour véhicules blindés	<b>→</b>	Année à partir de
<b>Number of Holes</b>	Nombre de trous		
<b>Permissible up to vehicle capacity [kW]</b>	Autorisé jusqu'à la puissance du véhicule [kW]		
<b>Piston Diameter [mm]</b>	Diamètre du piston [mm]		
<b>pneumatic</b>	pneumatique		
<b>red</b>	rouge		
<b>replacement part</b>	Pièce de rechange		
<b>Rim Size [inch]</b>	Dimension de la jante [pouces]		
<b>Slovakia</b>	République slovaque		
<b>Spanner Size</b>	Ouverture de la clé		
<b>SUM</b>	Système de freinage, Sumitomo		
<b>Support plate diameter [mm]</b>	Diamètre réception [mm]		
<b>Surface</b>	Surface		



# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

IT		IT	
	Flessibile del freno	<b>Article number of recommended accessories</b>	N° articolo accessorio consigliato
	Cavo comando, Freno stazionamento		
	Pinza freno	<b>B</b>	rivestito
		<b>black</b>	nero
	Tamburo freno	<b>Bolt Hole Circle Ø [mm]</b>	Cerchio foro-Ø [mm]
	Kit pastiglie freno, Freno a disco	<b>Bore Diameter [mm]</b>	Diametro foro [mm]
	Discofreno	<b>Brake Caliper Colour</b>	Colore pinza freno
	Servofreno	<b>Brake Disc Thickness [mm]</b>	Spessore disco freno [mm]
	posteriore	<b>Centering Diameter [mm]</b>	Diametro centraggio [mm]
	Assale posteriore Sx	<b>China</b>	Cina
	Assale posteriore Dx	<b>Disc Brake</b>	Freno a disco
	Assale anteriore Sx	<b>- eFSB</b>	per veicoli senza freno stazionamento elettrico
	Assale anteriore Dx	<b>Electric</b>	elettrico
/	misura max. di rotazione tamburo del freno [mm]	<b>Exchange Part</b>	Ricambio di rotazione
<b>+ ABS</b>	per veicoli con ABS	<b>Flange Hole Diameter [mm]</b>	Diametro foro flangia [mm]
<b>+ eFSB</b>	per veicoli con freno stazionamento elettrico	<b>for brake disc diameter [mm]</b>	per diametro disco freno [mm]
<b>+ ESP</b>	per veicoli con ESP	<b>for extended wheelbase</b>	per passo route allungato
<b>+PR</b>	per N° PR	<b>for left-hand drive vehicles</b>	per veicolo con guida a Sx
<b>+SA</b>	per codice modello speciale	<b>for model code</b>	per la serie di modelli
<b>+ WE</b>	predisposto per visualizzazione avviso usura	<b>for right-hand drive vehicles</b>	per veicolo con guida a Dx
<b>+ WK</b>	con segnalatore acustico usura	<b>for vehicles with AMG Sports Package</b>	per veicoli con pacchetto sportivo AMG
<b>+ Zub</b>	con accessori		
<b>17.0</b>	17,0		
<b>- ABS</b>	per veicoli senza ABS		

# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

IT		IT	
<b>for vehicles without AMG sports package</b>	per veicoli senza pacchetto sportivo AMG	<b>Thickness [mm]</b>	Spessore [mm]
<b>for vehicles without four wheel steering</b>	per veicoli senza quattro ruote sterzanti	<b>Total brake drum height [mm]</b>	Altezza tamburo del freno totale [mm]
<b>for vehicles with sports brake system</b>	per veicoli con impianto frenante sportivo	<b>Vehicle Production Country</b>	Paese produzione veicolo
<b>Height [mm]</b>	Altezza [mm]	<b>Width [mm]</b>	Larghezza [mm]
<b>Height 1 [mm]</b>	Altezza 1 [mm]	<b>without banjo bolt</b>	senza vite cava
<b>Height 2 [mm]</b>	Altezza 2 [mm]	<b>- WK</b>	senza contatto segnalazione usura
<b>Inner brake drum height [mm]</b>	Altezza tamburo del freno interna [mm]	<b>Yes</b>	Si
<b>L=</b>	Lunghezza [mm]	<b>Ø</b>	Diametro tamburo del freno esterno [mm] Diametro interno [mm] Diametro esterno [mm] Diametro tamburo del freno interno [mm]
<b>Minimum thickness [mm]</b>	Spessore min. [mm]	<b>Ø "</b>	Diametro [pollici]
<b>not for armoured vehicles</b>	Non per veicoli corazzati	<b>→</b>	Anno da
<b>Number of Holes</b>	N° fori		
<b>Permissible up to vehicle capacity [kW]</b>	Consentito fino a potenza veicolo [kW]		
<b>Piston Diameter [mm]</b>	Diametro pistone [mm]		
<b>pneumatic</b>	pneumatico		
<b>red</b>	rosso		
<b>replacement part</b>	Ricambio di rotazione		
<b>Rim Size [inch]</b>	Misura cerchione [pollici]		
<b>Slovakia</b>	Repubblica slovacca		
<b>Spanner Size</b>	Apertura chiave		
<b>SUM</b>	Sistema frenante, Sumitomo		
<b>Support plate diameter [mm]</b>	Diametro sede [mm]		
<b>Surface</b>	Superficie		



**Continental Aftermarket &  
Services GmbH**

Sodener Straße 9  
D-65824 Schwalbach  
Tel. +49 (0) 6196 87 0  
[www.ate.de](http://www.ate.de)

**Continental Automotive Trading  
Italia S.r.l.**

Via Matteotti, 62  
I-20092 Cinisello Balsamo (MI)  
Tel. +39 02 35680 1  
[www.ate-freni.it](http://www.ate-freni.it)

**Continental Automotive Trading  
France**

6 rue Jean Moulin  
F-78120 Rambouillet  
[www.ate-freinage.fr](http://www.ate-freinage.fr)

**Continental Automotive Spain, S.A.**

C/ Sepúlveda, 11  
E-28108 Alcobendas (Madrid)  
Phone+34 91 657 21 21  
[www.frenos-ate.es](http://www.frenos-ate.es)

