

ATE New Parts ATE Neuteile

11/2025



Brakethrough Technology

EN Table of contents

Index of vehicles
Product details
Applications of vehicles
Technical translations

DE Inhaltsverzeichnis

3	Herstellerverzeichnis
6	Produktdetails
27	Fahrzeugverwendungen
83	Technische Übersetzungen

ES Índice

3	Índice de vehículos	3
6	Descripción del producto	6
27	Aplicaciones	27
83	Traducciones técnicas	83

FR Table des matières

Liste des véhicules
Présentation du produit
Applications
Traductions techniques







IT Sommario

3	Indice autovetture	3
6	Panoramica prodotti	6
27	Applicazioni autoveicoli	27
83	Traduzioni tecniche	83





- EN** Index of vehicles
- DE** Herstellerverzeichnis
- ES** Índice de vehículos
- FR** Liste des véhicules
- IT** Indice autovettura

					
ABARTH	28	FIAT	36	MAZDA	51
RITMO	28	DUCATO Bus (250_)	36	3 (BK)	51
ALFA ROMEO	28	DUCATO Platform/Chassis (250_)	36	3 (BL)	51
75 Sedan (162_)	28	DUCATO Van (250_)	36	3 Saloon (BK)	51
90 (162_)	28	FORD	37	3 Saloon (BL)	51
ALFETTA GT (116_)	28	C-MAX (DM2)	37	MPV II (LW)	51
ALFETTA Sedan (116_)	28	C-MAX II (DXA/CB7, DXA/CEU)	37	MERCEDES-BENZ	51
GIULIETTA Sedan (116_)	28	C-MAX II Van	37	A-CLASS (W176)	51
GTV (116_)	28	FIESTA Saloon	38	CLA Coupe (C117)	52
MONTREAL (105_)	29	FIESTA VI (CB1, CCN)	38	MB-TRAC	52
AUDI	29	FIESTA VI Van	38	SPRINTER 3,5-t Bus (B906)	52
A1 (8X1, 8XK)	29	FOCUS C-MAX (DM2)	39	SPRINTER 3,5-t Platform/Chassis (B906)	52
A1 Sportback (8XA, 8XF)	29	FOCUS II (DA_, HCP, DP)	38	SPRINTER 3,5-t Van (B906)	53
Q3 (8UB, 8UG)	29	FOCUS II Convertible	38	SPRINTER 3-t Bus (B906)	53
Q4 E-TRON Sportback (F4N)	29	FOCUS II Estate Van	38	SPRINTER 3-t Platform/Chassis (B906)	54
Q4 E-TRON SUV (F4B)	29	FOCUS II Saloon (DB_, FCH, DH)	39	SPRINTER 3-t Van (B906)	54
BMW	29	FOCUS II Turnier (DA_, FFS, DS)	39	UNIMOG	54
1 (F40)	30	FOCUS IV (HN)	39	MINI	55
1 (F52)	30	FOCUS IV Turnier (HP)	39	MINI (F55)	55
2 Active Tourer (F45)	30	GRAND C-MAX (DXA/CB7, DXA/CEU)	39	MINI (F56)	56
2 Active Tourer Van (F45)	30	GRAND C-MAX Van	40	MINI CLUBMAN (F54)	56
2 Coupe (G42, G87)	30	KUGA I	40	MINI Convertible (F57)	56
2 Gran Coupe (F44)	30	KUGA III (DFK)	40	MINI COUNTRYMAN (F60)	56
2 Gran Tourer (F46)	30	HYUNDAI	40	MITSUBISHI	56
2 Gran Tourer Van (F46)	30	KONA (SX2)	40	OUTLANDER III Van (GF_W, GG_W)	56
2 Coupe (G42, G87)	30	TUCSON (NX4E, NX4A)	40	OUTLANDER III Wagon (GG_W, GF_W, ZJ, ZL, ZK)	56
2 Gran Coupe (F44)	30	TUCSON (TL, TLE)	40	NISSAN	56
2 Gran Tourer (F46)	30	TUCSON SUV Van (TLE)	41	ALMERA (N17)	56
3 (G20, G80, G28)	30	IVECO	41	MICRA IV (K13K, K13KK)	57
3 Sedan (E21)	31	DAILY III Bus	41	MICRA V (K14)	57
3 Sedan (E30)	31	DAILY III Platform/Chassis	41	NOTE (E12)	57
3 Touring (G21, G81)	31	DAILY III Van	42	QASHQAI III (J12)	57
3 Touring Van (G21)	31	DAILY IV Bus	42	X-TRAIL IV (T33)	57
4 Convertible (G23, G83)	31	DAILY IV Platform/Chassis	42	OPEL	57
4 Coupe (G22, G82)	31	DAILY IV Van	43	CORSA F (P2JO)	57
4 Gran Coupe (G26)	31	DAILY V Bus	43	CORSA F Hatchback Van	57
i3 (I01)	32	DAILY VI Platform/Chassis	44	PEUGEOT	57
X1 (F48)	32	DAILY VI Van	46	106 I (1A, 1C)	57
X1 Van (F48)	32	DAILY V Platform/Chassis	43	106 Van I Hatchback Van (1S_)	57
X2 (F39)	32	DAILY V Van	44	2008 II (UD_, US_, UY_, UJ_, UR_, UC_)	59
X3 (G01, F97, G08)	32	JAGUAR	47	205 Hatchback Van	58
X4 (G02, F98)	32	XE (X760)	47	205 I (741A/C)	58
X5 (G05, F95)	32	XF II (X260)	47	205 I Convertible (741B, 20D)	58
X6 (G06, F96)	32	XF SPORTBRAKE (X260)	48	205 II (20A/C)	58
CITROËN	32	KIA	48	208 II (UB_, UP_, UW_, UJ_)	59
AX (ZA_)	32	SORENTO III (UM)	48	309 I (10C, 10A)	59
C4 III (BA_, BB_, BC_)	33	SOUL III (SK3)	48	309 II (3C, 3A)	59
C4 X (BD_, BE_, BF_)	33	SOUL III Cargo (SK3)	48	BOXER Bus	59
JUMPER III Bus	33	SPORTAGE IV (QL, QLE)	48	BOXER Platform/Chassis	59
JUMPER III Platform/Chassis	33	SPORTAGE IV VAN (QL, QLE)	48	BOXER Van	60
JUMPER III Van	33	SPORTAGE V (NQ5)	49	POLESTAR	60
ZX (N2)	33	VENGA (YN)	49	POLESTAR 2 (534)	60
CUPRA	34	VENGA Hatchback Van (YN)	49	RENAULT	60
BORN (K11)	34	LAND ROVER	49	19 I (B/C53_)	60
DACIA	34	DEFENDER Station Wagon (L663)	49	19 I Cabriolet (D53_)	60
DOKKER Box Body/MPV	34	DEFENDER Van (L663)	49	19 I Chamade (L53_)	60
DOKKER MPV (KE_)	34	DISCOVERY V (L462)	49	19 I Hatchback Van (S53_)	61
LOGGY (JS_)	34	DISCOVERY V VAN (L462)	50	19 II (B/C53_)	61
LOGAN (LS_)	35	DISCOVERY V (L462)	50	19 II Cabriolet (D53_, 853_)	61
LOGAN II	35	RANGE ROVER IV (L405)	50	19 II Chamade (L53_)	61
LOGAN MCV II	35	RANGE ROVER SPORT II (L494)	50	19 II Hatchback Van (S53_)	62
SANDERO (BS_)	35	LEXUS	50	ARKANA I (LCM_, LDN_)	62
SANDERO II (B8_)	35	GX (_J12_)	50		
DS	35	UX (_AA1_, _AH1_, _MA1_)	50		
DS 3 / DS 3 CROSSBACK (UR_, UC_, UJ_)	36				

**RENAULT 60**

AUSTRAL	62
CLIO I (B/C57_, 5/357_)	62
CLIO I Hatchback Van (S57_)	62
DOKKER	62
SPACE I (J11_)	62
EXPRESS Box Body/MPV	63
EXPRESS Pickup	63
LODGY (JS_)	63
LOGAN/STEPWAY II (L8_)	63
LOGAN II Estate (K8_)	63
MEGANE E-TECH SUV	64
MEGANE I (BA0/1_)	63
MEGANE I Cabriolet (EA0/1_)	63
MEGANE I Classic (LA0/1_)	63
MEGANE I Coach (DA0/1_)	64
MEGANE I Hatchback Van (SA0/1_)	64
MEGANE Scénic (JA0/1_)	64
RAPID Box Body/MPV (F40_, G40_)	64
SANDERO/STEPWAY I (BS_)	64
SANDERO/STEPWAY II (B8_)	64
THALIA I (LB_)	65
THALIA II (LU_)	65
THALIA III (L8_)	65

SEAT 65

ALHAMBRA (710, 711)	65
ALHAMBRA VAN (711)	65
IBIZA I (21A)	65
LEON (1P1)	65
MALAGA (23A)	66
RONDA (22A)	66
TOLEDO I (1L2)	66

SKODA 66

ELROQ (PYL)	66
ENYAQ iv Coupe (5AC)	66
ENYAQ iv SUV (5AZ)	67
OCTAVIA II (1Z3)	67
OCTAVIA II Combi (1Z5)	67
SUPERB II (3T4)	67
SUPERB II Estate (3T5)	68
YETI (5L)	68

TALBOT 68

HORIZON	68
---------	----

TOYOTA 68

CAMRY (_V7_, _VA7_, _VH7_)	68
CAMRY (_VA8_, _VH8_, _V8_)	68
C-HR (_X1_)	69
COROLLA CROSS (ZVG1_, ZSG1_, MXGH1_, MXGA1_)	69
LAND CRUISER PRADO (_J12_)	69
RAV 4 V (_A5_, _H5_)	69
RAV 4 V VAN (_A5_, _H5_)	69
YARIS (_P13_)	69
YARIS (_P15_)	69
YARIS Hatchback Van (_P13_)	70

VAUXHALL 70

CORSA Mk V (F)	70
MOVANO Mk III (C) Chassis/Cab (U9)	70
MOVANO Mk III (C) VAN (U9)	70

VOLVO 70

XC40 (536)	70
------------	----

VW 70


181	70
BEETLE	70
BEETLE (5C1, 5C2)	71
BEETLE Convertible (5C7, 5C8)	71

VW 70

CC B6 (357)	71
CC B7 (358)	71
CRAFTER 30-35 Bus (2E_)	71
CRAFTER 30-50 Platform/Chassis (2F_)	72
CRAFTER 30-50 Van (2E_)	72
DERBY (86)	72
DERBY (86C, 80)	72
EOS (1F7, 1F8)	72
GOLF I Cabriolet (155)	73
GOLF II (19E, 1G1)	73
GOLF II Van (19E, 1G1)	73
GOLF IV (9B3)	73
GOLF VAN VI Variant (AJ5)	74
GOLF VI (5K1)	73
GOLF VI Convertible (517)	74
GOLF VI Van (5K1)	74
GOLF VI Variant (AJ5)	74
ID.3 (E11, E12)	75
ID.4 (E21)	75
ID.5 (E39)	75
ID.7 (ED2)	76
ID.7 Tourer (ED5)	76
JETTA II Sedan (19E, 1G2, 165)	76
JETTA IV (162, 163, AV3, AV2)	76
MULTIVAN T7 (STM, STN)	76
PASSAT ALLTRACK B7 Variant (365)	76
PASSAT B6 Sedan (3C2)	77
PASSAT B6 Variant (3C5)	77
PASSAT B7 (362)	77
PASSAT B7 (A32, A33)	77
PASSAT B7 Estate Van (365)	77
PASSAT B7 Variant (365)	78
POLO CLASSIC (86C, 80)	78
POLO Coupe (86C, 80)	78
POLO Hatchback Van (86CF)	78
POLO II (86C, 80)	78
SCIROCCO (53B)	79
SCIROCCO III (137, 138)	79
SCIROCCO Van (137)	79
SHARAN (7N1, 7N2)	79
SHARAN Box Body/MPV (7N1, 7N2)	79
TIGUAN (5N_)	79
TIGUAN VAN (5N_)	80
TOURAN (1T1, 1T2)	80
TOURAN (1T3)	80
TOURAN Box Body/MPV (1T1, 1T2)	80
TOURAN Box Body/MPV (1T3)	80
TRANSPORTER / CARAVELLE T3 Bus (25_)	80
TRANSPORTER / CARAVELLE T5 Bus (7HB, 7HJ, 7EB, 7EJ)	80
TRANSPORTER / KOMBI T3 Van (24_, 25_)	81
TRANSPORTER / KOMBI T5 Van (7HA, 7HH, 7EA, 7EH)	81
TRANSPORTER T3 Platform/Chassis (24_)	81
TRANSPORTER T5 Platform/Chassis (7JD, 7JE, 7JL, 7JY, 7JZ, 7F)	82
TRANSPORTER T6 / CARAVELLE T6 Bus (SGB, SGJ, SHB, SHJ)	82
TRANSPORTER T6 Platform/Chassis (SFD, SFE, SFL, SFZ, SJD, SJ)	82
TRANSPORTER T6 Van (SGA, SGH, SHA, SHH)	82



- EN** Product details
- DE** Produktdetails
- ES** Descripción del producto
- FR** Présentation du produit
- IT** Panoramica prodotti

13.0460-2671.2**602671****Brake Pad Set, disc brake**

Height 2 [mm]: 46

Thickness [mm]: 18.1

MAPP code available:

Width [mm]: 102

Brake System: ZF

Test Mark: E1 90R-02A0525/2521


Wear Warning Contact: + WK

Supplementary Article/Supplementary Info: + Zub

Number of bolts/screws: 4

Height 1 [mm]: 46.5

Supplementary Article/Supplementary Info 2: with brake caliper screws

NISSAN**13.0460-3700.2****603700****Brake Pad Set, disc brake**

Thickness [mm]: 19

MAPP code available:

Width [mm]: 154.8

Height [mm]: 64

Brake System: CBI


Test Mark: E1 90R-02A0335/0845

Wear Warning Contact: - WE / - WK

Supplementary Article/Supplementary Info: + Zub

Number of bolts/screws: 4

Supplementary Article/Supplementary Info 2: with brake caliper screws

CITROËN, DS, OPEL, PEUGEOT, VAUXHALL**13.0460-3704.2****603704****Brake Pad Set, disc brake**

Thickness [mm]: 19.6

MAPP code available:

Width [mm]: 163.5

Height [mm]: 67.3

Brake System: CBI

Test Mark: E9 90R-02A1421/4328

Wear Warning Contact: + WE / + WK

Supplementary Article/Supplementary Info: + Zub

Number of bolts/screws: 4

Warning Contact Length [mm]: 230


Supplementary Article/Supplementary Info 2: with brake caliper screws

Article number of recommended accessories: 24.8190-0831.2

VW

13.0460-4719.2

604719



Brake Pad Set, disc brake

Test Mark: E1 90R-02A2529/2511

Wear Warning Contact: + WE / - WK

Thickness [mm]: 16.7

MAPP code available:

Width [mm]: 154

Height [mm]: 92.2


Brake System: BRE

Article number of recommended accessories: 24.8190-0067.2

MERCEDES-BENZ

13.0460-4726.2

604726



Brake Pad Set, disc brake

Test Mark: E1 90R-02A0623/2524

Wear Warning Contact: + WE / - WK

Thickness [mm]: 20.4

MAPP code available:

Width [mm]: 125.9

Height [mm]: 99.1


Brake System: BRE

Article number of recommended accessories: 24.8190-0808.2 / 24.8190-0996.2 / 24.8190-0824.2

BMW

13.0460-5566.2

605566



Brake Pad Set, disc brake

Test Mark: E9 90R-02A1248/5582

Wear Warning Contact: + WK

Supplementary Article/Supplementary Info: + Zub

Thickness [mm]: 17.7

MAPP code available:

Width [mm]: 134.2

Supplementary Article/Supplementary Info 2: with anti-squeak plate

Height [mm]: 60


Brake System: MAN

KIA



13.0470-2671.2

LD2671



Brake Pad Set, disc brake

Height 2 [mm]: 46

Thickness [mm]: 18.1

MAPP code available:

Width [mm]: 102

Brake System: ZF

Test Mark: E1 90R-02A0258/2523

Wear Warning Contact: + WK

Supplementary Article/Supplementary Info: + Zub

Number of bolts/screws: 4

Height 1 [mm]: 46.5


Supplementary Article/Supplementary Info 2: with brake caliper screws

Permissible up to vehicle capacity [kW]: 225

NISSAN

13.0470-3700.2

LD3700



Brake Pad Set, disc brake

Thickness [mm]: 19

MAPP code available:

Width [mm]: 154.8

Height [mm]: 64

Brake System: CBI

Test Mark: E1 90R-02A0479/0847

Wear Warning Contact: - WE / - WK

Supplementary Article/Supplementary Info: + Zub

Number of bolts/screws: 4


Supplementary Article/Supplementary Info 2: with brake caliper screws

Permissible up to vehicle capacity [kW]: 225

CITROËN, DS, OPEL, PEUGEOT, VAUXHALL

13.0470-3704.2

LD3704



Brake Pad Set, disc brake

Thickness [mm]: 19.6

MAPP code available:

Width [mm]: 163.5

Height [mm]: 67.3

Brake System: CBI

Test Mark: E9 90R-02A1396/4328

Wear Warning Contact: + WE / + WK

Supplementary Article/Supplementary Info: + Zub

Number of bolts/screws: 4


Warning Contact Length [mm]: 230

Supplementary Article/Supplementary Info 2: with brake caliper screws


Permissible up to vehicle capacity [kW]: 225

Article number of recommended accessories: 24.8190-0831.2


VW

13.0470-7374.2**LD7374****Brake Pad Set, disc brake**

Thickness [mm]: 18.2
 MAPP code available:
 Width [mm]: 167.1
 Height [mm]: 64.9
 Brake System: ATE
 Test Mark: E9 90R-02A1396/5714
 Wear Warning Contact: + WK
 Permissible up to vehicle capacity [kW]: 225


NISSAN, RENAULT**13.0480-5550.2****EP5550****Brake Pad Set, disc brake**

Thickness [mm]: 14.7
 MAPP code available:
 Width [mm]: 134.2
 Height [mm]: 65
 Brake System: CBI
 Test Mark: E1 90R-02A2445/2520
 Wear Warning Contact: + WE / + WK
 Supplementary Article/Supplementary Info: + Zub
 Number of bolts/screws: 4
 Warning Contact Length [mm]: 280
 Supplementary Article/Supplementary Info 2: with brake caliper screws
 Article number of recommended accessories: 24.8190-0830.2

CUPRA, VW**13.0480-5551.2****EP5551****Brake Pad Set, disc brake**

Thickness [mm]: 15.1
 MAPP code available:
 Width [mm]: 142.6
 Height [mm]: 69.4
 Brake System: CBI
 Test Mark: E1 90R-02A2608/2531
 Wear Warning Contact: + WE / + WK
 Supplementary Article/Supplementary Info: + Zub
 Number of bolts/screws: 4
 Warning Contact Length [mm]: 280
 Supplementary Article/Supplementary Info 2: with brake caliper screws
 Article number of recommended accessories: 24.8190-0830.2

AUDI, CUPRA, SKODA, VW

13.0480-7326.2**EP7326****Brake Pad Set, disc brake**

Test Mark: E1 90R-02A0401/2513

Height 2 [mm]: 56.2

Wear Warning Contact: + WE / - WK


Thickness [mm]: 16.3

MAPP code available:

Width [mm]: 122.4

Height 1 [mm]: 59.7

Brake System: ATE

POLESTAR**13.0480-7328.2****EP7328****Brake Pad Set, disc brake**

Height 2 [mm]: 75

Thickness 2 [mm]: 18.4

Thickness 1 [mm]: 18.8

MAPP code available:

Brake System: ATE

Test Mark: E1 90R-02A0515/2514


Wear Warning Contact: + WE / - WK

Supplementary Article/Supplementary Info: + Zub

Height 1 [mm]: 75

Width 1 [mm]: 180.1

Width 2 [mm]: 181.5

POLESTAR**24.0108-0123.1****408123****Brake Disc**

Bolt Hole Circle Ø [mm]: 114.3

Bore Diameter [mm]: 12.7

Number of Holes: 5

Centering Diameter [mm]: 68

MAPP code available:

Minimum thickness [mm]: 7

Height [mm]: 51.5

Test Mark: E1 90R-02C0165/1035

Brake Disc Thickness [mm]: 8

Brake Disc Type:

Inner Diameter [mm]: 148.2


Outer Diameter [mm]: 260

Surface: B

RENAULT

24.0110-0431.1

410431




Brake Disc

Bolt Hole Circle Ø [mm]: 108
Bore Diameter [mm]: 13.8
Number of Holes: 5
Centering Diameter [mm]: 63.5
MAPP code available:
Minimum thickness [mm]: 8
Height [mm]: 42
Test Mark: E1 90R-02C0165/0999
Brake Disc Thickness [mm]: 10
Brake Disc Type:
Inner Diameter [mm]: 146
Outer Diameter [mm]: 300
Surface: B

JAGUAR

24.0110-0432.1

410432



Brake Disc


Bolt Hole Circle Ø [mm]: 114.3
Bore Diameter [mm]: 12.5
Number of Holes: 5
Centering Diameter [mm]: 76
MAPP code available:
Minimum thickness [mm]: 8
Height [mm]: 32.2
Test Mark: E1 90R-02C0165/0999
Machining: HC
Brake Disc Thickness [mm]: 10
Brake Disc Type:
Inner Diameter [mm]: 160
Outer Diameter [mm]: 300
Surface: B

HYUNDAI, KIA



24.0111-0200.1

411200




Brake Disc

Bolt Hole Circle Ø [mm]: 114.3
Bore Diameter [mm]: 14.5
Number of Holes: 5
Centering Diameter [mm]: 62
MAPP code available:
Minimum thickness [mm]: 9.5
Height [mm]: 51
Test Mark: E1 90R-02C0165/1318
Brake Disc Thickness [mm]: 11
Brake Disc Type:
Inner Diameter [mm]: 173
Outer Diameter [mm]: 292
Surface: B
TOYOTA

24.0118-0169.1

418169




Brake Disc

Bolt Hole Circle Ø [mm]: 114.3
Bore Diameter [mm]: 12.5
Number of Holes: 5
Centering Diameter [mm]: 69
MAPP code available:
Minimum thickness [mm]: 16.4
Height [mm]: 71.5
Test Mark: E1 90R-02C0234/1094
Machining: HC
Brake Disc Thickness [mm]: 18
Brake Disc Type: Vented
Inner Diameter [mm]: 190
Outer Diameter [mm]: 314
Surface: B
KIA

24.0120-0265.1

420265



Brake Disc

Bolt Hole Circle Ø [mm]: 112

Bore Diameter [mm]: 16.7

Number of Holes: 5

Centering Diameter [mm]: 67

MAPP code available:

Minimum thickness [mm]: 18.4

Height [mm]: 44.9

Test Mark: E1 90R-02C0115/1043

Machining: HC

Brake Disc Thickness [mm]: 20

Brake Disc Type: Vented

Inner Diameter [mm]: 151

Outer Diameter [mm]: 280


Surface: B

Supplementary Article/Supplementary Info 2: + S

BMW

24.0125-0234.1

425234



Brake Disc

Bolt Hole Circle Ø [mm]: 120

Bore Diameter [mm]: 14.5

Number of Holes: 5

Centering Diameter [mm]: 79

MAPP code available:

Minimum thickness [mm]: 23

Height [mm]: 48.9

Test Mark: E1 90R-02C0115/2527

Machining: HC L

Brake Disc Thickness [mm]: 25

Brake Disc Type: Vented

Inner Diameter [mm]: 189

Outer Diameter [mm]: 365


Surface: B

LAND ROVER



24.0125-0238.1

425238




Brake Disc

- Bolt Hole Circle Ø [mm]: 108
- Bore Diameter [mm]: 15.8
- Number of Holes: 5
- Centering Diameter [mm]: 63.5
- MAPP code available:
- Minimum thickness [mm]: 22
- Height [mm]: 48
- Test Mark: E1 90R-02C0115/1061
- Machining: HC L
- Brake Disc Thickness [mm]: 25
- Brake Disc Type: Vented
- Inner Diameter [mm]: 141
- Outer Diameter [mm]: 296
- Surface: B
- Supplementary Article/Supplementary Info 2: + S

VOLVO

24.0127-0108.1

427108




Brake Disc

- Bolt Hole Circle Ø [mm]: 108
- Bore Diameter [mm]: 13.7
- Number of Holes: 5
- Centering Diameter [mm]: 63.5
- MAPP code available:
- Minimum thickness [mm]: 25
- Height [mm]: 50.6
- Test Mark: E1 90R-02C0115/1083
- Machining: HC L
- Brake Disc Thickness [mm]: 27
- Brake Disc Type: Vented
- Inner Diameter [mm]: 139.5
- Outer Diameter [mm]: 330
- Surface: B

FORD

24.0128-0336.1


428336

**Brake Disc**

Bolt Hole Circle Ø [mm]: 114.3
Bore Diameter [mm]: 14.7
Number of Holes: 5
Centering Diameter [mm]: 62
MAPP code available:
Minimum thickness [mm]: 25
Height [mm]: 49.4
Test Mark: E1 90R-02C0115/1048
Brake Disc Thickness [mm]: 28
Brake Disc Type: Vented
Inner Diameter [mm]: 158
Outer Diameter [mm]: 305
Surface: B
LEXUS, TOYOTA

24.0220-3753.2


480222

**Brake Drum**


Bolt Hole Circle Ø [mm]: 100
Thread Size: M12x1,5
Number of Holes: 4
MAPP code available:
Inner brake drum diameter [mm]: 203.3
Outer brake drum diameter [mm]: 234
Support plate diameter [mm]: 55
Test Mark: E1 90R-02D0955/0095
max. brake drum re boring dimension [mm]: 204.5
Inner brake drum height [mm]: 48
Total brake drum height [mm]: 76
Supplementary Article/Supplementary Info 2: + RLG / - ABS Ring
DACIA, RENAULT

24.0420-0247.1


ED20247

**Brake Disc**

Bolt Hole Circle Ø [mm]: 108
Bore Diameter [mm]: 15.8
Number of Holes: 5
Centering Diameter [mm]: 63.5
MAPP code available:
Minimum thickness [mm]: 17.5
Height [mm]: 43
Test Mark: E1 90R-02C0115/1325
Brake Disc Thickness [mm]: 20
Brake Disc Type: Vented
Inner Diameter [mm]: 141
Outer Diameter [mm]: 340
Surface: B
Supplementary Article/Supplementary Info 2: + S
POLESTAR

24.0423-0130.1 ED23130**Brake Disc**


Bolt Hole Circle Ø [mm]: 112
Bore Diameter [mm]: 15.3
Number of Holes: 5
Centering Diameter [mm]: 65
MAPP code available:
No. of holes 2: 9
Minimum thickness [mm]: 21.5
Height [mm]: 49.6
Test Mark: E1 90R-02C0115/1324
Machining: HC
Brake Disc Thickness [mm]: 23
Brake Disc Type: Vented
Inner Diameter [mm]: 165.5
Outer Diameter [mm]: 330
Surface: B
Supplementary Article/Supplementary Info 2: + S

CUPRA, VW**24.0427-0107.1 ED27107****Brake Disc**

Bolt Hole Circle Ø [mm]: 112
Bore Diameter [mm]: 15.3
Number of Holes: 5
Centering Diameter [mm]: 65
MAPP code available:
No. of holes 2: 9
Minimum thickness [mm]: 25.5
Height [mm]: 49.8
Test Mark: E1 90R-02C0115/1181
Machining: HC
Brake Disc Thickness [mm]: 27
Brake Disc Type: Vented
Inner Diameter [mm]: 164.5
Outer Diameter [mm]: 340
Surface: B
Supplementary Article/Supplementary Info 2: + S

AUDI, CUPRA, SKODA, VW

24.0430-0243.1 ED30243



Brake Disc

Bolt Hole Circle Ø [mm]: 108
 Bore Diameter [mm]: 15.8
 Number of Holes: 5
 Centering Diameter [mm]: 63.5
 MAPP code available:
 Minimum thickness [mm]: 27.5
 Height [mm]: 48
 Test Mark: E1 90R-02C0115/1181
 Machining: HC
 Brake Disc Thickness [mm]: 30
 Brake Disc Type: Vented
 Inner Diameter [mm]: 141
 Outer Diameter [mm]: 345
 Surface: B
 Supplementary Article/Supplementary Info 2: + S

POLESTAR

24.0710-2217.3 360730



Wheel Speed Sensor

Length [mm]: 1943
 MAPP code available:

MERCEDES-BENZ, VW

24.2119-8711.3 011185



Brake Master Cylinder

Diameter [mm]: 19
 Thread Size: M10x1
 Number of connectors: 5
 MAPP code available:
 Brake System: ATE
 Length 1 [mm]: 14.5
 Length 2 [mm]: 182

VW



24.2120-0622.3

011195



Brake Master Cylinder

Diameter [mm]: 20.6

Thread Size: M10x1

Number of connectors: 4

MAPP code available:

Brake System: ATE

Length 1 [mm]: 18.5

Length 2 [mm]: 169.5

BMW

24.2120-2031.3

011188



Brake Master Cylinder

Diameter [mm]: 20.6

Thread Size: M10x1

Number of connectors: 4

MAPP code available:

Brake System: ATE

Length 1 [mm]: 40

Length 2 [mm]: 116

CITROËN, PEUGEOT, RENAULT, SEAT, TALBOT, VW

24.2122-0142.3

011186



Brake Master Cylinder

Diameter [mm]: 22.2

Thread Size: M10x1

Number of connectors: 3

MAPP code available:

Supplementary Article/Supplementary Info 2: without brake fluid reservoir

Length 1 [mm]: 19

Length 2 [mm]: 158

ABARTH, ALFA ROMEO

24.2123-0271.3

011189



Brake Master Cylinder

Diameter [mm]: 23.8

Thread Size: M10x1

Number of connectors: 4

MAPP code available:

Brake System: ATE

Length 1 [mm]: 18.9

Length 2 [mm]: 158.1

VW

24.2125-0483.3**011190****Brake Master Cylinder**

Diameter [mm]: 25.4

Thread Size: M12x1

Number of connectors: 2

MAPP code available:

Supplementary Article/Supplementary Info 2: without brake fluid reservoir

Brake System: ATE

Length 1 [mm]: 37

Length 2 [mm]: 117.5

FORD, MAZDA**24.3541-1897.5****241692****Brake Caliper**

Exchange Part:

Brake Caliper Type:

Supplementary Article/Supplementary Info: without holder

paired article number: 24.3541-1898.5

MAPP code available:

Brake System: TRW

Piston Diameter [mm]: 54

NISSAN**24.3541-1898.5****241693****Brake Caliper**

Exchange Part:

Brake Caliper Type:

Supplementary Article/Supplementary Info: without holder

paired article number: 24.3541-1897.5

MAPP code available:

Brake System: TRW

Piston Diameter [mm]: 54

NISSAN**24.3541-9956.5****241710****Brake Caliper**

Exchange Part:

Brake Caliper Type:

Supplementary Article/Supplementary Info: without holder

paired article number: 24.3541-9955.5

MAPP code available:

Brake System: TRW

Piston Diameter [mm]: 54

BMW, MINI

24.3541-9957.5

241707



Brake Caliper

Exchange Part:

Brake Caliper Type:

Supplementary Article/Supplementary Info: without holder

paired article number: 24.3541-9958.5

MAPP code available:

Brake System: TRW

Piston Diameter [mm]: 54

BMW, MINI

24.3571-9979.5

241711



Brake Caliper

Exchange Part:

Brake Caliper Type:

Supplementary Article/Supplementary Info: without holder

paired article number: 24.3571-9980.5

MAPP code available:

Brake System: TRW

Piston Diameter [mm]: 57

KIA

24.3571-9980.5

241712



Brake Caliper

Exchange Part:

Brake Caliper Type:

Supplementary Article/Supplementary Info: without holder

paired article number: 24.3571-9979.5

MAPP code available:


Brake System: TRW

Piston Diameter [mm]: 57

KIA

24.3727-0361.2

580361



Cable Pull, parking brake


Length [mm]: 1485

MAPP code available:

CITROËN, FIAT, PEUGEOT, VAUXHALL

24.3727-1839.2

581839



Cable Pull, parking brake

Length [mm]: 1460

paired article number: 24.3727-1838.2

MAPP code available:

MAZDA

24.3727-1979.2

581979



Cable Pull, parking brake

Length [mm]: 2061


paired article number: 24.3727-1974.2

MAPP code available:

LEXUS, TOYOTA

24.3727-1982.2

581982



Cable Pull, parking brake

Length [mm]: 1693


paired article number: 24.3727-1983.2

MAPP code available:

TOYOTA

24.3727-1983.2

581983



Cable Pull, parking brake

Length [mm]: 1615


paired article number: 24.3727-1982.2

MAPP code available:

TOYOTA

24.3727-1984.2

581984



Cable Pull, parking brake

Length [mm]: 1705


paired article number: 24.3727-1981.2

MAPP code available:

TOYOTA

24.3727-2131.2

582131



Cable Pull, parking brake

Length [mm]: 1830

MAPP code available:

mitsubishi

24.3727-3146.2

583146



Cable Pull, parking brake

Length [mm]: 330

MAPP code available:

hyundai

24.3727-3221.2

583221



Cable Pull, parking brake

Length [mm]: 1720


paired article number: 24.3727-3222.2

MAPP code available:

hyundai, kia

24.3727-3222.2

583222



Cable Pull, parking brake

Length [mm]: 1700

paired article number: 24.3727-3221.2

MAPP code available:

hyundai, kia

24.3727-3425.2

583425



Cable Pull, parking brake


Length [mm]: 1430

MAPP code available:

vw

24.3727-3612.2

583612



Cable Pull, parking brake


Length [mm]: 1953

MAPP code available:

DACIA, RENAULT

24.3727-3700.2

583700



Cable Pull, parking brake

Length [mm]: 364

MAPP code available:

FORD

24.3727-3800.2

583800



Cable Pull, parking brake

Length [mm]: 1666

MAPP code available:

MERCEDES-BENZ, VW

24.4123-1740.3

011137



Brake Master Cylinder

Diameter [mm]: 23.8

Thread Size: M12x1

Number of connectors: 2

MAPP code available:

Supplementary Article/Supplementary Info 2: without brake fluid reservoir

Brake System: ATE

Length 1 [mm]: 27.1

Length 2 [mm]: 117

AUDI, SEAT, VW

24.5101-0320.3

331831



Brake Hose

Internal Thread [mm]: M12x1
External Thread [mm]: M12x1
Length [mm]: 350
MAPP code available:
Spanner Size 1 [mm]: 15
Spanner Size 2 [mm]: 19

24.5101-0700.3

331811



Brake Hose

Internal Thread [mm]: M12x1
External Thread [mm]: M12x1
Length [mm]: 730
MAPP code available:

24.5147-0255.3

331845



Brake Hose

Internal Thread [mm]: M10x1
Thread Size: M10x1,5
Length [mm]: 270
MAPP code available:
Spanner Size 1 [mm]: 11
Spanner Size 2 [mm]: 17
Supplementary Article/Supplementary Info 2: with banjo bolt

AUDI, SEAT, SKODA, VW

24.5147-0256.3

331846




Brake Hose

Internal Thread [mm]: M10x1
Thread Size: M10x1,5
Length [mm]: 265
MAPP code available:
Spanner Size 1 [mm]: 11
Spanner Size 2 [mm]: 17
Supplementary Article/Supplementary Info 2: with banjo bolt

AUDI, SEAT, SKODA, VW

24.5201-0250.3

331850



Brake Hose

Internal Thread 2 [mm]: M12x1
Spanner Size: 19
Length [mm]: 275
MAPP code available:
Internal Thread 1 [mm]: M12x1

MERCEDES-BENZ

24.5201-0300.3

331851



Brake Hose

Internal Thread 2 [mm]: M12x1
Spanner Size: 19
Length [mm]: 325
MAPP code available:
Internal Thread 1 [mm]: M12x1

MERCEDES-BENZ

24.5231-0367.3

331853



Brake Hose

Internal Thread [mm]: M10x1
Flange Hole Diameter [mm]: 10
Length [mm]: 405
MAPP code available:
Supplementary Article/Supplementary Info 2: without banjo bolt

FORD

24.8190-0834.2

620834



Warning Contact, brake pad wear

Brake Type: Disc Brake
Length [mm]: 237
MAPP code available:

IVECO

24.8190-0836.2

620836



Warning Contact, brake pad wear

Brake Type: Disc Brake
Length [mm]: 296
MAPP code available:

IVECO



















EN Applications of vehicles

















DE Fahrzeugverwendungen



























ES Aplicaciones


















FR Applications


















IT Applicazioni autoveicoli















	kw			 	! #		
ABARTH - RITMO 11/81→12/87							
 Brake Master Cylinder							
125 TC 2.0	92	11/81→12/87		→ 12/86		24.2122-0142.3 011186	Ø 22.2 without brake fluid reservoir
130 TC 2.0	96	04/83→12/87		07/83→ 09/87		24.2122-0142.3 011186	Ø 22.2 without brake fluid reservoir
ALFA ROMEO - 75 Sedan (162_) 05/85→12/92							
 Brake Master Cylinder							
1.6	76 - 81	05/85→09/89		09/85→		24.2122-0142.3 011186	Ø 22.2 without brake fluid reservoir
2.5 V6	110	05/85→08/86					
1.6 Cat	81	05/89→02/92				24.2122-0142.3 011186	Ø 22.2 without brake fluid reservoir
1.8	85 - 95	09/85→02/92					
1.8 Turbo	110	09/86→02/92					
3.0 V6	141	02/90→02/92					
1.8 Turbo i.e.	114	02/86→01/90		03/86→		24.2122-0142.3 011186	Ø 22.2 without brake fluid reservoir
2.0	94	05/85→10/88		09/85→ 08/87		24.2122-0142.3 011186	Ø 22.2 without brake fluid reservoir
2.0 T.S.	107	01/87→02/92				24.2122-0142.3 011186	Ø 22.2 without brake fluid reservoir
2.0 T.S Cat	109	05/85→02/92		09/87→; not for armoured vehicles			
2.0 TD	70	05/85→09/92		09/85→ 03/92		24.2122-0142.3 011186	Ø 22.2 without brake fluid reservoir
2.4 TD	82	01/89→02/92		10/89→		24.2122-0142.3 011186	Ø 22.2 without brake fluid reservoir
3.0 V6 Cat	136	01/87→02/92		04/87→		24.2122-0142.3 011186	Ø 22.2 without brake fluid reservoir
ALFA ROMEO - 90 (162_) 09/84→11/87							
 Brake Master Cylinder							
1.8	85 - 89	10/84→07/87				24.2122-0142.3 011186	Ø 22.2 without brake fluid reservoir
2.0 i.e.	94 - 97	10/84→07/87					
2.4 TD	81	10/84→07/87					
2.5 i.e. V6	110	10/84→07/87					
ALFA ROMEO - ALFETTA GT (116_) 01/74→01/86							
 Brake Master Cylinder							
1.6	79	01/76→09/82				24.2122-0142.3 011186	Ø 22.2 without brake fluid reservoir
1.8	89	06/74→12/76					
1.8	85	01/74→12/76		05/74→		24.2122-0142.3 011186	Ø 22.2 without brake fluid reservoir
2.0	89 - 96	06/77→01/86		→ 09/84		24.2122-0142.3 011186	Ø 22.2 without brake fluid reservoir
ALFA ROMEO - ALFETTA Sedan (116_) 07/74→12/84							
 Brake Master Cylinder							
1.6	79	01/75→12/84		→ 09/84		24.2122-0142.3 011186	Ø 22.2 without brake fluid reservoir
1.8	89 - 90	10/79→12/84					
2.0	97	07/78→12/84					
1.8	85	07/74→04/82				24.2122-0142.3 011186	Ø 22.2 without brake fluid reservoir
2.0	89	03/77→02/80					
2.0 TD	60	10/79→03/83					
2.4 TD	70	04/83→12/84		10/83→ 09/84		24.2122-0142.3 011186	Ø 22.2 without brake fluid reservoir
ALFA ROMEO - GIULIETTA Sedan (116_) 10/77→12/85							
 Brake Master Cylinder							
1.3	66	10/77→06/83				24.2122-0142.3 011186	Ø 22.2 without brake fluid reservoir
1.6	79	10/77→04/85					
1.8	90	04/79→04/85					
1.8 Turbo	110	01/84→12/85					
2.0	96	06/80→04/85					
2.0 Turbo	125	04/83→06/85					
ALFA ROMEO - GTV (116_) 01/78→02/87							
 Brake Master Cylinder							
2.0	94	01/85→12/85				24.2122-0142.3 011186	Ø 22.2 without brake fluid reservoir
6 2.5	116	11/80→02/87					
→							














	kw			 	! #		
ALFA ROMEO - GTV (116_) 01/78→02/87							
 Brake Master Cylinder							
2.0 2.0 Turbodelta	96 111	07/78→01/86 01/78→12/80		11/80→		24.2122-0142.3 011186	Ø 22.2 without brake fluid reservoir
ALFA ROMEO - MONTREAL (105_) 12/72→03/79							
 Brake Master Cylinder							
2.6	143	12/72→03/79		10/73→ 12/74		24.2122-0142.3 011186	Ø 22.2 without brake fluid reservoir
AUDI - A1 (8X1, 8XK) 05/10→09/19							
 Brake Hose							
1.2 TFSI 1.4 TFSI	63 90 - 136	05/10→04/15 05/10→04/15	➡	+PR 1KS; ☐		24.5147-0255.3 331845	L= 270
1.6 TDI 2.0 TDI	66 - 77 100 - 105	05/10→04/15 09/11→04/15	➡	+PR 1KS; ☐		24.5147-0256.3 331846	L= 265
2.0 TFSI quattro	188	03/12→11/12	➡	10/12→; +PR 1KS; ☐		24.5147-0255.3 331845	L= 270
			➡	10/12→; +PR 1KS; ☐		24.5147-0256.3 331846	L= 265
AUDI - A1 Sportback (8XA, 8XF) 09/11→09/19							
 Brake Hose							
1.2 TFSI 1.4 TFSI	63 90 - 136	01/12→04/15 11/11→04/15	➡	+PR 1KS; ☐		24.5147-0255.3 331845	L= 270
1.6 TDI 2.0 TDI	66 - 77 100 - 105	11/11→04/15 09/11→04/15	➡	+PR 1KS; ☐		24.5147-0256.3 331846	L= 265
AUDI - Q3 (8UB, 8UG) 06/11→03/20							
 Brake Master Cylinder							
2.0 TFSI 2.0 TFSI quattro	132 125 - 162	05/15→10/18 06/11→10/18		for left-hand drive vehicles		24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
AUDI - Q4 E-TRON Sportback (F4N) 06/21→							
 Brake Pad Set, disc brake							
35 40 45 45 quattro	125 150 210 195 -	06/21→ 06/21→ 10/23→ 07/21→	←	+PR 1LB		13.0480-5551.2 EP5551	CBI + WE / + WK + Zub
50 quattro 55 quattro	220 250	06/21→ 10/23→					
 Brake Disc							
35 40 45 45 quattro	125 150 210 195 -	06/21→ 06/21→ 10/23→ 07/21→	←	+PR 1LB		24.0427-0107.1 ED27107	Ø 340 Brake Disc Thickness [mm] 27 Minimum thickness [mm] 25.5 Vented + S
50 quattro 55 quattro	220 250	06/21→ 10/23→					
AUDI - Q4 E-TRON SUV (F4B) 07/20→							
 Brake Pad Set, disc brake							
35 40 45 45 quattro	125 150 210 195 -	05/21→ 03/21→ 10/23→ 06/21→	←	+PR 1LB		13.0480-5551.2 EP5551	CBI + WE / + WK + Zub
50 quattro 55 quattro	220 250	03/21→ 10/23→					
 Brake Disc							
35 40 45 45 quattro	125 150 210 195 -	05/21→ 03/21→ 10/23→ 06/21→	←	+PR 1LB		24.0427-0107.1 ED27107	Ø 340 Brake Disc Thickness [mm] 27 Minimum thickness [mm] 25.5 Vented + S
50 quattro 55 quattro	220 250	03/21→ 10/23→					




	kw					! #		
BMW - 1 (F40) 07/19→								
 Brake Caliper								
116 d 116 i 118 d 118 i 120 d 120 d xDrive	85 80 100 110 100 103 140 140	07/19→ 11/20→ 07/19→ 07/19→ 03/20→ 07/19→	←	for vehicles without M-sport brakes; 			24.3541-9957.5 241707	TRW without holder
BMW - 1 (F52) 01/17→								
 Brake Caliper								
118 i	100	01/17→08/19	←	for vehicles without M-sport brakes; 			24.3541-9957.5 241707	TRW without holder
BMW - 2 Active Tourer (F45) 11/13→10/21								
 Brake Caliper								
214 d 216 i 216 i 218 i 220 d 220 d xDrive 220 i 220 d 220 i 220 d xDrive 220 i	70 75 80 100 120 120 120 140 131 140 141	07/14→02/18 02/15→02/18 03/18→10/21 07/14→10/21 03/14→10/21 03/14→10/21 03/14→10/21 03/14→10/21 11/20→10/21 03/14→10/21 03/14→10/21	←	03/15→; 			24.3541-9956.5 241710 24.3541-9956.5 241710 24.3541-9956.5 241710 24.3541-9957.5 241707 24.3541-9957.5 241707 24.3541-9957.5 241707 24.3541-9957.5 241707 24.3541-9957.5 241707 24.3541-9957.5 241707 24.3541-9957.5 241707	TRW without holder TRW without holder TRW without holder TRW without holder TRW without holder TRW without holder TRW without holder TRW without holder TRW without holder TRW without holder TRW without holder
BMW - 2 Active Tourer Van (F45) 11/13→10/21								
 Brake Caliper								
220 d	140	11/14→10/21	←				24.3541-9957.5 241707	TRW without holder
BMW - 2 Coupe (G42, G87) 08/21→								
 Brake Caliper								
218 i 220 d Mild-Hybrid 220 i	115 140 135	07/22→ 08/21→ 08/21→	←	for vehicles without M-sport brakes; 			24.3541-9957.5 241707	TRW without holder
 Brake Pad Set, disc brake								
230 i	180	04/22→	←	for vehicles with M-sport brakes			13.0460-4726.2 604726	BRE + WE / - WK
BMW - 2 Gran Coupe (F44) 11/19→								
 Brake Caliper								
216 d 218 i	85 100 103	03/20→ 11/19→ 10/21→	←	for vehicles without M-sport brakes; 			24.3541-9957.5 241707	TRW without holder
BMW - 2 Gran Tourer (F46) 07/14→								
 Brake Caliper								
218 d 218 d 218 d xDrive 218 i 218 i	100 110 100 110 100 103	07/14→ 07/14→ 03/15→ 03/15→ 04/17→	←	03/15→; 			24.3541-9957.5 241707 24.3541-9957.5 241707 24.3541-9957.5 241707 24.3541-9957.5 241707 24.3541-9957.5 241707	TRW without holder TRW without holder TRW without holder TRW without holder TRW without holder
BMW - 2 Gran Tourer Van (F46) 07/14→								
 Brake Caliper								
218 d 218 i	110 103	07/14→ 04/17→	←				24.3541-9957.5 241707 24.3541-9957.5 241707	TRW without holder TRW without holder
BMW - 3 (G20, G80, G28) 11/18→								
 Brake Caliper								
320 d 320 d Mild-Hybrid →	120 140 120 140	11/18→ 03/20→ 140	←	for vehicles without M-sport brakes; 			24.3541-9957.5 241707	TRW without holder


















	kw					! #		
BMW - 3 (G20, G80, G28) 11/18→								
 Brake Caliper								
320 d Mild-Hybrid xDrive	120 - 140	03/20→	←	for vehicles without M-sport brakes; <input type="checkbox"/>		24.3541-9957.5	241707	TRW without holder
320 d xDrive	120 - 140	11/18→02/20						
320 i	135	03/19→						
320 i 1.6	125	03/19→						
 Brake Pad Set, disc brake								
330 i	180	07/22→	←	for vehicles with M-sport brakes		13.0460-4726.2	604726	BRE + WE / - WK
330 i xDrive	180	07/22→						
BMW - 3 Sedan (E21) 06/75→03/84								
 Brake Master Cylinder								
315	55	03/81→03/84		04/81→ 12/83; for left-hand drive vehicles		24.2120-0622.3	011195	ATE Ø 20.6
316	66	08/75→12/82		for left-hand drive vehicles		24.2120-0622.3	011195	ATE Ø 20.6
318	72	08/75→08/80						
320	80	06/75→07/79						
318 i	77	11/79→08/82		→ 06/82; for left-hand drive vehicles		24.2120-0622.3	011195	ATE Ø 20.6
320/6	90	08/77→10/82		10/77→; for left-hand drive vehicles		24.2120-0622.3	011195	ATE Ø 20.6
320 i	92	06/75→08/82		10/75→ 07/78; for left-hand drive vehicles		24.2120-0622.3	011195	ATE Ø 20.6
323 i	105	01/78→10/82		02/78→; for left-hand drive vehicles		24.2120-0622.3	011195	ATE Ø 20.6
BMW - 3 Sedan (E30) 09/82→03/92								
 Brake Master Cylinder								
315	55	09/82→12/91		→ 12/83; for left-hand drive vehicles		24.2120-0622.3	011195	ATE Ø 20.6
BMW - 3 Touring (G21, G81) 07/19→								
 Brake Caliper								
320 d	120 - 140	07/19→02/20	←	for vehicles without M-sport brakes; <input type="checkbox"/>		24.3541-9957.5	241707	TRW without holder
320 d Mild-Hybrid	120 - 140	03/20→						
320 d Mild-Hybrid xDrive	120 - 140	03/20→						
320 d xDrive	120 - 140	07/19→02/20						
320 i	135	11/19→						
 Brake Pad Set, disc brake								
330 i	180	07/19→	←	for vehicles with M-sport brakes		13.0460-4726.2	604726	BRE + WE / - WK
330 i xDrive	180	07/19→						
BMW - 3 Touring Van (G21) 07/19→								
 Brake Caliper								
318 d	110	11/19→06/22	←	for vehicles without M-sport brakes; <input type="checkbox"/>		24.3541-9957.5	241707	TRW without holder
320 d	140	07/19→02/20						
320 d Mild-Hybrid	140	03/20→						
320 d Mild-Hybrid xDrive	140	03/20→						
320 d xDrive	140	07/19→02/20						
320 i	135	11/19→						
BMW - 4 Convertible (G23, G83) 11/20→								
 Brake Caliper								
420 d Mild-Hybrid	120 - 140	11/20→	←	for vehicles without M-sport brakes; <input type="checkbox"/>		24.3541-9957.5	241707	TRW without holder
420 i	135	11/20→						
BMW - 4 Coupe (G22, G82) 07/20→								
 Brake Caliper								
420 d Mild-Hybrid	140	07/20→	←	for vehicles without M-sport brakes; <input type="checkbox"/>		24.3541-9957.5	241707	TRW without holder
420 d Mild-Hybrid xDrive	140	07/20→						
420 i	135	07/20→						
420 i 1.6	125	11/20→						
420 i xDrive	135	07/21→						
BMW - 4 Gran Coupe (G26) 07/21→								
 Brake Caliper								
420 d Mild-Hybrid	140	07/21→	←	for vehicles without M-sport brakes; <input type="checkbox"/>		24.3541-9957.5	241707	TRW without holder
420 d Mild-Hybrid xDrive	140	07/21→						
420 i	135	07/21→						

















	kw				! #		
BMW - 4 Gran Coupe (G26) 07/21→							
 Brake Caliper							
430 i	180	07/21→	←	for vehicles without M-sport brakes; <input type="checkbox"/>		24.3541-9957.5 241707	TRW without holder
 Brake Pad Set, disc brake							
430 d Mild-Hybrid xDrive	210	05/22→	←			13.0460-4726.2 604726	BRE + WE / - WK
430 i xDrive	180 - 190	07/21→	←	for vehicles with M-sport brakes		13.0460-4726.2 604726	BRE + WE / - WK
BMW - i3 (I01) 08/13→							
 Brake Disc							
Electric	75 - 125	08/13→	←			24.0120-0265.1 420265	Ø 280 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 Vented + S
Range Extender s Electric	125 - 135	08/13→					
	75 - 135	11/17→					
s Range Extender	135	11/17→					
BMW - X1 (F48) 11/14→12/22							
 Brake Caliper							
sDrive 16 d sDrive 18 d xDrive 18 d	85 100 100 - 110	11/14→05/22 07/15→06/22 11/14→06/22	←	09/15→; <input type="checkbox"/>		24.3541-9957.5 241707	TRW without holder
sDrive 18 d sDrive 18 i	110 100 - 103	07/15→06/22 11/15→06/22	←	<input type="checkbox"/>		24.3541-9957.5 241707	TRW without holder
BMW - X1 Van (F48) 07/15→06/22							
 Brake Caliper							
sDrive 18 d sDrive 18 i	110 103	07/15→06/22 07/17→06/22	←	<input type="checkbox"/>		24.3541-9957.5 241707	TRW without holder
BMW - X2 (F39) 11/17→10/23							
 Brake Caliper							
sDrive 18 d sDrive 18 i xDrive 18 d	100 - 110 100 - 103 100 - 110	03/18→10/23 03/18→10/23 03/18→10/23	←	<input type="checkbox"/>		24.3541-9957.5 241707	TRW without holder
BMW - X3 (G01, F97, G08) 07/17→							
 Brake Pad Set, disc brake							
xDrive M40 i Mild Hybrid	265	08/21→	←			13.0460-4726.2 604726	BRE + WE / - WK
BMW - X4 (G02, F98) 04/18→							
 Brake Pad Set, disc brake							
xDrive 20 i Mild Hybrid xDrive 30 i Mild Hybrid xDrive M40 i Mild Hybrid	135 180 265	08/21→ 07/21→ 08/21→	←	for vehicles with M-sport brakes		13.0460-4726.2 604726	BRE + WE / - WK
BMW - X5 (G05, F95) 08/18→							
 Brake Pad Set, disc brake							
xDrive 30 d Mild-Hybrid xDrive 40 d Mild-Hybrid xDrive 40 i Mild-Hybrid	219 259 280	04/23→ 06/23→ 04/23→	←	for vehicles without M-sport brakes		13.0460-4726.2 604726	BRE + WE / - WK
BMW - X6 (G06, F96) 08/19→							
 Brake Pad Set, disc brake							
xDrive 40 i Mild Hybrid	280	04/23→	←	for vehicles without M-sport brakes		13.0460-4726.2 604726	BRE + WE / - WK
CITROËN - AX (ZA-_) 07/86→12/98							
 Brake Master Cylinder							
1.3 Sport	70	04/87→12/88		→Orga 04073		24.2120-2031.3 011188	ATE Ø 20.6
1.4 GTi	66 - 74	06/91→12/96		- ABS		24.2120-2031.3 011188	ATE Ø 20.6
10	33	07/86→12/98		Orga 03826→		24.2120-2031.3 011188	ATE Ø 20.6
10	37	02/87→12/98		07/92→		24.2120-2031.3 011188	ATE Ø 20.6
10 E	30	12/86→12/88		Orga 03825→		24.2120-2031.3 011188	ATE Ø 20.6
→							






















	kw					! #		
CITROËN - AX (ZA_) 07/86→12/98								
 Brake Master Cylinder								
11	40	12/86→04/94			→ 06/90		24.2120-2031.3 011188	ATE Ø 20.6
11	44	09/86→12/97			10/89→		24.2120-2031.3 011188	ATE Ø 20.6
11 Cat 14	40 44 - 61	09/88→12/89 12/86→12/92					24.2120-2031.3 011188	ATE Ø 20.6
Electric	25 - 28	04/93→04/97						
14	62	01/88→12/92			→Orga 04098		24.2120-2031.3 011188	ATE Ø 20.6
14	55	04/87→04/97			03/89→ 12/96		24.2120-2031.3 011188	ATE Ø 20.6
CITROËN - C4 III (BA_, BB_, BC_) 10/20→								
 Brake Pad Set, disc brake								
1.2 Hybrid 136 1.2 MHEV	100 74	02/24→ 04/24→	←				13.0460-3700.2 603700 13.0470-3700.2 LD3700	CBI - WE / - WK + Zub CBI - WE / - WK + Zub Ceramic
1.2 PureTech 100 1.2 PureTech 130 1.2 PureTech 155 1.5 BlueHDi 130 BLUEHDi 110 è-C4	74 96 114 96 81 100 - 115	04/21→ 10/20→ 01/21→ 10/20→ 12/20→ 10/20→	←		Orga 16261→		13.0460-3700.2 603700 13.0470-3700.2 LD3700	CBI - WE / - WK + Zub CBI - WE / - WK + Zub Ceramic
CITROËN - C4 X (BD_, BE_, BF_) 09/22→								
 Brake Pad Set, disc brake								
1.2 Hybrid 136	100	02/24→	←				13.0460-3700.2 603700 13.0470-3700.2 LD3700	CBI - WE / - WK + Zub CBI - WE / - WK + Zub Ceramic
1.2 PureTech 100 1.2 PureTech 130 1.5 BlueHDi 130 è-C4 X	74 96 96 100 - 115	09/22→ 09/22→ 09/22→ 09/22→	←		for brake disc diameter [mm]: 302		13.0460-3700.2 603700 13.0470-3700.2 LD3700	CBI - WE / - WK + Zub CBI - WE / - WK + Zub Ceramic
CITROËN - JUMPER III Bus 04/06→								
 Cable Pull, parking brake								
2.2 HDi 100 2.2 HDi 110 2.2 HDi 120 2.2 HDi 130 2.2 HDi 150 3.0 HDi 155 3.0 HDi 160 3.0 HDi 180	74 81 88 96 110 115 116 130	04/06→ 07/11→12/20 04/06→12/16 07/11→ 07/11→ 07/06→ 09/06→ 07/11→			for vehicles with track widening; → 02/14; ↓	2	24.3727-0361.2 580361	L= 1485
CITROËN - JUMPER III Platform/Chassis 04/06→								
 Cable Pull, parking brake								
2.2 HDi 100 2.2 HDi 110 2.2 HDi 120 2.2 HDi 130 2.2 HDi 150 3.0 HDi 160 3.0 HDi 180	74 81 88 96 110 116 130	04/06→ 07/11→12/20 04/06→12/16 07/06→ 07/11→ 09/06→12/15 07/11→			for vehicles with track widening; → 02/14; ↓	2	24.3727-0361.2 580361	L= 1485
3.0 HDi 145	107	07/10→12/13			for vehicles with track widening; ↓	2	24.3727-0361.2 580361	L= 1485
CITROËN - JUMPER III Van 04/06→								
 Cable Pull, parking brake								
2.2 HDi 100 3.0 HDi 145	74 107	04/06→12/12 07/10→12/13			for vehicles with track widening; ↓	2	24.3727-0361.2 580361	L= 1485
2.2 HDi 110 2.2 HDi 120 2.2 HDi 130 2.2 HDi 130 4x4 2.2 HDi 150 3.0 HDi 155 3.0 HDi 160 3.0 HDi 180	81 88 96 96 110 115 116 130	07/11→12/20 04/06→12/16 07/11→ 01/12→05/16 07/11→ 07/06→12/15 09/06→12/15 07/11→			for vehicles with track widening; → 02/14; ↓	2	24.3727-0361.2 580361	L= 1485
CITROËN - ZX (N2) 03/91→07/99								
 Brake Master Cylinder								
1.1 1.4 1.4 D →	40 - 44 55 37	03/91→06/97 03/91→06/97 07/94→10/97			→Orga 07125; - ABS		24.2120-2031.3 011188	ATE Ø 20.6















	kw			 	! #		
CITROËN - ZX (N2) 03/91→07/99							
 Brake Master Cylinder							
1.4 i	55	03/91→06/97		→Orga 07125; - ABS		24.2120-2031.3 011188	ATE Ø 20.6
1.6	66	07/94→10/97					
1.6 i	65	03/91→06/97					
1.8	76 - 82	03/91→10/97					
1.8 D	44	06/93→06/97					
1.8 i	74	07/92→06/97					
1.8 i 16V	81	01/96→06/97					
1.9	93 - 96	03/91→06/97					
1.9 D	47	03/91→06/97					
1.9 DT	65	07/94→10/97					
1.9 i	88	03/91→06/97					
1.9 TD	66	07/92→06/97					
2.0	90	07/94→10/97					
2.0 i	89	07/92→06/97					
1.9 D	50	07/93→06/97		06/94→; →Orga 07125; - ABS		24.2120-2031.3 011188	ATE Ø 20.6
1.9 DT	68	06/92→06/94		07/92→; →Orga 07125; - ABS		24.2120-2031.3 011188	ATE Ø 20.6
CUPRA - BORN (K11) 08/21→							
 Brake Pad Set, disc brake							
45	110	08/21→	←	+PR 1LA		13.0480-5550.2 EP5550	CBI + WE / + WK + Zub
58	150	08/21→	←	+PR 1LB		13.0480-5551.2 EP5551	CBI + WE / + WK + Zub
58 e-boost	170	08/21→05/24					
77 e-boost	170	08/21→					
VZ	240	06/24→					
 Brake Disc							
45	110	08/21→	←	+PR 1LA		24.0423-0130.1 ED231300	Ø 330 Brake Disc Thickness [mm] 23 Minimum thickness [mm] 21.5 Vented + S
58	150	08/21→					
58 e-boost	170	08/21→05/24					
77 e-boost	170	08/21→					
VZ	240	06/24→	←	+PR 1LB		24.0427-0107.1 ED271070	Ø 340 Brake Disc Thickness [mm] 27 Minimum thickness [mm] 25.5 Vented + S
DACIA - DOKKER Box Body/MPV 11/12→12/21							
 Cable Pull, parking brake							
1.2 TCe 115	84 - 85	12/12→12/21		Drum Brake; ↓	2	24.3727-3612.2 583612	L= 1953
1.3 TCe 100	75	08/19→12/21					
1.3 TCe 130	96	08/19→12/21					
1.5 Blue dCi 95	70	06/19→12/21					
1.5 dCi	62 - 66	11/12→12/21					
1.5 dCi 75 / Blue dCi 75	55	12/12→12/21					
1.6	61 - 75	12/12→12/21					
1.6 LPG	61 - 80	11/13→12/21					
DACIA - DOKKER MPV (KE_) 11/12→12/21							
 Cable Pull, parking brake							
1.2 TCe	85	11/12→12/21		Drum Brake; ↓	2	24.3727-3612.2 583612	L= 1953
1.3 TCe 100	75	08/19→12/21					
1.3 TCe 130	96	03/19→12/21					
1.5 Blue dCi 95	70	12/18→12/21					
1.5 dCi / Blue dCi 75	55	11/12→12/21					
1.5 dCi	63 - 66	11/12→12/21					
1.6	61 - 75	11/12→12/21					
1.6 LPG	61 - 80	11/13→12/21					
DACIA - LODGY (JS_) 03/12→							
 Cable Pull, parking brake							
1.2 TCe	85	03/12→		Drum Brake; ↓	2	24.3727-3612.2 583612	L= 1953
1.3 TCe 100	75	01/19→					
1.3 TCe 130	96	01/19→					
1.5 Blue dCi 115	85	08/18→					
1.5 Blue dCi 95	70	08/18→					
1.5 dCi	63 - 81	03/12→					
1.6	61	03/12→					
1.6 LPG	61 - 80	11/13→					
1.6 SCe 100	75	06/15→		for left-hand drive vehicles; ↓	2	24.3727-3612.2 583612	L= 1953





















	kw			 	! #		
DACIA - LOGAN (LS_) 08/04→							
 Brake Drum							
1.2 16V 1.2 16V LPG 1.4 1.5 dCi 1.5 dCi	55 55 55 65 55	02/06→ 02/06→ 09/04→ 05/10→ 05/10→12/12	➡	→ 04/13; - ABS		24.0220-3753.2 480222	Ø 234 Inner brake drum height [mm] 48 / 204.5 + RLG / - ABS Ring
1.6 16V Flexifuel 1.6 MPI 85	77 62	07/10→ 05/10→	➡	01/11→ 04/13; - ABS 05/12→ 04/13; - ABS		24.0220-3753.2 480222	Ø 234 Inner brake drum height [mm] 48 / 204.5 + RLG / - ABS Ring
DACIA - LOGAN II 10/12→							
 Brake Drum							
1.0 LPG 1.0 TCe 100 1.5 dCi 1.6 1.6 16V TCe 90 TCe 90 LPG 1.2 1.2 LPG 1.5 Blue dCi 95 1.5 dCi / Blue dCi 75	74 74 63 - 66 59 - 63 77 66 66 54 - 55 53 - 55 70 55	11/19→ 11/19→ 10/12→ 06/13→ 01/13→ 10/12→ 09/15→ 10/12→ 10/12→ 05/18→ 10/12→	➡	- ABS; Inner brake drum diameter [inch]: 8		24.0220-3753.2 480222	Ø 234 Inner brake drum height [mm] 48 / 204.5 + RLG / - ABS Ring
1.2 1.2 LPG 1.5 Blue dCi 95 1.5 dCi / Blue dCi 75	54 - 55 53 - 55 70 55	10/12→ 10/12→ 05/18→ 10/12→	➡	- ABS		24.0220-3753.2 480222	Ø 234 Inner brake drum height [mm] 48 / 204.5 + RLG / - ABS Ring
DACIA - LOGAN MCV II 02/13→							
 Brake Drum							
1.0 LPG 1.0 SCe 75 1.0 TCe 100	74 54 74	11/19→ 12/16→ 11/19→	➡	- ABS; Inner brake drum diameter [inch]: 8		24.0220-3753.2 480222	Ø 234 Inner brake drum height [mm] 48 / 204.5 + RLG / - ABS Ring
DACIA - SANDERO (BS_) 06/08→06/13							
 Brake Drum							
1.2 16V 1.2 16V LPG 1.5 dCi 1.4 1.4 MPI LPG 1.5 dCi 1.6 1.6 Hi-Flex 1.6 LPG 1.6 16V 1.6 16V Bifuel 1.6 LPG 1.6 LPG	55 55 55 - 65 55 53 48 - 50 64 64 64 77 77 62 60	11/08→06/13 11/08→06/13 05/10→06/13 06/08→12/12 01/09→12/12 11/08→12/12 06/08→12/12 06/08→12/12 06/08→12/12 07/11→12/12 01/11→12/12 05/10→10/12 01/11→12/12	➡	- ABS; → 02/13		24.0220-3753.2 480222	Ø 234 Inner brake drum height [mm] 48 / 204.5 + RLG / - ABS Ring
1.4 1.4 MPI LPG 1.5 dCi 1.6 1.6 Hi-Flex 1.6 LPG 1.6 16V 1.6 16V Bifuel 1.6 LPG 1.6 LPG	55 53 48 - 50 64 64 64 77 77 62 60	06/08→12/12 01/09→12/12 11/08→12/12 06/08→12/12 06/08→12/12 06/08→12/12 07/11→12/12 01/11→12/12 05/10→10/12 01/11→12/12	➡	- ABS		24.0220-3753.2 480222	Ø 234 Inner brake drum height [mm] 48 / 204.5 + RLG / - ABS Ring
1.6 LPG	60	01/11→12/12	➡	→ 10/12; - ABS		24.0220-3753.2 480222	Ø 234 Inner brake drum height [mm] 48 / 204.5 + RLG / - ABS Ring
DACIA - SANDERO II (B8_) 10/12→							
 Brake Drum							
1.0 LPG 1.0 TCe 100 1.2 1.2 LPG 1.0 SCe 75 1.5 Blue dCi 95 1.5 dCi 1.5 dCi 75 / Blue dCi 75 1.6 TCe 90 TCe 90 LPG	74 74 54 - 55 55 54 70 63 - 66 55 63 66 66	11/19→ 11/19→ 10/12→ 10/12→ 12/16→09/20 08/18→ 10/12→ 10/12→ 11/12→ 10/12→ 09/15→	➡	- ABS - ABS; Inner brake drum diameter [inch]: 8		24.0220-3753.2 480222	Ø 234 Inner brake drum height [mm] 48 / 204.5 + RLG / - ABS Ring
































	kw			 	! #		
DS - DS 3 / DS 3 CROSSBACK (UR_, UC_, UJ_) 10/18→							
 Brake Pad Set, disc brake							
1.2 Hybrid 136 E-TENSE	100 115	04/24→ 01/23→	←	for brake disc diameter [mm]: 302		13.0460-3700.2 603700 13.0470-3700.2 LD3700	CBI - WE / - WK + Zub CBI - WE / - WK + Zub Ceramic
1.2 PureTech 100 1.2 PureTech 130 1.2 PureTech 155 1.5 BlueHDi 100 1.5 BlueHDi 110 1.5 BlueHDi 130 E-TENSE	74 96 115 75 81 96 100	10/18→ 10/18→ 10/18→12/22 10/18→12/22 01/21→12/22 10/18→ 05/19→12/22	←	for brake disc diameter [mm]: 302; Orga 16247→		13.0460-3700.2 603700 13.0470-3700.2 LD3700	CBI - WE / - WK + Zub CBI - WE / - WK + Zub Ceramic
FIAT - DUCATO Bus (250_) 07/06→							
 Cable Pull, parking brake							
2 D 100 Multijet 2 3 D 110 Multijet 2 0 D 115 Multijet 2 120 Multijet 2 130 Multijet 2 3 D 4x4 140 Multijet 2 150 Multijet 2 150 Multijet 3 160 Multijet 2 160 Multijet 3 0 D 4x4 180 Multijet 2 180 Multijet 3 E-Ducato	74 - 103 74 82 - 130 82 - 83 85 - 130 85 88 96 96 103 109 107 118 115 - 116 116 130 130 90	07/06→10/23 07/06→05/11 07/06→ 10/11→ 07/06→ 06/11→ 07/06→10/13 01/07→ 06/11→ 05/19→ 06/11→ 04/10→07/14 05/19→ 07/06→05/11 07/06→05/11 05/19→ 06/11→ 02/21→10/23		Disc Brake; for vehicles with track widening; 	2	24.3727-0361.2 580361	L= 1485
3 D 150 Multijet 2 3 D 4x4	110 110 110	04/15→ 04/15→ 04/15→		12/15→; Disc Brake; for vehicles with track widening; 	2	24.3727-0361.2 580361	L= 1485
FIAT - DUCATO Platform/Chassis (250_) 07/06→							
 Cable Pull, parking brake							
2 D 100 Multijet 2 3 D 110 Multijet 2 0 D 115 Multijet 2 120 Multijet 2 3 D 4x4 140 Multijet 2 150 Multijet 2 150 Multijet 3 160 Multijet 2 160 Multijet 3 180 Multijet 2 180 Multijet 3 E-Ducato	74 - 132 74 83 - 130 83 85 - 130 85 88 88 103 109 - 110 107 118 115 - 116 130 - 132 130 90 205	07/06→ 07/06→05/11 07/06→ 10/11→07/14 07/06→ 06/11→ 07/06→ 03/10→ 05/19→ 06/11→ 04/10→07/14 05/19→ 07/06→05/14 12/15→ 06/11→ 02/21→		Disc Brake; for vehicles with track widening; 	2	24.3727-0361.2 580361	L= 1485
3 D 110 Multijet 2	82 82	08/06→ 08/06→		06/11→; Disc Brake; for vehicles with track widening; 	2	24.3727-0361.2 580361	L= 1485
130 Multijet 2 3 D	96 96	08/06→ 08/06→		01/07→; Disc Brake; for vehicles with track widening; 	2	24.3727-0361.2 580361	L= 1485
FIAT - DUCATO Van (250_) 07/06→							
 Cable Pull, parking brake							
2 D 100 Multijet 2 3 D 110 Multijet 2 →	74 - 132 74 83 - 130 83	07/06→ 07/06→05/11 07/06→ 10/11→07/14		Disc Brake; for vehicles with track widening; 	2	24.3727-0361.2 580361	L= 1485








	kW			 	! #		
FIAT - DUCATO Van (250_) 07/06→							
 Cable Pull, parking brake							
0 D	85 - 130	07/06→		Disc Brake; for vehicles with track widening; 	2	24.3727-0361.2 580361	L= 1485
115 Multijet 2	85	06/11→					
120 Multijet 2	88	07/06→					
3 D 4x4	88 - 110	03/10→					
130 Multijet 2	96	06/11→					
140 Multijet 2	103	05/19→					
150 Multijet 2	109 - 110	06/11→					
150 Multijet 3	107	04/10→07/14					
160 Multijet 2	118	05/19→					
160 Multijet 3	115 - 116	07/06→12/11					
0 D 4x4	116	07/06→05/11					
180 Multijet 2	130 - 132	12/15→					
180 Multijet 3	130	06/11→					
E-Ducato	90 - 205	12/20→					
3 D	82 - 96	08/06→		12/15→; Disc Brake; for vehicles with track widening; 	2	24.3727-0361.2 580361	L= 1485
110 Multijet 2	82	05/14→					
130 Multijet 2	96	08/06→					
FORD - C-MAX (DM2) 02/07→09/10							
 Brake Master Cylinder							
1.6	74 - 85	02/07→09/10		06/07→ 10/08		24.2125-0483.3 011190	ATE Ø 25.4 without brake fluid reservoir
1.6 TDCi	66 - 80	02/07→09/10					
1.8	90 - 92	02/07→09/10					
1.8 Flexifuel	92	02/07→09/10					
1.8 TDCi	85	02/07→09/10					
2.0	107	02/07→09/10					
2.0 TDCi	98 - 100	02/07→09/10					
2.0 LPG	107	06/08→09/10		→ 10/08		24.2125-0483.3 011190	ATE Ø 25.4 without brake fluid reservoir
2.0 TDCi	81	02/08→09/10					
FORD - C-MAX II (DXA/CB7, DXA/CEU) 04/10→06/19							
 Cable Pull, parking brake							
1.0 EcoBoost	74 - 92	10/12→06/19		for vehicles with handbrake lever at the centre console; 	1	24.3727-3700.2 583700	L= 364
1.5 EcoBoost	110 - 134	03/15→06/19					
1.5 TDCi	70 - 88	03/15→06/19					
1.5 TDCi ECONetic	77	03/15→06/19					
1.6 CNG	86	01/13→12/14					
1.6 EcoBoost	110 - 134	12/10→06/19					
1.6 Flexifuel	88	02/11→06/19					
1.6 LPG	86 - 88	02/12→06/19					
1.6 TDCi	70 - 85	12/10→06/19					
1.6 Ti	63 - 92	12/10→06/19					
2.0 Energi	136	01/15→06/19					
2.0 TDCi	85 - 125	12/10→06/19					
2.0 TDCi	103	04/10→06/19		12/10→; for vehicles with handbrake lever at the centre console; 	1	24.3727-3700.2 583700	L= 364
FORD - C-MAX II Van 10/10→06/19							
 Cable Pull, parking brake							
1.0 EcoBoost	74 - 92	10/12→06/19		for vehicles with handbrake lever at the centre console; 	1	24.3727-3700.2 583700	L= 364
1.5 EcoBoost	110 - 134	03/15→06/19					
1.5 TDCi	88	03/15→06/19					
1.5 TDCi ECONetic	77	03/15→06/19					
1.6 EcoBoost	110 - 134	12/10→06/19					
1.6 TDCi	70 - 85	12/10→06/19					
→							








	kw			 	! #		
FORD - C-MAX II Van 10/10→06/19							
 Cable Pull, parking brake							
2.0 TDCi	85 - 125	12/10→06/19		for vehicles with handbrake lever at the centre console; 	1	24.3727-3700.2 583700	L= 364
1.6 Ti	77	10/10→06/19		12/10→; for vehicles with handbrake lever at the centre console; 	1	24.3727-3700.2 583700	L= 364
FORD - FIESTA VI (CB1, CCN) 06/08→							
 Brake Hose							
1.25	44 - 60	06/08→04/17	←	09/08→; 		24.5231-0367.3 331853	L= 405
1.6 TDCi	55 - 66	06/08→12/12					
1.6 Ti	88	06/08→01/18					
1.4	71	10/08→04/17	←			24.5231-0367.3 331853	L= 405
1.4 TDCi	50 - 51	08/08→09/12					
1.6	89 - 90	10/10→04/17					
1.6 TDCi	70	02/10→12/15					
1.6 Ti	99	12/10→04/17					
1.4 LPG	68 - 71	01/09→04/17	←	06/09→; 		24.5231-0367.3 331853	L= 405
FORD - FIESTA VI Van 08/08→04/17							
 Brake Hose							
1.25	44 - 60	08/08→04/17	←			24.5231-0367.3 331853	L= 405
1.4	71	10/08→12/12					
1.4 TDCi	50 - 51	01/09→04/17					
1.6 TDCi	66 - 70	01/09→04/17					
1.6 Ti-VCT	88	10/08→12/12					
FORD - FIESTA Saloon 04/10→04/17							
 Brake Hose							
1.4	70	10/10→04/17	←			24.5231-0367.3 331853	L= 405
1.6	81	09/10→04/17					
FORD - FOCUS II (DA_, HCP, DP) 07/04→09/13							
 Brake Master Cylinder							
1.4	59	07/04→09/12		05/07→ 10/08; + ABS		24.2125-0483.3 011190	ATE Ø 25.4 without brake fluid reservoir
1.6	74	07/04→09/12					
1.6 TDCi	66 - 80	07/04→09/12					
1.6 Ti	85	07/04→09/12					
1.8	92	03/06→09/12					
1.8 Flexifuel	92	01/06→09/12					
1.8 TDCi	85	01/05→09/12					
2.0	107	07/04→09/12					
2.0 TDCi	100	07/04→09/12					
2.5 ST	166	10/05→09/12					
2.0	104	06/05→09/08		05/07→; + ABS		24.2125-0483.3 011190	ATE Ø 25.4 without brake fluid reservoir
2.0 TDCi	98	07/04→01/08					
2.0 LPG	107	06/08→07/11		→ 10/08; + ABS		24.2125-0483.3 011190	ATE Ø 25.4 without brake fluid reservoir
2.0 TDCi	81	02/08→07/11					
FORD - FOCUS II Convertible 10/06→09/10							
 Brake Master Cylinder							
1.6	74	10/06→09/10		05/07→ 10/08; + ABS		24.2125-0483.3 011190	ATE Ø 25.4 without brake fluid reservoir
2.0	107	10/06→09/10					
2.0 TDCi	100	10/06→09/10					
FORD - FOCUS II Estate Van 07/04→07/11							
 Brake Master Cylinder							
1.4	59	09/05→07/11		05/07→ 10/08; + ABS		24.2125-0483.3 011190	ATE Ø 25.4 without brake fluid reservoir
1.6	74	09/05→07/11					
1.6 TDCi	66 - 80	07/04→07/11					
1.6 Ti-VCT	85	09/05→07/11					
2.0 TDCi	100	09/05→07/11					
2.0 TDCi	81	06/09→07/11		+ ABS		24.2125-0483.3 011190	ATE Ø 25.4 without brake fluid reservoir








	kW			 	! #		
FORD - FOCUS II Saloon (DB_, FCH, DH) 04/05→							
 Brake Master Cylinder							
1.4 1.6 1.6 TDCi 1.6 Ti 1.8 1.8 Flexifuel 1.8 TDCi 2.0 2.0 TDCi	59 74 66 - 80 85 92 92 85 107 100	04/05→09/12 04/05→09/12 04/05→09/12 04/05→09/12 03/06→09/12 06/06→07/11 04/05→09/12 04/05→07/11 04/05→09/12		05/07→ 10/08; + ABS		24.2125-0483.3 011190	ATE Ø 25.4 without brake fluid reservoir
1.8 Flexifuel	96	12/05→01/08		05/07→; + ABS		24.2125-0483.3 011190	ATE Ø 25.4 without brake fluid reservoir
2.0 TDCi	81	02/08→07/11		→ 10/08; + ABS		24.2125-0483.3 011190	ATE Ø 25.4 without brake fluid reservoir
FORD - FOCUS II Turnier (DA_, FFS, DS) 07/04→09/12							
 Brake Master Cylinder							
1.4 1.6 1.6 TDCi 1.6 Ti 1.8 1.8 Flexifuel 1.8 TDCi 2.0 2.0 TDCi	59 74 66 - 80 85 92 92 85 107 100	07/04→09/12 07/04→07/11 07/04→09/12 07/04→09/12 03/06→09/12 01/06→09/12 07/04→09/12 07/04→09/12 07/04→09/12		05/07→ 10/08; + ABS		24.2125-0483.3 011190	ATE Ø 25.4 without brake fluid reservoir
1.6 TDCi 2.0 LPG 2.0 TDCi	81 107 81	12/07→09/12 06/08→07/11 02/08→07/11		→ 10/08; + ABS		24.2125-0483.3 011190	ATE Ø 25.4 without brake fluid reservoir
2.0 TDCi	98	07/04→01/08		05/07→; + ABS		24.2125-0483.3 011190	ATE Ø 25.4 without brake fluid reservoir
FORD - FOCUS IV (HN) 01/18→							
 Brake Disc							
2.0 ST EcoBlue 2.3 ST EcoBoost	140 206	04/19→ 04/19→	←			24.0127-0108.1 427108	Ø 330 Brake Disc Thickness [mm] 27 Minimum thickness [mm] 25 Vented
FORD - FOCUS IV Turnier (HP) 09/18→							
 Brake Disc							
2.0 ST EcoBlue 2.3 ST EcoBoost	140 206	04/19→ 04/19→	←			24.0127-0108.1 427108	Ø 330 Brake Disc Thickness [mm] 27 Minimum thickness [mm] 25 Vented
FORD - FOCUS C-MAX (DM2) 10/03→03/07							
 Brake Master Cylinder							
1.6 1.6 TDCi 1.6 Ti 1.8 1.8 Flexifuel 1.8 TDCi 2.0 TDCi	74 66 - 80 85 88 - 92 92 85 98 - 100	10/03→03/07 10/03→03/07 08/04→03/07 10/03→03/07 01/06→03/07 01/05→03/07 10/03→03/07				24.2125-0483.3 011190	ATE Ø 25.4 without brake fluid reservoir
2.0	107	03/04→03/07		04/04→		24.2125-0483.3 011190	ATE Ø 25.4 without brake fluid reservoir
FORD - GRAND C-MAX (DXA/CB7, DXA/CEU) 12/10→06/19							
 Cable Pull, parking brake							
1.0 EcoBoost 1.5 EcoBoost 1.5 TDCi 1.6 EcoBoost 1.6 TDCi 1.6 Ti 2.0 TDCi	74 - 92 110 - 134 70 - 88 110 - 134 70 - 85 63 - 92 85 - 125	10/12→06/19 03/15→06/19 03/15→06/19 12/10→06/19 12/10→06/19 12/10→06/19 12/10→06/19		for vehicles with handbrake lever at the centre console; 	1	24.3727-3700.2 583700	L= 364








	kw			 	! #		
FORD - GRAND C-MAX Van 12/10→06/19							
 Cable Pull, parking brake							
1.0 EcoBoost	74 - 92	10/12→06/19		for vehicles with handbrake lever at the centre console; 	1	24.3727-3700.2 583700	L= 364
1.5 EcoBoost	110	03/15→06/19					
1.5 TDCi	88	03/15→06/19					
1.6 EcoBoost	110 - 134	12/10→06/19					
1.6 TDCi	70 - 85	12/10→06/19					
1.6 Ti	92	12/10→12/14					
2.0 TDCi	103 - 125	12/10→06/19					
2.0 TDCI	85	02/11→06/19					
FORD - KUGA I 02/08→11/12							
 Brake Master Cylinder							
2.0 TDCi	100	03/08→11/12		04/08→; for right-hand drive vehicles; → 10/08		24.2125-0483.3 011190	ATE Ø 25.4 without brake fluid reservoir
2.0 TDCi 4x4	100	03/08→11/12					
FORD - KUGA III (DFK) 07/19→							
 Brake Disc							
2.0 EcoBlue 4x4	110 - 140	07/19→				24.0127-0108.1 427108	Ø 330 Brake Disc Thickness [mm] 27 Minimum thickness [mm] 25 Vented
2.0 EcoBlue mHEV	110	07/19→					
2.0 TDCi	88	11/22→					
2.0 TDCi 4x4	88	11/22→					
2.5 Duratec Plug-in-Hybrid	165	07/19→					
2.5 Duratec Plug-in-Hybrid 4x4	165	07/19→					
2.5 Hybrid Flex	140	06/23→					
HYUNDAI - KONA (SX2) 04/23→							
 Brake Disc							
EV	99 - 160	07/23→				24.0110-0432.1 410432	Ø 300 Brake Disc Thickness [mm] 10 Minimum thickness [mm] 8
HYUNDAI - TUCSON (NX4E, NX4A) 10/20→							
 Brake Disc							
1.6 CRDi	85 - 100	11/20→				24.0110-0432.1 410432	Ø 300 Brake Disc Thickness [mm] 10 Minimum thickness [mm] 8
1.6 CRDi HTRAC	100	11/20→					
1.6 CRDi Hybrid 48V	100	11/20→					
1.6 CRDi Hybrid 48V HTRAC	100	11/20→					
1.6 T-GDi	110 - 132	05/21→					
1.6 T-GDi HTRAC	110	01/22→					
1.6 T-GDi HTRAC	132	01/21→					
1.6 T-GDi Hybrid	158 - 169	11/20→					
1.6 T-GDi Hybrid 48V	110 - 132	11/20→					
1.6 T-GDi Hybrid 48V All-wheel Drive	118	06/24→					
1.6 T-GDi Hybrid 48V HTRAC	132	11/20→					
1.6 T-GDi Hybrid 4WD	158	06/24→					
1.6 T-GDi Hybrid HTRAC	169	11/20→					
1.6 T-GDi Plug-in-Hybrid	185	06/24→					
1.6 T-GDi Plug-in-Hybrid All-wheel Drive	185	06/24→					
1.6 T-GDi Plug-in-Hybrid HTRAC	195	05/21→					
2.0 MPI	110	01/21→					
2.0 MPI HTRAC	110	01/21→					
2.5 GDi HTRAC	140	01/21→					
HYUNDAI - TUCSON (TL, TLE) 05/15→05/23							
 Cable Pull, parking brake							
1.6 CRDi	85 - 100	08/18→12/20		- eFSB; 		24.3727-3146.2 583146	L= 330
1.6 CRDi All-wheel Drive	85 - 100	08/18→12/20		- eFSB; 		24.3727-3221.2 583221	L= 1720
1.6 CRDi hybrid 48V	85 - 100	03/19→12/20		- eFSB; 		24.3727-3222.2 583222	L= 1700
→							








	kw			 	! #		
HYUNDAI - TUCSON (TL, TLE) 05/15→05/23							
 Cable Pull, parking brake							
1.6 CRDi hybrid 48V All-wheel Drive	100	03/19→12/20		- eFSB; 		24.3727-3146.2 583146	L= 330
2.0 CRDi Hybrid 48V All-wheel Drive	136	10/18→12/20		- eFSB; 		24.3727-3221.2 583221	L= 1720
2.4 GDI All-wheel Drive	135	07/19→09/20		- eFSB; 		24.3727-3222.2 583222	L= 1700
1.6 GDi	96 - 97	06/15→09/20		Disc Brake; 	1	24.3727-3146.2 583146	L= 330
1.7 CRDi	85	06/15→09/20		- eFSB; Disc Brake; 		24.3727-3221.2 583221	L= 1720
2.0	115	06/15→09/20		- eFSB; Disc Brake; 		24.3727-3222.2 583222	L= 1700
1.6 T-GDi	130	06/15→05/23		Disc Brake; 	1	24.3727-3146.2 583146	L= 330
1.6 T-GDi All-wheel Drive	130	06/15→09/20		Vehicle Production Country Czech Republic; - eFSB; Disc Brake; 		24.3727-3221.2 583221	L= 1720
				Vehicle Production Country Czech Republic; - eFSB; Disc Brake; 		24.3727-3222.2 583222	L= 1700
1.7 CRDi	104	06/15→09/20		for left-hand drive vehicles; Disc Brake; 	1	24.3727-3146.2 583146	L= 330
				for left-hand drive vehicles; - eFSB; Disc Brake; 		24.3727-3221.2 583221	L= 1720
				for left-hand drive vehicles; - eFSB; Disc Brake; 		24.3727-3222.2 583222	L= 1700
2.0	114	06/15→09/20		Vehicle Production Country Czech Republic; - eFSB; Disc Brake; 		24.3727-3221.2 583221	L= 1720
				Vehicle Production Country Czech Republic; - eFSB; Disc Brake; 		24.3727-3222.2 583222	L= 1700
2.0 CRDi	100	06/15→09/20		Vehicle Production Country Czech Republic; Disc Brake; 	1	24.3727-3146.2 583146	L= 330
2.0 CRDi All-wheel Drive	100 - 136	06/15→09/20		Vehicle Production Country Czech Republic; - eFSB; Disc Brake; 		24.3727-3221.2 583221	L= 1720
				Vehicle Production Country Czech Republic; - eFSB; Disc Brake; 		24.3727-3222.2 583222	L= 1700
2.0 CVVT All-wheel Drive	110	06/15→09/20		Disc Brake; - eFSB; 	1	24.3727-3146.2 583146	L= 330
				- eFSB; Disc Brake; 		24.3727-3222.2 583222	L= 1700
HYUNDAI - TUCSON SUV Van (TLE) 05/15→12/20							
 Cable Pull, parking brake							
1.6 CRDi	100	08/18→12/20		- eFSB; 		24.3727-3146.2 583146	L= 330
1.6 T-GDi	130	06/15→12/20		- eFSB; 		24.3727-3221.2 583221	L= 1720
				- eFSB; 		24.3727-3222.2 583222	L= 1700
IVECO - DAILY III Bus 05/99→05/06							
Warning Contact, brake pad wear							
35 S 12	85	01/03→05/06	➡	Vehicle type: 35S12		24.8190-0834.2 620834	
35 C 12	85	01/03→05/06					
40 C 12	85	01/03→05/06					
50 C 13	92	05/99→05/06	➡	Vehicle type: 35S13		24.8190-0834.2 620834	
35 S 13	92	05/99→05/06					
40 C 13	92	05/99→05/06					
50 C 14	100	01/04→05/06	➡	Vehicle type: 35S14		24.8190-0834.2 620834	
35 S 14	100	01/04→05/06					
IVECO - DAILY III Platform/Chassis 03/98→10/09							
Warning Contact, brake pad wear							
29 L 10	70	09/02→04/06	➡	Version: 1		24.8190-0834.2 620834	
29 L 11	78	05/99→04/06					
29 L 12	85	09/02→04/06					
29 L 13	92	11/01→04/06	➡	Version: 2		24.8190-0834.2 620834	
29 L 9	62 - 66	05/99→04/06					
29 L 14	100	11/05→04/06	➡			24.8190-0834.2 620834	
35 S 10 V	70	09/02→04/06	➡	Vehicle type: 35S10; Version: 2		24.8190-0834.2 620834	
35 C 10 V	70	09/02→04/06					
35 S 12	85	09/02→04/06	➡	Vehicle type: 35S12		24.8190-0834.2 620834	
35 C 12	85	09/02→04/06					
35 S 14	100	01/05→04/06	➡	Vehicle type: 35S14		24.8190-0834.2 620834	
35 C 14	100	01/05→04/06					
35 C 17	122	01/05→04/06	➡	Vehicle type: 35S17		24.8190-0834.2 620834	
35 S 17	122	01/05→04/06					
35 C 9	62 - 66	05/99→04/06	➡	Vehicle type: 35S9; Version: 2		24.8190-0834.2 620834	
35 S 9	62 - 66	05/99→04/06					
35 C 11	78	05/99→04/06	➡	Vehicle type: 35S11; Version: 2		24.8190-0834.2 620834	
35 S 11	78	05/99→04/06					
➔							










	kw			 	! #		
IVECO - DAILY III Platform/Chassis 03/98→10/09							
Warning Contact, brake pad wear							
35 S 13 35 C 13	92 92	05/99→04/06 05/99→04/06	➡	Vehicle type: 35S13		24.8190-0834.2	620834
IVECO - DAILY III Van 05/99→10/09							
Warning Contact, brake pad wear							
2.8 CNG 35 S 11 V 35 C 11 V	78 78 78	05/99→07/07 05/99→07/07 05/99→07/07	➡	Vehicle type: 35S11		24.8190-0834.2	620834
29 L 10 V 29 L 11 V 29 L 12 V	70 78 85	09/02→07/07 05/99→07/07 09/02→07/07	➡	Version: 1		24.8190-0834.2	620834
29 L 13 29 L 9 V	92 62 - 66	05/01→07/07 05/99→07/07	➡	Version: 2		24.8190-0834.2	620834
29 L 14 35 S 10	100 70	01/05→04/06 09/02→07/07	➡			24.8190-0834.2	620834
35 C 12 V 35 S 12 V	85 85	09/02→07/07 09/02→07/07	➡	Vehicle type: 35S12		24.8190-0834.2	620834
35 S 14 35 C 14	100 100	01/05→04/06 01/05→04/06	➡	Vehicle type: 35S14		24.8190-0834.2	620834
35 C 17 35 S 17	122 122	01/05→04/06 01/05→04/06	➡	Vehicle type: 35S17		24.8190-0834.2	620834
35 C 13 V 35 S 13 V	92 92	05/99→07/07 05/99→07/07	➡	Vehicle type: 35S13		24.8190-0834.2	620834
35 S 9 V 35 C 9 V	62 - 66 62	05/99→07/07 05/99→07/07	➡	Vehicle type: 35S9; Version: 2		24.8190-0834.2	620834
IVECO - DAILY IV Bus 05/06→12/16							
Warning Contact, brake pad wear							
35S14 35S14 /P	100 100	05/06→08/11 05/06→08/11	➡			24.8190-0834.2	620834
IVECO - DAILY IV Platform/Chassis 05/06→03/12							
Warning Contact, brake pad wear							
29L10 29L12 29L14	70 85 100	05/06→08/11 05/06→08/11 05/06→08/11	➡			24.8190-0834.2	620834
35C10 35S10	70 70	05/06→08/11 05/06→08/11	➡	Vehicle type: 35S10		24.8190-0834.2	620834
			➡	Vehicle type: 35C10		24.8190-0836.2	620836
35S11 /P 35S11 D 35C11 35S11	78 78 78 78	07/07→08/11 07/07→08/11 07/07→08/11 07/07→08/11	➡	Vehicle type: 35S11		24.8190-0834.2	620834
			➡	Vehicle type: 35C11		24.8190-0836.2	620836
35C12 35S12	85 85	05/06→08/11 05/06→08/11	➡	Vehicle type: 35S12		24.8190-0834.2	620834
			➡	Vehicle type: 35C12		24.8190-0836.2	620836
35S13 D 35C13 35C13 /P 35S13 35S13 /P	93 93 93 93 93	07/07→08/11 07/07→08/11 07/07→08/11 07/07→08/11 07/07→08/11	➡	Vehicle type: 35S13		24.8190-0834.2	620834
			➡	Vehicle type: 35C13		24.8190-0836.2	620836
35C14 35S14 D/P 35C14 /P 35S14	100 - 103 103 100 - 103	05/06→08/11 09/09→08/11 09/09→08/11 05/06→08/11	➡	Vehicle type: 35S14		24.8190-0834.2	620834
			➡	Vehicle type: 35C14		24.8190-0836.2	620836
35S14 /P 35S14 D 35S14 G/P 35C14 G/P 35S14 G 35C14 GD 35C14 G ...	100 - 103 100 100 100 100 100 100	05/06→08/11 09/09→08/11 07/07→08/11 07/07→08/11 07/07→08/11 07/07→08/11 07/07→08/11	➡				
35C15	107	05/06→08/11	➡			24.8190-0836.2	620836
35C17 35C17 /P 35S17 D 35S17 /P 35S17	125 125 125 125 125	07/07→08/11 07/07→08/11 07/07→08/11 07/07→08/11 07/07→08/11	➡	Vehicle type: 35C17		24.8190-0836.2	620836
35S18 35C18	130 130	05/06→08/11 05/06→08/11	➡	Vehicle type: 35S18		24.8190-0834.2	620834
			➡	Vehicle type: 35C18		24.8190-0836.2	620836














	kw			 	! #		
IVECO - DAILY IV Van 05/06→03/12							
Warning Contact, brake pad wear							
29L10 V	70	05/06→08/11	➡			24.8190-0834.2	620834
29L12 V/P	85	05/06→08/11					
29L12 V	85	05/06→08/11					
29L14 C/P	100	05/06→08/11					
29L14 C	100	05/06→08/11					
29L14 V/P	100	05/06→08/11					
29L14 V	100	05/06→08/11					
35C10	70	05/06→08/11	➡	Vehicle type: 35S10		24.8190-0834.2	620834
35S10	70	05/06→08/11	➡	Vehicle type: 35C10		24.8190-0836.2	620836
35S11 V	78	07/07→08/11	➡	Vehicle type: 35S11		24.8190-0834.2	620834
35C11 V	78	07/07→08/11	➡	Vehicle type: 35C11		24.8190-0836.2	620836
35C12 V/P	85	05/06→08/11	➡	Vehicle type: 35S12		24.8190-0834.2	620834
35S12 V/P	85	05/06→08/11					
35C12 V	85	05/06→08/11	➡	Vehicle type: 35C12		24.8190-0836.2	620836
35S12 V	85	05/06→08/11					
35C13 V/P	93	07/07→08/11	➡	Vehicle type: 35S13		24.8190-0834.2	620834
35S13 V/P	93	07/07→08/11					
35C13 V	93	07/07→08/11	➡	Vehicle type: 35C13		24.8190-0836.2	620836
35S13 V	93	07/07→08/11					
35C14 GV/P	100	07/07→08/11	➡	Vehicle type: 35S14		24.8190-0834.2	620834
35S14 GV/P	100	07/07→08/11					
35S14 GV	100	07/07→08/11	➡	Vehicle type: 35C14		24.8190-0836.2	620836
35C14 GV	100	07/07→08/11					
35C14 V/P	103	09/09→08/11					
35S14 V/P	103	09/09→08/11					
35S14 V	103	09/09→08/11					
35C14 V	103	09/09→08/11					
35C15 V/P	107	05/06→08/11	➡			24.8190-0836.2	620836
35C15 V	107	05/06→08/11					
40C11 V	78	07/07→08/11					
35S17 V/P	125	07/07→08/11	➡	Vehicle type: 35S17		24.8190-0834.2	620834
35C17 V	125	07/07→08/11					
35C17 V/P	125	07/07→08/11	➡	Vehicle type: 35C17		24.8190-0836.2	620836
35S17 V	125	07/07→08/11					
35S18 V/P	130	05/06→08/11	➡	Vehicle type: 35S18		24.8190-0834.2	620834
35S18 V	130	05/06→08/11					
35C18 V	130	05/06→08/11	➡	Vehicle type: 35C18		24.8190-0836.2	620836
35C18 V/P	130	05/06→08/11					
35S14 C	100	05/06→08/11	➡	Vehicle type: 35S14		24.8190-0834.2	620834
35S14 V/P	100	05/06→08/11					
35S14 C/P	100	05/06→08/11					
35S14 V	100	05/06→08/11					
...	100	05/06→08/11					
35C14 V	100	05/06→08/11					
35S15	107	06/06→08/11	➡	Vehicle type: 35S		24.8190-0834.2	620834
IVECO - DAILY V Bus 09/11→02/14							
Warning Contact, brake pad wear							
45C17	125	09/11→02/14	➡	Vehicle type: 35S		24.8190-0834.2	620834
40C17	125	09/11→02/14					
35S17	125	09/11→02/14					
50C17	125	09/11→02/14					
IVECO - DAILY V Platform/Chassis 09/11→02/14							
Warning Contact, brake pad wear							
26L11	78	09/11→02/14	➡	Vehicle type: 29L11 / 29S11		24.8190-0834.2	620834
35C11D	78	09/11→02/14					
40C11	78	09/11→02/14	➡	Vehicle type: 35C11; → 5912327 / D472693		24.8190-0836.2	620836
29S11	78	09/11→02/14					
35S11	78	09/11→02/14	➡	Vehicle type: 35S11 / 35C11; 5912328 / D472694→		24.8190-0836.2	620836
29L11	78	09/11→02/14					
29L15	107	09/11→02/14	➡	Vehicle type: 29L / 29S / 35S		24.8190-0834.2	620834
35C15	107	09/11→02/14					
40C15	107	09/11→02/14	➡	Vehicle type: 35C15; Version: 1		24.8190-0836.2	620836
35S15	107	09/11→02/14	➡	Vehicle type: 35C15; Version: 2		24.8190-0836.2	620836
50C15	107	09/11→02/14					
35C13D	93	09/11→02/14	➡	Vehicle type: 35S13; Version: 1		24.8190-0834.2	620834
29S13	93	09/11→02/14					
29L13D	93	09/11→02/14	➡	Vehicle type: 29L11 / 29S11		24.8190-0834.2	620834
40C13	93	09/11→02/14					
35S13	93	09/11→02/14	➡	Vehicle type: 35C13; Version: 1		24.8190-0836.2	620836
29L13	93	09/11→02/14	➡	Vehicle type: 35C13; Version: 2		24.8190-0836.2	620836
35C15	107	09/11→02/14	➡	Vehicle type: 35S		24.8190-0834.2	620834
60C15	107	09/11→02/14					
45C15	107	09/11→02/14	➡	Vehicle type: 35C15; Version: 1		24.8190-0836.2	620836
70C15	107	09/11→02/14					
40C15	107	09/11→02/14	➡	Vehicle type: 35C15; Version: 2		24.8190-0836.2	620836
→							














	kw			 	! #		
IVECO - DAILY V Platform/Chassis 09/11→02/14							
Warning Contact, brake pad wear							
65C15	107	09/11→02/14	➡	Vehicle type: 35S		24.8190-0834.2	620834
35S15	107	09/11→02/14	➡	Vehicle type: 35C15; Version: 1		24.8190-0836.2	620836
50C15	107	09/11→02/14	➡	Vehicle type: 35C15; Version: 2		24.8190-0836.2	620836
35C17	125	09/11→02/14	➡	Vehicle type: 35S		24.8190-0834.2	620834
60C17	125	09/11→02/14	➡	Vehicle type: 35C17; Version: 1		24.8190-0836.2	620836
65C17	125	09/11→02/14	➡	Vehicle type: 35C17; Version: 2		24.8190-0836.2	620836
45C17	125	09/11→02/14	➡				
70C17	125	09/11→02/14	➡				
40C17	125	09/11→02/14	➡				
35S17	125	09/11→02/14	➡				
50C17	125	09/11→02/14	➡				
65C21	150	09/11→02/14	➡	Vehicle type: 35S		24.8190-0834.2	620834
45C21	150	09/11→02/14	➡	Vehicle type: 35C21; Version: 1		24.8190-0836.2	620836
70C21	150	09/11→02/14	➡	Vehicle type: 35C21; Version: 2		24.8190-0836.2	620836
40C21	150	09/11→02/14	➡				
50C21	150	09/11→02/14	➡				
35C21	150	09/11→02/14	➡				
60C21	150	09/11→02/14	➡				
35S21	150	09/11→02/14	➡				
35S60E Electric	60	09/11→02/14	➡	Vehicle type: 35S		24.8190-0834.2	620834
35C14	100	09/11→02/14	➡	Vehicle type: 35S		24.8190-0834.2	620834
60C14	100	09/11→02/14	➡	Vehicle type: 35C14; Version: 1		24.8190-0836.2	620836
65C14	100	09/11→02/14	➡	Vehicle type: 35C14; Version: 2		24.8190-0836.2	620836
40C14	100	09/11→02/14	➡				
NaturalPower 35S14	100	09/11→02/14	➡				
50C14	100	09/11→02/14	➡				
...	100	09/11→02/14	➡				
IVECO - DAILY V Van 09/11→02/14							
Warning Contact, brake pad wear							
35C15L V	107	09/11→02/14	➡	Vehicle type: 29L / 35S		24.8190-0834.2	620834
35S15 V	107	09/11→02/14	➡				
29L15 V	107	09/11→02/14	➡				
40C15L V	107	09/11→02/14	➡				
50C15L V	107	09/11→02/14	➡				
40C11	78	09/11→02/14	➡	Vehicle type: 29L / 29S / 35C / 35S		24.8190-0834.2	620834
35C11	78	09/11→02/14	➡				
29S11	78	09/11→02/14	➡				
35S11	78	09/11→02/14	➡				
29L11	78	09/11→02/14	➡				
35C13	93	09/11→02/14	➡	Vehicle type: 29L / 29S / 35S		24.8190-0834.2	620834
29S13	93	09/11→02/14	➡	Vehicle type: 35C13; Version: 1		24.8190-0836.2	620836
40C13	93	09/11→02/14	➡	Vehicle type: 35C13; Version: 2		24.8190-0836.2	620836
40S13	93	09/11→02/14	➡				
35S13	93	09/11→02/14	➡				
29L13	93	09/11→02/14	➡				
45C15 V	107	09/11→02/14	➡	Vehicle type: 35S		24.8190-0834.2	620834
40C15 V	107	09/11→02/14	➡	Vehicle type: 35C15; Version: 1		24.8190-0836.2	620836
60C15 V	107	09/11→02/14	➡	Vehicle type: 35C15; Version: 2		24.8190-0836.2	620836
65C15 V	107	09/11→02/14	➡				
50C15 V	107	09/11→02/14	➡				
35C15 V	107	09/11→02/14	➡				
35C17	125	09/11→02/14	➡	Vehicle type: 35S		24.8190-0834.2	620834
60C17	125	09/11→02/14	➡	Vehicle type: 35C17; Version: 1		24.8190-0836.2	620836
65C17	125	09/11→02/14	➡	Vehicle type: 35C17; Version: 2		24.8190-0836.2	620836
45C17	125	09/11→02/14	➡				
70C17	125	09/11→02/14	➡				
40C17	125	09/11→02/14	➡				
35S17	125	09/11→02/14	➡				
50C17	125	09/11→02/14	➡				
35C21 V	150	09/11→02/14	➡	Vehicle type: 35S		24.8190-0834.2	620834
35S21 V	150	09/11→02/14	➡	Vehicle type: 35C21; Version: 1		24.8190-0836.2	620836
50C21 V	150	09/11→02/14	➡	Vehicle type: 35C21; Version: 2		24.8190-0836.2	620836
40C21 V	150	09/11→02/14	➡				
45C21 V	150	09/11→02/14	➡				
35S60E Electric	60	09/11→02/14	➡	Vehicle type: 35S		24.8190-0834.2	620834
70C14	100	09/11→02/14	➡	Vehicle type: 35S		24.8190-0834.2	620834
35C14	100	09/11→02/14	➡	Vehicle type: 35C14; Version: 1		24.8190-0836.2	620836
65C14	100	09/11→02/14	➡	Vehicle type: 35C14; Version: 2		24.8190-0836.2	620836
40C14	100	09/11→02/14	➡				
NaturalPower 35S14	100	09/11→02/14	➡				
50C14	100	09/11→02/14	➡				
IVECO - DAILY VI Platform/Chassis 03/14→							
Warning Contact, brake pad wear							
33S11	78	03/14→07/21	➡	Vehicle type: 33S11 / 35S11		24.8190-0834.2	620834
35C11	78	03/14→07/21	➡				
35S11	78	03/14→07/21	➡				
→							














	kw			 	! #		
IVECO - DAILY VI Platform/Chassis 03/14→							
Warning Contact, brake pad wear							
33S11	78	03/14→07/21	➡	Vehicle type: 35C11; → 5912327 / D472693		24.8190-0836.2	620836
35C11	78	03/14→07/21					
35S11	78	03/14→07/21	➡	Vehicle type: 35C11; 5912328 / D472694→		24.8190-0836.2	620836
33S12	85	04/16→	➡	Vehicle type: 35S12		24.8190-0834.2	620834
35C12	85	04/16→					
35S12	85	04/16→	➡	Vehicle type: 35C11		24.8190-0836.2	620836
33S13	93	03/14→04/16	➡	Vehicle type: 33S13 / 35S13		24.8190-0834.2	620834
35C13	93	03/14→04/16					
35S13	93	03/14→04/16	➡	Vehicle type: 35C13; → 5912327 / D472693		24.8190-0836.2	620836
			➡	Vehicle type: 35C13; 5912328 / D472694→		24.8190-0836.2	620836
33S14	100	04/16→	➡	Vehicle type: 35S14		24.8190-0834.2	620834
35C14	100	04/16→					
38S14	100	04/16→	➡	Vehicle type: 35C14; → 5912327 / D472693		24.8190-0836.2	620836
35S14	100	04/16→					
35C	100	03/14→	➡	Vehicle type: 35C14; 5912328 / D472694→		24.8190-0836.2	620836
65C	100	03/14→					
40C	100	03/14→					
50C	100	03/14→					
60C	100	03/14→					
NaturalPower 35S14	100	03/14→					
70C	100	03/14→					
38S	100	03/14→					
33S15	107	03/14→04/16	➡	Vehicle type: 33S15 / 35S15		24.8190-0834.2	620834
35C15	107	03/14→04/16					
35S15	107	03/14→04/16	➡	Vehicle type: 35C15; → 5912327 / D472693		24.8190-0836.2	620836
			➡	Vehicle type: 35C15; 5912328 / D472694→		24.8190-0836.2	620836
35C16	115	04/16→	➡	Vehicle type: 35S16		24.8190-0834.2	620834
50C16	115	04/16→					
35S16	115	04/16→	➡	Vehicle type: 35C16; → 5912327 / D472693		24.8190-0836.2	620836
42S16	115	04/16→					
33S16	115	04/16→	➡	Vehicle type: 35C16; 5912328 / D472694→		24.8190-0836.2	620836
40C16	115	04/16→					
42S21	152	07/21→	➡	Vehicle type: 35C		24.8190-0836.2	620836
65C21	152	07/21→					
70C21	152	07/21→					
40C21	152	07/21→					
50C21	152	07/21→					
35C21	152	07/21→					
60C21	152	07/21→					
35S21	152	07/21→					
35S18	129	07/21→					
42S18	129	07/21→					
65C18	129	07/21→					
38S18	129	07/21→					
40C18	129	07/21→					
50C18	129	07/21→					
...	129	07/21→					
35C18	129	07/21→					
60C18	129	07/21→					
65C21	155	04/19→	➡	Vehicle type: 35S		24.8190-0834.2	620834
70C21	155	04/19→					
40C21	155	04/19→	➡	Vehicle type: 35C		24.8190-0836.2	620836
50C21	155	04/19→					
35C21	155	04/19→					
60C21	155	04/19→					
35S21	155	04/19→					
35C15	107	03/14→04/16	➡	Vehicle type: 35S15		24.8190-0834.2	620834
60C5	107	03/14→04/16					
40C15	107	03/14→04/16	➡	Vehicle type: 35C14; → 5912327 / D472693		24.8190-0836.2	620836
40S14	107	03/14→04/16					
65C15	107	03/14→04/16	➡	Vehicle type: 35C15; 5912328 / D472694→		24.8190-0836.2	620836
35S14	107	03/14→04/16					
35S15	107	03/14→04/16					
50C15	107	03/14→04/16					
...	107	03/14→04/16					
35C15	110	04/16→	➡	Vehicle type: 35C15; → 5912327 / D472693		24.8190-0836.2	620836
60C15	110	04/16→					
70C15	110	04/16→	➡	Vehicle type: 35C15; 5912328 / D472694→		24.8190-0836.2	620836
40C15	110	04/16→					
65C15	110	04/16→					
35S15	110	04/16→					
50C15	110	04/16→					
35C16	118	04/19→	➡	Vehicle type: 35S; → Model Year to: 2021		24.8190-0834.2	620834
60C16	118	04/19→					
70C16	118	04/19→	➡	Vehicle type: 35C		24.8190-0836.2	620836
65C16	118	04/19→					
50C16	118	04/19→					
→							















	kw			 	! #		
IVECO - DAILY VI Platform/Chassis 03/14→							
Warning Contact, brake pad wear							
35S16 42S16 40C16	118 118 118	04/19→ 04/19→ 04/19→	➡	Vehicle type: 35S; → Model Year to: 2021		24.8190-0834.2	620834
			➡	Vehicle type: 35C		24.8190-0836.2	620836
35C17 60C17 65C17 45C17 40C17 45S17 ... 35S17 50C17	125 125 125 125 125 125 125 125 125	03/14→04/16 03/14→04/16 03/14→04/16 03/14→04/16 03/14→04/16 03/14→04/16 03/14→04/16 03/14→04/16 03/14→04/16	➡	Vehicle type: 35S17		24.8190-0834.2	620834
			➡	Vehicle type: 35C17; → 5912327 / D472693		24.8190-0836.2	620836
			➡	Vehicle type: 35C17; 5912328 / D472694→		24.8190-0836.2	620836
35S18 65C18 45C18 70C18 40C18 50C18 35C18 60C18	132 132 132 132 132 132 132 132	04/16→ 04/16→ 04/16→ 04/16→ 04/16→ 04/16→ 04/16→ 04/16→	➡	Vehicle type: 35S18		24.8190-0834.2	620834
			➡	Vehicle type: 35C18; → 5912327 / D472693		24.8190-0836.2	620836
			➡	Vehicle type: 35C18; 5912328 / D472694→		24.8190-0836.2	620836
65C21 45C21 70C21 40C21 50C21 35C21 60C21 35S21	150 150 150 150 150 150 150 150	03/14→ 03/14→ 03/14→ 03/14→ 03/14→ 03/14→ 03/14→ 03/14→	➡	Vehicle type: 35S21		24.8190-0834.2	620834
			➡	Vehicle type: 35C21; → 5912327 / D472693		24.8190-0836.2	620836
			➡	Vehicle type: 35C21; 5912328 / D472694→		24.8190-0836.2	620836
35S60E 35C60E	60 60	10/15→ 10/15→	➡	Vehicle type: 35S		24.8190-0834.2	620834
IVECO - DAILY VI Van 03/14→							
Warning Contact, brake pad wear							
33S11 35C11 35S11	78 78 78	03/14→07/21 03/14→07/21 03/14→07/21	➡	Vehicle type: 33S11 / 35S11		24.8190-0834.2	620834
			➡	Vehicle type: 35C11; → 5912327 / D472693		24.8190-0836.2	620836
			➡	Vehicle type: 35C11; 5912328 / D472694→		24.8190-0836.2	620836
33S12 35C12 35S12	85 85 85	04/16→ 04/16→ 04/16→	➡	Vehicle type: 35S12		24.8190-0834.2	620834
			➡	Vehicle type: 35C12; → 5912327 / D472693		24.8190-0836.2	620836
			➡	Vehicle type: 35C12; 5912328 / D472694→		24.8190-0836.2	620836
33S13 35C13 35S13	93 93 93	03/14→04/16 03/14→04/16 03/14→04/16	➡	Vehicle type: 33S13 / 35S13		24.8190-0834.2	620834
			➡	Vehicle type: 35C13; → 5912327 / D472693		24.8190-0836.2	620836
			➡	Vehicle type: 35C13; 5912328 / D472694→		24.8190-0836.2	620836
33S14 35C14 35S14 42S14	100 100 100 100	04/16→ 04/16→ 04/16→ 04/16→	➡	Vehicle type: 35S14		24.8190-0834.2	620834
33S15 35C15 35S15	107 107 107	03/14→04/16 03/14→04/16 03/14→04/16	➡	Vehicle type: 33S15 / 35S15		24.8190-0834.2	620834
			➡	Vehicle type: 35C15; → 5912327 / D472693		24.8190-0836.2	620836
			➡	Vehicle type: 35C15; 5912328 / D472694→		24.8190-0836.2	620836
35C16 38S16 50C16 35S16 42S16 33S16 40C16	115 115 115 115 115 115 115	04/16→ 04/16→ 04/16→ 04/16→ 04/16→ 04/16→ 04/16→	➡	Vehicle type: 35S16		24.8190-0834.2	620834
			➡	Vehicle type: 35C16; → 5912327 / D472693		24.8190-0836.2	620836
			➡	Vehicle type: 35C16; 5912328 / D472694→		24.8190-0836.2	620836
35C15 45C15 70C15 40C15 65C15 35S15 50C15	107 107 107 107 107 107 107	03/14→04/16 03/14→04/16 03/14→04/16 03/14→04/16 03/14→04/16 03/14→04/16 03/14→04/16	➡	Vehicle type: 35S15		24.8190-0834.2	620834
			➡	Vehicle type: 35C15; → 5912327 / D472693		24.8190-0836.2	620836
			➡	Vehicle type: 35C15; 5912328 / D472694→		24.8190-0836.2	620836
35C15 60C15 70C15 40C15 65C15 35S15 →	110 110 110 110 110 110 110	04/16→ 04/16→ 04/16→ 04/16→ 04/16→ 04/16→ 04/16→	➡	Vehicle type: 35C15; → 5912327 / D472693		24.8190-0836.2	620836
			➡	Vehicle type: 35C15; 5912328 / D472694→		24.8190-0836.2	620836















	kW			 	! #		
IVECO - DAILY VI Van 03/14→							
Warning Contact, brake pad wear							
50C15	110	04/16→	➔	Vehicle type: 35C15; → 5912327 / D472693		24.8190-0836.2	620836
			➔	Vehicle type: 35C15; 5912328 / D472694→		24.8190-0836.2	620836
35C16	118	07/21→	➔	Vehicle type: 35C		24.8190-0836.2	620836
70C16	118	07/21→					
50C16	118	07/21→					
35S16	118	07/21→					
40C16	118	07/21→					
35S18	129	07/21→					
42S18	129	07/21→					
65C18	129	07/21→					
70C18	129	07/21→					
40C18	129	07/21→					
50C18	129	07/21→					
35C18	129	07/21→					
60C18	129	07/21→					
42S21	152	07/21→					
65C21	152	07/21→					
70C21	152	07/21→					
40C21	152	07/21→					
50C21	152	07/21→					
35C21	152	07/21→					
60C21	152	07/21→					
35S21	152	07/21→					
35C17	125	03/14→04/16	➔	Vehicle type: 35S17		24.8190-0834.2	620834
60C17	125	03/14→04/16	➔	Vehicle type: 35C17; → 5912327 / D472693		24.8190-0836.2	620836
65C17	125	03/14→04/16	➔	Vehicle type: 35C17; 5912328 / D472694→		24.8190-0836.2	620836
55C17	125	03/14→04/16	➔	Vehicle type: 35C17; → 5912327 / D472693		24.8190-0836.2	620836
70C17	125	03/14→04/16	➔	Vehicle type: 35C17; 5912328 / D472694→		24.8190-0836.2	620836
40C17	125	03/14→04/16	➔	Vehicle type: 35C17; → 5912327 / D472693		24.8190-0836.2	620836
35S17	125	03/14→04/16	➔	Vehicle type: 35C17; 5912328 / D472694→		24.8190-0836.2	620836
50C17	125	03/14→04/16	➔	Vehicle type: 35C17; → 5912327 / D472693		24.8190-0836.2	620836
35S18	132	04/16→	➔	Vehicle type: 35S18		24.8190-0834.2	620834
65C18	132	04/16→	➔	Vehicle type: 35C18; → 5912327 / D472693		24.8190-0836.2	620836
70C18	132	04/16→	➔	Vehicle type: 35C18; 5912328 / D472694→		24.8190-0836.2	620836
40C18	132	04/16→	➔	Vehicle type: 35C18; → 5912327 / D472693		24.8190-0836.2	620836
50C18	132	04/16→	➔	Vehicle type: 35C18; 5912328 / D472694→		24.8190-0836.2	620836
35C18	132	04/16→	➔	Vehicle type: 35C18; → 5912327 / D472693		24.8190-0836.2	620836
60C18	132	04/16→	➔	Vehicle type: 35C18; 5912328 / D472694→		24.8190-0836.2	620836
40C21	150	03/14→	➔	Vehicle type: 35S21		24.8190-0834.2	620834
50C21	150	03/14→	➔	Vehicle type: 35C21; → 5912327 / D472693		24.8190-0836.2	620836
35C21	150	03/14→	➔	Vehicle type: 35C21; 5912328 / D472694→		24.8190-0836.2	620836
35S21	150	03/14→	➔	Vehicle type: 35C21; → 5912327 / D472693		24.8190-0836.2	620836
65C21	155	04/19→	➔	Vehicle type: 35S		24.8190-0834.2	620834
70C21	155	04/19→	➔	Vehicle type: 35C		24.8190-0836.2	620836
40C21	155	04/19→	➔	Vehicle type: 35C		24.8190-0836.2	620836
50C21	155	04/19→	➔	Vehicle type: 35C		24.8190-0836.2	620836
35C21	155	04/19→	➔	Vehicle type: 35C		24.8190-0836.2	620836
60C21	155	04/19→	➔	Vehicle type: 35C		24.8190-0836.2	620836
35S21	155	04/19→	➔	Vehicle type: 35C		24.8190-0836.2	620836
35S60E	60	10/15→	➔			24.8190-0834.2	620834
35C	100	03/14→	➔	Vehicle type: 35C14; → 5912327 / D472693		24.8190-0836.2	620836
65C	100	03/14→	➔	Vehicle type: 35C14; 5912328 / D472694→		24.8190-0836.2	620836
40C	100	03/14→	➔	Vehicle type: 35C14; → 5912327 / D472693		24.8190-0836.2	620836
50C	100	03/14→	➔	Vehicle type: 35C14; 5912328 / D472694→		24.8190-0836.2	620836
60C	100	03/14→	➔	Vehicle type: 35C14; → 5912327 / D472693		24.8190-0836.2	620836
NaturalPower 35S14	100	03/14→	➔	Vehicle type: 35C14; 5912328 / D472694→		24.8190-0836.2	620836
70C	100	03/14→	➔	Vehicle type: 35C14; → 5912327 / D472693		24.8190-0836.2	620836
38S	100	03/14→	➔	Vehicle type: 35C14; 5912328 / D472694→		24.8190-0836.2	620836
JAGUAR - XE (X760) 03/15→							
 Brake Disc							
2.0	147 - 184	03/15→	➔	Brake Size: 16"		24.0110-0431.1	410431
2.0 AWD	184	02/17→					
2.0 D	120 - 132	03/15→					
2.0 D AWD	132 - 177	10/15→					
JAGUAR - XF II (X260) 05/15→							
 Brake Disc							
2.0 D	120	05/15→	➔	Brake Size: 16"		24.0110-0431.1	410431
Ø 300 Brake Disc Thickness [mm] 10 Minimum thickness [mm] 8							














	kw			 	! #		
JAGUAR - XF SPORTBRAKE (X260) 07/17→							
 Brake Disc							
2.0 D	120	07/17→	➔	Brake Size: 16"		24.0110-0431.1 410431	Ø 300 Brake Disc Thickness [mm] 10 Minimum thickness [mm] 8
KIA - SORENTO III (UM) 01/15→02/23							
 Brake Disc							
2.0 CRDi	136 - 137	07/15→12/20	➔			24.0118-0169.1 418169	Ø 314 Brake Disc Thickness [mm] 18 Minimum thickness [mm] 16.4 Vented
2.0 CRDi 4WD	137	07/15→12/20					
2.0 CRDi 4WD	136	07/15→12/20					
2.2 CRDi	143 - 147	01/15→12/20					
2.2 CRDi 4WD	147 - 149	01/15→12/20					
2.2 CRDi 4WD	142 - 145	11/16→12/20					
2.4	126 - 129	01/15→12/20					
2.4 4WD	126 - 129	01/15→12/20					
2.4 GDI	138	01/15→10/18					
2.4 GDI 4WD	138	01/15→10/18					
3.3	199	04/15→12/18					
3.3 4WD	196 - 199	01/15→12/20					
3.3 CVVT 4WD	184	04/15→12/20					
3.5 D-CVVT	183 - 203	07/17→12/20					
3.5 D-CVVT 4WD	183 - 203	07/17→12/20					
KIA - SOUL III (SK3) 01/19→							
 Brake Pad Set, disc brake							
1.6 T-GDI E-SOUL	147 100 - 150	01/19→ 01/19→	➔			13.0460-5566.2 605566	MAN + WK + Zub
KIA - SOUL III Cargo (SK3) 06/20→							
 Brake Pad Set, disc brake							
E-SOUL	100 - 150	06/20→	➔			13.0460-5566.2 605566	MAN + WK + Zub
KIA - SPORTAGE IV (QL, QLE) 01/15→10/22							
 Cable Pull, parking brake							
1.6 CRDi	85 - 100	07/18→09/22		<input type="checkbox"/>		24.3727-3221.2 583221	L= 1720
1.6 CRDi AWD	100	07/18→09/22		<input type="checkbox"/>		24.3727-3222.2 583222	L= 1700
2.0 CRDi Eco-Dynamics+ AWD	136	06/18→09/22					
1.6 GDI	97	09/15→09/22		for left-hand drive vehicles; - eFSB; <input type="checkbox"/>		24.3727-3221.2 583221	L= 1720
1.6 T-GDI	130	09/15→09/22		for left-hand drive vehicles; - eFSB; <input type="checkbox"/>		24.3727-3222.2 583222	L= 1700
1.7 CRDi	104	11/16→09/22					
1.6 LPG	93	07/20→09/22		- eFSB; <input type="checkbox"/>		24.3727-3221.2 583221	L= 1720
1.6 T-GDI AWD	130	09/15→09/22		- eFSB; <input type="checkbox"/>		24.3727-3222.2 583222	L= 1700
1.7 CRDi	85	09/15→09/22					
2.0 AWD	110	12/15→09/22		for left-hand drive vehicles; Vehicle Production Country Slovakia; - eFSB; <input type="checkbox"/>		24.3727-3221.2 583221	L= 1720
2.0 CRDi	100 - 136	09/15→09/22					
2.0 CRDi AWD	131 - 136	09/15→09/22		for left-hand drive vehicles; Vehicle Production Country Slovakia; - eFSB; <input type="checkbox"/>		24.3727-3222.2 583222	L= 1700
2.0 AWD	114	12/15→09/22		Vehicle Production Country Slovakia; <input type="checkbox"/>		24.3727-3221.2 583221	L= 1720
				Vehicle Production Country Slovakia; <input type="checkbox"/>		24.3727-3222.2 583222	L= 1700
2.0 CRDi AWD	100	09/15→09/22		Vehicle Production Country Slovakia; - eFSB; <input type="checkbox"/>		24.3727-3221.2 583221	L= 1720
				Vehicle Production Country Slovakia; - eFSB; <input type="checkbox"/>		24.3727-3222.2 583222	L= 1700
KIA - SPORTAGE IV VAN (QL, QLE) 09/15→							
 Cable Pull, parking brake							
1.6 T-GDI	130	05/18→		for left-hand drive vehicles; - eFSB; <input type="checkbox"/>		24.3727-3221.2 583221	L= 1720
				for left-hand drive vehicles; - eFSB; <input type="checkbox"/>		24.3727-3222.2 583222	L= 1700














	kW			 	! #		
KIA - SPORTAGE V (NQ5) 09/21→							
 Brake Disc							
1.6 CRDi 1.6 LPG 1.6 T-GDI 139 1.6 T-GDI AWD 132 - 139 1.6 T-GDi Hybrid 154 - 169 1.6 T-GDi Hybrid AWD 154 - 169 1.6 T-GDI MHEV 118 1.6 T-GDi Plug-in Hybrid AWD 185 - 195 2.0 MPI 115	85 100 110 - 139 132 - 139 154 - 169 154 - 169 118 185 - 195 115	11/21→ 01/23→ 09/21→ 09/21→ 11/21→ 11/21→ 02/24→ 11/21→ 09/21→	→			24.0110-0432.1 410432	Ø 300 Brake Disc Thickness [mm] 10 Minimum thickness [mm] 8
1.6 CRDi MHEV 1.6 CRDi MHEV AWD 1.6 T-GDI MHEV 132 1.6 T-GDI MHEV AWD 110 - 132	100 100 110 - 132 110 - 132	11/21→ 11/21→ 11/21→ 11/21→	→	Vehicle Production Country Slovakia		24.0110-0432.1 410432	Ø 300 Brake Disc Thickness [mm] 10 Minimum thickness [mm] 8
KIA - VENGA (YN) 02/10→03/19							
 Brake Caliper							
1.4 CRDi 75 1.4 CRDi 90 1.4 CVVT 1.4 LPG 1.6 CRDi 115 1.6 CRDi 128 1.6 CVVT	55 - 57 66 66 66 85 94 92	02/10→03/19 02/10→03/19 02/10→03/19 02/10→03/19 02/10→03/19 02/10→03/19 02/10→03/19	←	<input type="checkbox"/>		24.3571-9979.5 241711 24.3571-9980.5 241712	TRW without holder TRW without holder
KIA - VENGA Hatchback Van (YN) 02/10→							
 Brake Caliper							
CRDi CVVT	57 - 66 66 - 92	04/15→ 02/15→	←	<input type="checkbox"/>		24.3571-9979.5 241711 24.3571-9980.5 241712	TRW without holder TRW without holder
LAND ROVER - DEFENDER Station Wagon (L663) 09/19→							
 Brake Disc							
D200 MHEV 4x4 D200 SD4 4x4 D240 SD4 4x4 D250 MHEV 4x4 D300 MHEV 4x4 D350 MHEV 4x4 P300e Hybrid 4x4 P300 MHEV 4x4 P300 Si4 4x4 P400e Hybrid 4x4 P400 I6 MHEV 4x4 P425 4x4 P500 4x4 P525 4x4 P635 OCTA MHEV 4x4	147 147 177 183 221 258 221 221 221 297 294 313 368 386 467	09/20→ 09/19→ 09/19→ 09/20→ 09/20→ 05/24→ 06/24→ 05/22→ 09/19→ 09/20→ 09/19→ 05/24→ 04/23→ 05/21→ 05/24→	→	Brake Size: 20"		24.0125-0234.1 425234	Ø 365 Brake Disc Thickness [mm] 25 Minimum thickness [mm] 23 Vented
LAND ROVER - DEFENDER Van (L663) 02/20→							
 Brake Disc							
2.0 D200 SD4 4x4 2.0 D240 SD4 4x4 2.0 P300 Si4 4x4 2.0 P400e Hybrid 4x4 3.0 D200 MHEV 4x4 3.0 D250 MHEV 4x4 3.0 D300 MHEV 4x4 3.0 D350 MHEV 4x4 3.0 P400 I6 MHEV 4x4	147 177 221 297 147 183 221 258 294	02/20→ 02/20→ 02/20→ 09/20→ 09/20→ 09/20→ 09/20→ 05/24→ 02/20→	→	Brake Size: 20"		24.0125-0234.1 425234	Ø 365 Brake Disc Thickness [mm] 25 Minimum thickness [mm] 23 Vented
LAND ROVER - DISCOVERY V (L462) 09/16→							
 Brake Disc							
2.0 Sd4 4x4 2.0 Si4 4x4 2.0 Td4 4x4 3.0 D 4x4 183 3.0 SCV6 4x4 →	177 221 132 155 - 183 250	09/16→ 09/17→ 09/16→ 09/16→ 09/16→	→	Brake Size: 20"		24.0125-0234.1 425234	Ø 365 Brake Disc Thickness [mm] 25 Minimum thickness [mm] 23 Vented










	kw					! #		
LAND ROVER - DISCOVERY V (L462) 09/16→								
 Brake Disc								
3.0 SDV6 4x4 3.0 Td6 4x4 D250 MHEV 4x4 D300 MHEV 4x4 D350 MHEV 4x4 P360 MHEV 4x4	225 190 183 221 257 265	09/18→ 09/16→ 12/20→ 12/20→ 05/24→ 12/20→	➔	Brake Size: 20"			24.0125-0234.1 425234	Ø 365 Brake Disc Thickness [mm] 25 Minimum thickness [mm] 23 Vented
LAND ROVER - DISCOVERY V VAN (L462) 09/16→								
 Brake Disc								
2.0 Sd4 4x4 2.0 Si4 4x4 2.0 Td4 4x4 3.0 D300 MHEV 4x4 3.0 Scv6 4x4 3.0 Sdv6 4x4 3.0 Td6 4x4	177 221 132 221 250 225 190	09/16→ 09/17→ 09/16→12/18 12/20→ 09/16→ 09/18→ 09/16→	➔	Brake Size: 20"			24.0125-0234.1 425234	Ø 365 Brake Disc Thickness [mm] 25 Minimum thickness [mm] 23 Vented
LAND ROVER - RANGE ROVER IV (L405) 08/12→09/21								
 Brake Disc								
2.0 P400e Hybrid 4x4 3.0 P400 4x4 3.0 SCV6 4x4 3.0 SDV6 4x4 3.0 TDV6 4x4 5.0 V8 4x4 D250 MHEV 4x4 D300 MHEV 4x4 D350 MHEV 4x4 P360 MHEV 4x4	297 294 250 182 - 215 155 - 190 276 183 221 258 265	10/17→09/21 07/20→09/21 10/13→09/21 08/12→09/21 08/12→09/21 12/13→01/16 07/20→09/21 07/20→09/21 07/20→09/21 12/19→09/21	➔	Brake Size: 20"			24.0125-0234.1 425234	Ø 365 Brake Disc Thickness [mm] 25 Minimum thickness [mm] 23 Vented
3.0 P400 MHEV 4x4 3.0 SCV6 4x4 3.0 SDV6 4x4 3.0 SDV6 Hybrid 4x4 4.4 SDV8 4x4 5.0 SCV8 4x4 SCV8 4x4	294 280 202 250 - 260 230 - 253 375 - 416 415	05/19→09/21 06/15→09/21 10/18→09/21 10/13→09/21 08/12→09/21 08/12→09/21 01/19→09/21	➔				24.0125-0234.1 425234	Ø 365 Brake Disc Thickness [mm] 25 Minimum thickness [mm] 23 Vented
LAND ROVER - RANGE ROVER SPORT II (L494) 04/13→03/22								
 Brake Disc								
2.0 GTDI 4x4 2.0 P400e PHEV 4x4 2.0 SD4 4x4 2.0 Si4 4x4 3.0 D250 4x4 3.0 D250 MHEV 4x4 3.0 D300 4x4 3.0 D300 MHEV 4x4 3.0 D350 4x4 3.0 D350 MHEV 4x4	177 297 177 221 183 183 221 221 258 258	10/15→03/22 10/17→03/22 08/16→03/22 10/17→03/22 07/20→03/22 07/20→03/22 07/20→03/22 07/20→03/22 07/20→03/22 07/20→03/22	➔	Brake Size: 20"			24.0125-0234.1 425234	Ø 365 Brake Disc Thickness [mm] 25 Minimum thickness [mm] 23 Vented
3.0 4x4 3.0 P360 MHEV 4x4 3.0 P400 MHEV 4x4 3.0 SCV6 4x4 3.0 SDV6 4x4 3.0 SDV6 Hybrid 4x4 4.4 SDV8 4x4 5.0 SCV8 4x4	265 265 294 280 215 - 225 250 - 260 250 375 - 423	08/19→03/22 06/19→03/22 02/19→03/22 06/15→12/18 04/13→03/22 10/13→03/22 10/13→03/22 04/13→03/22	➔				24.0125-0234.1 425234	Ø 365 Brake Disc Thickness [mm] 25 Minimum thickness [mm] 23 Vented
LEXUS - GX (_J12_) 11/01→11/09								
 Cable Pull, parking brake								
470	175 - 199	11/01→11/09		Disc Brake; <input type="checkbox"/>			24.3727-1979.2 581979	L= 2061
LEXUS - UX (_AA1_, _AH1_, _MA1_) 10/18→								
 Brake Disc								
2.0 250h 200 →	131 110 - 127	08/22→ 10/18→	←				24.0128-0336.1 428336	Ø 305 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 25 Vented















	kw					! #		
LEXUS - UX (_AA1_, _AH1_, _MA1_) 10/18→								
 Brake Disc								
250h	131 - 135	10/18→	←			24.0128-0336.1	428336	Ø 305 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 25 Vented
250h E-Four	131 - 135	10/18→						
300e	150	04/20→						
300h	146	02/24→						
300h E-Four	146	02/24→						
MAZDA - 3 (BK) 10/03→12/09								
 Brake Master Cylinder								
1.3	62	10/03→06/09		→ 03/06; for left-hand drive vehicles		24.2125-0483.3	011190	ATE Ø 25.4 without brake fluid reservoir
1.6	77	10/03→06/09		→ 05/09; for left-hand drive vehicles		24.2125-0483.3	011190	ATE Ø 25.4 without brake fluid reservoir
1.6 DI Turbo	80	06/04→06/09						
1.6 MZ-CD	66	06/06→12/09						
2.0	110	10/03→12/09						
2.0 MZR-CD	105	07/06→06/09						
2.0	104	10/03→06/06		for left-hand drive vehicles		24.2125-0483.3	011190	ATE Ø 25.4 without brake fluid reservoir
2.3 MZR	115	10/03→03/09						
MAZDA - 3 (BL) 12/08→09/14								
 Brake Master Cylinder								
1.6 MZ-CD	80	12/08→05/13		06/09→; for left-hand drive vehicles		24.2125-0483.3	011190	ATE Ø 25.4 without brake fluid reservoir
2.0 DISI	110	05/09→02/12						
2.0 MZR DISI	111	12/08→05/13						
2.2 MZR CD	110 - 136	01/09→10/13						
1.6 MZR	79	01/10→12/13		for left-hand drive vehicles; → 11/13		24.2125-0483.3	011190	ATE Ø 25.4 without brake fluid reservoir
2.0 MZR	108	04/09→09/14						
1.6 MZR	77	12/08→09/14		06/09→; for left-hand drive vehicles; → 11/13		24.2125-0483.3	011190	ATE Ø 25.4 without brake fluid reservoir
2.0 MZR	110	01/09→09/14						
2.5	122	03/09→09/14						
1.6 MZR CD	85	09/10→05/13		11/10→; for left-hand drive vehicles		24.2125-0483.3	011190	ATE Ø 25.4 without brake fluid reservoir
2.0	113	09/11→10/13		for left-hand drive vehicles		24.2125-0483.3	011190	ATE Ø 25.4 without brake fluid reservoir
MAZDA - 3 Saloon (BK) 09/99→12/09								
 Brake Master Cylinder								
1.6	77	02/04→06/09		→ 05/09; for left-hand drive vehicles		24.2125-0483.3	011190	ATE Ø 25.4 without brake fluid reservoir
1.6 DI Turbo	80	06/04→06/09						
2.0 MZR-CD	105	12/06→06/09						
2.0	104 - 110	10/03→12/09		for left-hand drive vehicles		24.2125-0483.3	011190	ATE Ø 25.4 without brake fluid reservoir
2.3	118	03/04→03/09						
MAZDA - 3 Saloon (BL) 12/08→12/14								
 Brake Master Cylinder								
1.6 MZR	77	12/08→09/14		06/09→; for left-hand drive vehicles; → 11/13		24.2125-0483.3	011190	ATE Ø 25.4 without brake fluid reservoir
2.0 MZR	110	03/09→09/14						
2.2 MZR CD	110	01/09→09/14						
1.6 MZR CD	80	12/08→05/13		06/09→; for left-hand drive vehicles		24.2125-0483.3	011190	ATE Ø 25.4 without brake fluid reservoir
2.0 MZR DISI	111	02/09→05/13						
1.6 MZR CD	85	09/10→05/13		11/10→; for left-hand drive vehicles		24.2125-0483.3	011190	ATE Ø 25.4 without brake fluid reservoir
2.0	113	09/11→09/14		for left-hand drive vehicles		24.2125-0483.3	011190	ATE Ø 25.4 without brake fluid reservoir
2.2 MZR CD	136	06/09→05/13						
MAZDA - MPV II (LW) 08/99→12/06								
 Cable Pull, parking brake								
2.0	88	08/00→07/02		08/00→ 06/02; Drum Brake; <input type="checkbox"/>		24.3727-1839.2	581839	L= 1460
2.0	90	09/99→08/00		→ 07/00; Drum Brake; <input type="checkbox"/>		24.3727-1839.2	581839	L= 1460
2.0 DI	100	07/02→02/06		→ 08/03; Drum Brake; <input type="checkbox"/>		24.3727-1839.2	581839	L= 1460
2.3	104	07/02→02/06						
2.5 V6	125	09/99→03/02		Drum Brake; <input type="checkbox"/>		24.3727-1839.2	581839	L= 1460
3.0 i V6	147	01/02→12/06		03/02→ 08/03; Drum Brake; <input type="checkbox"/>		24.3727-1839.2	581839	L= 1460
MERCEDES-BENZ - A-CLASS (W176) 06/12→05/18								
 Brake Pad Set, disc brake								
A 45 AMG 4-matic	265	06/13→05/18	←			13.0460-4719.2	604719	BRE + WE / - WK
AMG A 45 4-matic	280	07/15→05/18						

















	kw			 	! #		
MERCEDES-BENZ - CLA Coupe (C117) 01/13→03/19							
 Brake Pad Set, disc brake							
AMG CLA 45 4-matic CLA 45 AMG 4-matic	280 265	07/15→03/19 07/13→03/19	←	not for special equipment code: 660		13.0460-4719.2 604719	BRE + WE / - WK
MERCEDES-BENZ - MB-TRAC 07/73→12/91							
 Brake Hose							
1100 1300 1300 Turbo 1400 Turbo 1500	81 92 92 - 100 92 - 100 110	03/79→08/87 03/76→08/87 02/82→12/91 02/82→12/91 07/80→12/87	←	at master cylinder		24.5201-0250.3 331850	L= 275
700 65/70 800 900	48 - 57 48 - 55 48 - 57 63	07/73→12/91 07/73→12/91 07/73→12/91 09/81→12/91	→			24.5201-0250.3 331850	L= 275
MERCEDES-BENZ - SPRINTER 3,5-t Bus (B906) 06/06→09/20							
 Wheel Speed Sensor							
309 CDI 310 CDI 311 CDI 311 CDI 4x4 313 CDI 313 CDI 4x4 314 CDI 314 CDI 4x4 315 CDI 315 CDI 4x4 316 316 CDI 316 CDI 4x4 316 LGT 316 NGT 318 CDI 318 CDI 4x4 319 CDI / BlueTEC 319 CDI / BlueTEC 4x4 324	65 70 80 - 84 80 95 95 105 105 110 110 115 120 120 115 115 135 135 140 140 190	04/12→12/19 03/09→12/16 06/06→12/18 02/08→12/09 08/11→12/16 08/11→12/16 05/16→12/18 05/16→12/18 06/06→09/20 02/08→12/09 09/08→12/18 08/11→12/18 08/11→12/18 09/08→12/18 03/09→12/18 02/08→12/09 02/08→12/09 03/09→12/18 03/09→12/18 06/06→12/16	→	Manufacturer Restriction ATE; 		24.0710-2217.3 360730	L= 1943
 Cable Pull, parking brake							
310 CDI 311 CDI 311 CDI 4x4 315 CDI 315 CDI 4x4 316 316 CDI 316 CDI 4x4 316 NGT 319 CDI / BlueTEC 319 CDI / BlueTEC 4x4 324	70 80 - 84 80 110 110 115 120 120 115 140 140 190	03/09→12/16 06/06→12/18 02/08→12/09 06/06→09/20 02/08→12/09 09/08→12/18 08/11→12/18 08/11→12/18 03/09→12/18 03/09→12/18 03/09→12/18 06/06→12/16	→	for OE number: A 906 420 20 85 / A 906 420 68 85	2	24.3727-3800.2 583800	L= 1666
MERCEDES-BENZ - SPRINTER 3,5-t Platform/Chassis (B906) 06/06→12/18							
 Wheel Speed Sensor							
309 CDI 310 CDI 311 CDI 311 CDI 4x4 313 CDI 313 CDI 4x4 314 CDI 314 CDI 4x4 315 CDI 315 CDI 4x4 316 316 CDI 316 CDI 4x4 316 LGT 316 NGT 318 CDI 318 CDI 4x4	65 70 80 - 84 80 95 95 105 105 110 110 115 120 120 115 115 135 135	06/06→12/09 03/09→12/16 06/06→12/18 02/08→12/09 06/06→12/16 06/06→12/16 04/16→12/18 05/16→12/18 06/06→12/09 02/08→12/09 09/08→12/18 03/09→12/18 03/09→12/18 01/11→12/18 09/08→12/18 06/06→12/09 02/08→12/09	→	Manufacturer Restriction ATE; 		24.0710-2217.3 360730	L= 1943












	kW					! #		
MERCEDES-BENZ - SPRINTER 3,5-t Platform/Chassis (B906) 06/06→12/18								
 Wheel Speed Sensor								
319 CDI / BlueTEC 319 CDI / BlueTEC 4x4 324	140 140 190	03/09→12/18 03/09→12/18 06/06→12/16	➔	Manufacturer Restriction ATE; <input type="checkbox"/>			24.0710-2217.3 360730	L= 1943
 Cable Pull, parking brake								
310 CDI 311 CDI 311 CDI 4x4 315 CDI 315 CDI 4x4 316 316 CDI 316 CDI 4x4 316 LGT 316 NGT 319 CDI / BlueTEC 319 CDI / BlueTEC 4x4 324	70 80 - 84 80 110 110 115 120 120 115 115 140 140 190	03/09→12/16 06/06→12/18 02/08→12/09 06/06→12/09 02/08→12/09 09/08→12/18 03/09→12/18 03/09→12/18 01/11→12/18 09/08→12/18 03/09→12/18 03/09→12/18 06/06→12/16	➔	for OE number: A 906 420 20 85 / A 906 420 68 85	2		24.3727-3800.2 583800	L= 1666
MERCEDES-BENZ - SPRINTER 3,5-t Van (B906) 06/06→09/20								
 Wheel Speed Sensor								
309 CDI 310 CDI 311 CDI 311 CDI 4x4 313 CDI 313 CDI 4x4 314 CDI 314 CDI 4x4 315 CDI 315 CDI 4x4 316 316 CDI 316 CDI 4x4 316 LGT 316 NGT 318 CDI 318 CDI 4x4 319 CDI / BlueTEC 319 CDI / BlueTEC 4x4 324	65 70 80 - 84 80 95 95 105 105 110 110 115 120 120 115 115 135 135 140 140 190	06/06→12/09 03/09→12/16 06/06→12/18 02/08→12/09 06/06→12/16 03/09→12/16 05/16→12/18 05/16→12/18 06/06→12/09 02/08→12/09 09/08→12/18 03/09→12/18 03/09→12/18 01/11→12/18 09/08→12/18 06/06→12/09 02/08→12/09 03/09→12/18 03/09→12/18 06/06→12/16	➔	Manufacturer Restriction ATE; <input type="checkbox"/>			24.0710-2217.3 360730	L= 1943
 Cable Pull, parking brake								
310 CDI 311 CDI 311 CDI 4x4 315 CDI 315 CDI 4x4 316 316 CDI 316 CDI 4x4 316 LGT 316 NGT 319 CDI / BlueTEC 319 CDI / BlueTEC 4x4 324	70 80 - 84 80 110 110 115 120 120 115 115 140 140 190	03/09→12/16 06/06→12/18 02/08→12/09 06/06→12/09 02/08→12/09 09/08→12/18 03/09→12/18 03/09→12/18 01/11→12/18 09/08→12/18 03/09→12/18 03/09→12/18 06/06→12/16	➔	for OE number: A 906 420 20 85 / A 906 420 68 85	2		24.3727-3800.2 583800	L= 1666
MERCEDES-BENZ - SPRINTER 3-t Bus (B906) 06/06→12/19								
 Wheel Speed Sensor								
209 CDI 210 CDI 211 CDI 213 CDI 214 CDI 215 CDI 216 216 CDI 218 CDI 224	65 70 80 - 84 95 105 110 115 120 135 190	04/12→12/19 03/09→12/16 06/06→12/18 06/06→12/16 04/16→12/18 06/06→12/09 03/09→12/18 06/09→12/18 04/12→12/18 06/06→12/13	➔	Manufacturer Restriction ATE; <input type="checkbox"/>			24.0710-2217.3 360730	L= 1943
 Cable Pull, parking brake								
210 CDI 211 CDI 213 CDI →	70 80 - 84 95	03/09→12/16 06/06→12/18 06/06→12/16	➔	for OE number: A 906 420 20 85 / A 906 420 68 85	2		24.3727-3800.2 583800	L= 1666















	kW			 	! #		
MERCEDES-BENZ - SPRINTER 3-t Bus (B906) 06/06→12/19							
 Cable Pull, parking brake							
214 CDI 215 CDI 216 216 CDI	105 110 115 120	04/16→12/18 06/06→12/09 03/09→12/18 06/09→12/18	➔	for OE number: A 906 420 20 85 / A 906 420 68 85	2	24.3727-3800.2 583800	L= 1666
MERCEDES-BENZ - SPRINTER 3-t Platform/Chassis (B906) 06/06→12/18							
 Wheel Speed Sensor							
209 CDI 210 CDI 211 CDI 213 CDI 214 CDI 215 CDI 216 216 CDI 218 CDI 219 CDI / BlueTEC 224	65 70 80 - 84 95 105 110 115 120 135 140 190	06/06→12/09 03/09→12/16 06/06→12/18 06/06→12/16 04/16→12/18 06/06→12/09 09/08→12/18 03/09→12/18 06/06→12/09 03/09→12/18 06/06→12/16	➔	Manufacturer Restriction ATE; <input type="checkbox"/>		24.0710-2217.3 360730	L= 1943
 Cable Pull, parking brake							
209 CDI 210 CDI 211 CDI 213 CDI 214 CDI 215 CDI 216 216 CDI 218 CDI 219 CDI / BlueTEC 224	65 70 80 - 84 95 105 110 115 120 135 140 190	06/06→12/09 03/09→12/16 06/06→12/18 06/06→12/16 04/16→12/18 06/06→12/09 09/08→12/18 03/09→12/18 06/06→12/09 03/09→12/18 06/06→12/16	➔	for OE number: A 906 420 20 85 / A 906 420 68 85	2	24.3727-3800.2 583800	L= 1666
MERCEDES-BENZ - SPRINTER 3-t Van (B906) 06/06→12/18							
 Wheel Speed Sensor							
209 CDI 210 CDI 211 CDI 213 CDI 214 CDI 215 CDI 216 216 CDI 218 CDI 219 CDI / BlueTEC 224	65 70 80 - 84 95 105 110 115 120 135 140 190	06/06→12/09 03/09→12/16 06/06→12/18 06/06→12/16 04/16→12/18 06/06→12/09 09/08→12/18 03/09→12/18 06/06→12/09 03/09→12/18 06/06→12/16	➔	Manufacturer Restriction ATE; <input type="checkbox"/>		24.0710-2217.3 360730	L= 1943
 Cable Pull, parking brake							
209 CDI 210 CDI 211 CDI 213 CDI 214 CDI 215 CDI 216 216 CDI 218 CDI 219 CDI / BlueTEC 224	65 70 80 - 84 95 105 110 115 120 135 140 190	06/06→12/09 03/09→12/16 06/06→12/18 06/06→12/16 04/16→12/18 06/06→12/09 09/08→12/18 03/09→12/18 06/06→12/09 03/09→12/18 06/06→12/16	➔	for OE number: A 906 420 20 85 / A 906 420 68 85	2	24.3727-3800.2 583800	L= 1666
MERCEDES-BENZ - UNIMOG 01/55→							
 Brake Hose							
U 1100L U 110 U 100 U 110T U 1100T	74 - 81 74 - 81 74 - 81 74 - 81 74 - 81	01/77→05/88 01/77→05/88 01/77→ 01/77→ 01/77→	➔	→ 12/77; 000079→		24.5201-0300.3 331851	L= 325
U 1000 U 1000T U 1200 U 1200T	70 81 92 92	01/77→05/88 01/77→12/82 02/82→05/88 01/83→05/88	←	<input type="checkbox"/>		24.5201-0300.3 331851	L= 325
→							














	kw			 	! #		
MERCEDES-BENZ - UNIMOG 01/55→							
 Brake Hose							
U 125 U 1100L	92 92	01/77→01/88 01/77→01/88	➔	→ 12/77		24.5201-0300.3 331851	L= 325
U 20	110	09/06→		12/07→; for type code: 405.050; <input type="checkbox"/>	1	24.5201-0250.3 331850	L= 275
U 300	110	03/00→	➔	for type code: 405.100, 405.101	1	24.5201-0250.3 331850	L= 275
			➔	for type code: 405.120, 405.121	1	24.5201-0250.3 331850	L= 275
U 3000	110 - 115	09/02→	➔	- ABS; for type code: 437.420	1	24.5201-0250.3 331850	L= 275
			➔	- ABS; for type code: 437.421	1	24.5201-0250.3 331850	L= 275
U 45 U 60	33 38 - 44	01/66→04/71 01/77→05/88	➔	<input type="checkbox"/>		24.5201-0250.3 331850	L= 275
			➔	at master cylinder		24.5201-0250.3 331850	L= 275
U 600 U 600L U 52 U 600T U 60T	38 - 44 38 - 44 38 - 44 38 - 44	01/77→05/88 01/77→05/88 01/77→05/88 01/77→05/88 01/77→05/88	➔	<input type="checkbox"/>		24.5201-0300.3 331851	L= 325
U 54	40	04/66→03/72	➔	Drum Brake		24.5201-0300.3 331851	L= 325
U 70 U 65 U 84	48 48 62 -	01/62→01/88 01/62→01/88 05/69→01/88	➔	→ 005735; at master cylinder		24.5201-0300.3 331851	L= 325
			➔	Drum Brake		24.5201-0300.3 331851	L= 325
U 80 U 90	62 - 66 62 - 66	05/69→01/88 05/69→01/88	➔	06/73→ 12/77; Disc Brake		24.5201-0300.3 331851	L= 325
U 72 U 66	55 55	03/69→01/88 03/69→01/88	➔	06/73→ 12/77; Disc Brake; <input type="checkbox"/>		24.5201-0250.3 331850	L= 275
			➔	→ 12/77; Drum Brake		24.5201-0300.3 331851	L= 325
			➔	06/73→ 12/77; Disc Brake		24.5201-0300.3 331851	L= 325
U 72 U 80	48 - 55 48 - 55	01/69→01/77 01/69→01/77	➔	→ 005735; at master cylinder		24.5201-0300.3 331851	L= 325
			➔	06/73→; Disc Brake		24.5201-0300.3 331851	L= 325
			➔	Drum Brake		24.5201-0300.3 331851	L= 325
U 800	53 - 55	01/77→03/90	➔	Disc Brake; <input type="checkbox"/>		24.5201-0250.3 331850	L= 275
			➔	Drum Brake		24.5201-0300.3 331851	L= 325
			➔	Disc Brake		24.5201-0300.3 331851	L= 325
U 800L	53 - 55	01/77→03/90	➔	Drum Brake		24.5201-0300.3 331851	L= 325
			➔	Disc Brake		24.5201-0300.3 331851	L= 325
U 80 T U 90 T	59 - 66 59 - 66	05/66→ 05/66→	➔	→ 000078; at master cylinder		24.5201-0300.3 331851	L= 325
			➔	→ 12/77; 000079→		24.5201-0300.3 331851	L= 325
			➔	→ 000078; <input type="checkbox"/>		24.5201-0300.3 331851	L= 325
U 900	62	01/77→	➔	→ 12/77; Disc Brake		24.5201-0300.3 331851	L= 325
			➔	013570→; Drum Brake		24.5201-0300.3 331851	L= 325
U S 404	60 - 67	01/55→12/76	➔	01/65→ 12/70; at master cylinder		24.5201-0300.3 331851	L= 325
			➔	→ 12/70		24.5201-0250.3 331850	L= 275
			➔	01/65→ 12/70		24.5201-0300.3 331851	L= 325
U S 404	33	01/68→	➔	→ 12/70; at master cylinder		24.5201-0300.3 331851	L= 325
			➔	→ 12/70		24.5201-0250.3 331850	L= 275
						24.5201-0300.3 331851	L= 325
MINI - MINI (F55) 09/13→							
 Brake Caliper							
Cooper Cooper D	100 85	07/14→ 07/14→	➔	10/14→; <input type="checkbox"/>		24.3541-9956.5 241710	TRW without holder
Cooper S	131	11/20→	➔	<input type="checkbox"/>		24.3541-9957.5 241707	TRW without holder
One One D One First	75 70 55	05/14→ 11/14→ 11/17→	➔	<input type="checkbox"/>		24.3541-9956.5 241710	TRW without holder
One First	55	11/14→10/17	➔	03/15→; <input type="checkbox"/>		24.3541-9956.5 241710	TRW without holder












	kw					! #		
MINI - MINI (F56) 12/13→								
 Brake Caliper								
Cooper	100	12/13→	←	<input type="checkbox"/>		24.3541-9956.5	241710	TRW without holder
Cooper D	85	12/13→						
Cooper SE / Electric One	135	11/19→						
One	75	04/14→						
One D	70	03/14→						
One First	55	07/14→						
Cooper S	131	11/20→	←	<input type="checkbox"/>		24.3541-9957.5	241707	TRW without holder
MINI - MINI CLUBMAN (F54) 11/14→								
 Brake Caliper								
Cooper S	120 - 141	11/14→	←	07/15→; <input type="checkbox"/>		24.3541-9957.5	241707	TRW without holder
Cooper S JCW	155	11/14→06/18						
Cooper S	131	11/20→	←	<input type="checkbox"/>		24.3541-9957.5	241707	TRW without holder
Cooper S ALL4	131 - 141	03/16→						
Cooper SD ALL4	140	03/16→01/24						
Cooper S ALL4	120	04/15→	←	01/16→; <input type="checkbox"/>		24.3541-9957.5	241707	TRW without holder
Cooper SD ALL4	120	04/15→07/19						
Cooper S JCW ALL4	155	11/14→						
Cooper SD	120 - 140	02/15→01/24	←	11/15→; <input type="checkbox"/>		24.3541-9957.5	241707	TRW without holder
One	75	11/15→01/24	←	<input type="checkbox"/>		24.3541-9956.5	241710	TRW without holder
One D	85	11/15→01/24						
MINI - MINI Convertible (F57) 11/14→								
 Brake Caliper								
Cooper	100	11/15→	←	<input type="checkbox"/>		24.3541-9956.5	241710	TRW without holder
Cooper D	85	11/15→						
Cooper SE	135	04/23→						
One	75	03/16→						
Cooper S	131	11/20→	←	<input type="checkbox"/>		24.3541-9957.5	241707	TRW without holder
MINI - MINI COUNTRYMAN (F60) 10/16→								
 Brake Caliper								
Cooper	100	10/16→	←	<input type="checkbox"/>		24.3541-9957.5	241707	TRW without holder
Cooper ALL4	100	10/16→						
Cooper D	100 - 110	10/16→						
Cooper D ALL4	100 - 110	10/16→						
MITSUBISHI - OUTLANDER III Van (GF_W, GG_W) 11/10→								
 Cable Pull, parking brake								
Di-D 4WD	110	04/13→		Disc Brake; <input type="checkbox"/>		24.3727-2131.2	582131	L= 1830
MITSUBISHI - OUTLANDER III Wagon (GG_W, GF_W, ZJ, ZL, ZK) 11/10→12/22								
 Cable Pull, parking brake								
2.0	105 - 112	08/12→12/22		Disc Brake; <input type="checkbox"/>		24.3727-2131.2	582131	L= 1830
2.0 4WD	107 - 110	08/12→12/22						
2.0 Bifuel	107	10/12→12/22						
2.0 Bifuel 4WD	107	10/12→12/22						
2.2 Di-D	110	08/12→12/22						
2.2 Di-D 4WD	110	08/12→12/22						
2.4 4WD	123 - 124	10/12→12/22						
3.0 4WD	169	03/14→12/22						
2.2 DiD 4WD	132	05/15→12/22		for left-hand drive vehicles; <input type="checkbox"/>		24.3727-2131.2	582131	L= 1830
2.2 Di-D 4WD	121	06/15→12/18						
2.4	124	08/12→12/22		10/12→; Disc Brake; <input type="checkbox"/>		24.3727-2131.2	582131	L= 1830
3.0 GT 4WD	167	08/12→12/22		<input type="checkbox"/>		24.3727-2131.2	582131	L= 1830
NISSAN - ALMERA (N17) 09/11→								
 Brake Caliper								
1.5 i	79	08/12→	←	<input type="checkbox"/>		24.3541-1897.5	241692	TRW without holder
1.6	80	04/14→	←	<input type="checkbox"/>		24.3541-1898.5	241693	TRW without holder















	kw					! #			
NISSAN - MICRA IV (K13K, K13KK) 05/10→									
 Brake Caliper									
1.2	56 - 59	05/10→	←	☐			24.3541-1897.5	241692	TRW without holder
1.2 Active	50	07/13→	←	☐			24.3541-1898.5	241693	TRW without holder
1.2 LPG	59	05/10→09/15							
1.2 DIG-S	72	03/11→10/15	←	☐	04/11→;	☐	24.3541-1897.5	241692	TRW without holder
			←	☐	04/11→;	☐	24.3541-1898.5	241693	TRW without holder
NISSAN - MICRA V (K14) 12/16→									
 Brake Caliper									
0.9 IG-T	66	12/16→	←	☐	03/17→;	☐	24.3541-1897.5	241692	TRW without holder
1.0	54	12/16→							
1.5 DCI	66	12/16→	←	☐	03/17→;	☐	24.3541-1898.5	241693	TRW without holder
0.9 LPG	64	03/19→	←	☐			24.3541-1897.5	241692	TRW without holder
1.0	52	12/16→							
1.0 DIG-T 117	86	02/19→	←	☐			24.3541-1898.5	241693	TRW without holder
NISSAN - NOTE (E12) 09/12→									
 Brake Caliper									
1.2	58 - 59	08/12→	←	☐			24.3541-1897.5	241692	TRW without holder
1.2 DIG-S	65 - 72	08/12→	←	☐			24.3541-1898.5	241693	TRW without holder
1.2 LPG	56	03/15→12/16							
1.5 dCi	66	06/13→12/16							
1.6	80	06/13→							
NISSAN - QASHQAI III (J12) 04/21→									
 Brake Pad Set, disc brake									
1.3 DIG-T	103 - 116	04/21→	→				13.0460-2671.2	602671	ZF + WK + Zub
1.3 DIG-T All-wheel Drive	116	04/21→					13.0470-2671.2	LD2671	ZF + WK + Zub Ceramic
1.5 VC-T e-Power	140	09/22→							
NISSAN - X-TRAIL IV (T33) 09/22→									
 Brake Pad Set, disc brake									
1.5 VC-T Mild Hybrid	120	09/22→	←		for vehicles with 3rd seating row		13.0470-7374.2	LD7374	ATE + WK Ceramic
			→				13.0460-2671.2	602671	ZF + WK + Zub
							13.0470-2671.2	LD2671	ZF + WK + Zub Ceramic
OPEL - CORSA F (P2JO) 07/19→									
 Brake Pad Set, disc brake									
1.2	55 - 96	07/19→	←		for brake disc diameter [mm]: 302; Orga 16213→		13.0460-3700.2	603700	CBI - WE / - WK + Zub
1.2 MHEV	74	08/23→					13.0470-3700.2	LD3700	CBI - WE / - WK + Zub Ceramic
1.2 Turbo Hybrid	100	01/24→							
1.5	75	07/19→							
Corsa-e	100 - 115	07/19→							
OPEL - CORSA F Hatchback Van 07/19→									
 Brake Pad Set, disc brake									
1.2	55	07/19→	←		for brake disc diameter [mm]: 302; Orga 16213→		13.0460-3700.2	603700	CBI - WE / - WK + Zub
1.5	75	07/19→					13.0470-3700.2	LD3700	CBI - WE / - WK + Zub Ceramic
PEUGEOT - 106 I (1A, 1C) 08/91→04/96									
 Brake Master Cylinder									
1.0	33 - 37	09/91→04/96			- ABS; Number of Doors: 5		24.2120-2031.3	011188	ATE Ø 20.6
1.1	44	09/91→04/96							
1.3	72	10/93→04/96			- ABS		24.2120-2031.3	011188	ATE Ø 20.6
1.4	72	08/91→03/96							
1.4 Le Mans	69	09/91→11/94							
1.6	76	11/94→04/96							
PEUGEOT - 106 Van I Hatchback Van (1S_) 08/91→03/96									
 Brake Master Cylinder									
1.0	33	08/91→03/96			- ABS; Number of Doors: 5		24.2120-2031.3	011188	ATE Ø 20.6

















	kW					! #		
PEUGEOT - 205 I (741A/C) 02/83→10/87								
 Brake Master Cylinder								
1.0 1.1	33 36 - 37	02/83→10/87 02/83→10/87			for vehicles with brake booster		24.2120-2031.3 011188	ATE Ø 20.6
1.3	47	02/84→10/87			09/87→		24.2120-2031.3 011188	ATE Ø 20.6
1.4 1.5 1.6	44 - 59 63 53 - 55	02/83→10/87 02/84→10/87 08/86→10/87					24.2120-2031.3 011188	ATE Ø 20.6
1.9 GTI	94	10/86→10/87			- ABS		24.2120-2031.3 011188	ATE Ø 20.6
PEUGEOT - 205 I Convertible (741B, 20D) 03/86→11/95								
 Brake Master Cylinder								
1.1 CJ 1.4 CJ 1.4 CJ Cat	44 49 44	10/89→12/94 03/89→12/94 01/89→09/93			→ 08/90 09/90→		24.2120-2031.3 011188	ATE Ø 20.6
1.4	50	08/87→07/90			07/88→		24.2120-2031.3 011188	ATE Ø 20.6
1.4	62	08/87→06/94			07/88→ 08/90		24.2120-2031.3 011188	ATE Ø 20.6
1.4 CJ	44	03/88→05/89			07/88→		24.2120-2031.3 011188	ATE Ø 20.6
1.4 CJ 1.4 CT	55 58	05/91→12/94 04/86→12/88					24.2120-2031.3 011188	ATE Ø 20.6
1.6 CJ	65	08/92→12/94			- ABS		24.2120-2031.3 011188	ATE Ø 20.6
1.9 CTi	74	08/87→07/90			04/89→		24.2120-2031.3 011188	ATE Ø 20.6
1.9 CTi	92	08/90→07/92			09/90→; - ABS		24.2120-2031.3 011188	ATE Ø 20.6
1.9 CTi	75	10/87→12/94			09/90→ 07/94; - ABS 04/89→ 08/90		24.2120-2031.3 011188	ATE Ø 20.6
PEUGEOT - 205 II (20A/C) 01/87→12/00								
 Brake Master Cylinder								
1.0 1.4 1.6 GTX 1.8 TD 1.9 Diesel	33 50 69 57 47	10/87→09/98 08/90→07/92 01/87→10/91 01/90→09/98 10/87→09/98			09/90→		24.2120-2031.3 011188	ATE Ø 20.6
1.0 1.4 1.8 XDT	37 44 - 63 58	08/92→05/97 01/87→12/89 08/90→05/97					24.2120-2031.3 011188	ATE Ø 20.6
1.1	36 - 40	10/87→07/92			→ 08/90; for vehicles with brake booster 09/90→		24.2120-2031.3 011188	ATE Ø 20.6
1.1 1.4 1.4 Cat 1.6	44 55 44 53 - 55	07/89→09/98 07/88→09/98 08/87→09/93 10/87→09/98			→ 08/90 09/90→		24.2120-2031.3 011188	ATE Ø 20.6
1.1 XA	40	07/87→10/88			for vehicles with brake booster		24.2120-2031.3 011188	ATE Ø 20.6
1.3 Rallye 1.4	74 49	10/87→10/90 10/87→10/90			→ 08/90		24.2120-2031.3 011188	ATE Ø 20.6
1.6	66	08/90→07/92			09/90→; - ABS		24.2120-2031.3 011188	ATE Ø 20.6
1.6 Aut.	58	10/87→09/98			→ 08/90; Automatic Transmission 09/90→		24.2120-2031.3 011188	ATE Ø 20.6
1.6 Aut.	65	05/90→09/98			09/90→; - ABS → 08/90; Automatic Transmission		24.2120-2031.3 011188	ATE Ø 20.6
1.7 Diesel	44	07/87→09/98			03/94→		24.2120-2031.3 011188	ATE Ø 20.6
1.9 GTI	75	10/87→05/89			04/89→		24.2120-2031.3 011188	ATE Ø 20.6
1.9 GTI	88	10/87→10/94			09/90→; - ABS 09/88→ 08/90; - ABS		24.2120-2031.3 011188	ATE Ø 20.6
1.9 GTI	94	10/87→09/98			09/90→; - ABS → 08/88; - ABS		24.2120-2031.3 011188	ATE Ø 20.6
1.9 GTI Cat	75	10/87→07/94			09/90→; - ABS 04/89→ 08/90		24.2120-2031.3 011188	ATE Ø 20.6
PEUGEOT - 205 Hatchback Van 08/90→05/97								
 Brake Master Cylinder								
1.7 Diesel	44	03/94→05/97					24.2120-2031.3 011188	ATE Ø 20.6




















	kw			 	! #				
PEUGEOT - 205 Hatchback Van 02/83→07/90									
 Brake Master Cylinder									
1.1	36 - 40	02/83→07/90		for vehicles with brake booster		24.2120-2031.3 011188	ATE Ø 20.6		
PEUGEOT - 208 II (UB_, UP_, UW_, UJ_) 06/19→									
 Brake Pad Set, disc brake									
1.2 Hybrid 100	74	08/23→	←	for brake disc diameter [mm]: 302; for DAM number from: 1624776 / 17023VB →		13.0460-3700.2 603700	CBI - WE / - WK + Zub		
1.2 Hybrid 136 e-208	100 115	09/23→ 01/23→						13.0470-3700.2 LD3700	CBI - WE / - WK + Zub Ceramic
1.2 PureTech 100	74	06/19→	←	for brake disc diameter [mm]: 302; for DAM number from: 1624776 →		13.0460-3700.2 603700	CBI - WE / - WK + Zub		
1.2 PureTech 130	96	06/19→						13.0470-3700.2 LD3700	CBI - WE / - WK + Zub Ceramic
1.2 PureTech 75	55	06/19→							
1.2 VTi 82	60	06/19→							
1.5 BlueHDI 100	75	06/19→							
1.5 BlueHDI 130	96	09/19→							
1.6 HDI 90	68	10/19→							
1.6 VTi 115 e-208	85 100	11/19→ 06/19→							
PEUGEOT - 309 I (10C, 10A) 10/85→12/89									
 Brake Master Cylinder									
1.9	72	03/86→07/89				24.2120-2031.3 011188	ATE Ø 20.6		
				07/88→		24.2120-2031.3 011188	ATE Ø 20.6		
1.9 GTI	88	07/88→07/89		09/88→; - ABS		24.2120-2031.3 011188	ATE Ø 20.6		
1.9 GTI	94	10/86→07/89		- ABS		24.2120-2031.3 011188	ATE Ø 20.6		
1.9 GTI	96	10/85→08/89		10/86→; - ABS		24.2120-2031.3 011188	ATE Ø 20.6		
PEUGEOT - 309 II (3C, 3A) 07/89→12/93									
 Brake Master Cylinder									
1.9	80	10/90→12/93				24.2120-2031.3 011188	ATE Ø 20.6		
1.9 GTI	88 - 96	07/89→12/93		- ABS		24.2120-2031.3 011188	ATE Ø 20.6		
1.9 GTI 16V	108 - 116	08/89→12/93							
PEUGEOT - 208 II (UD_, US_, UY_, UJ_, UR_, UC_) 08/19→									
 Brake Pad Set, disc brake									
1.2 Hybrid 136	100	11/23→	←	for brake disc diameter [mm]: 302		13.0460-3700.2 603700	CBI - WE / - WK + Zub		
						13.0470-3700.2 LD3700	CBI - WE / - WK + Zub Ceramic		
1.2 PureTech 100	74	11/19→	←	for brake disc diameter [mm]: 302; Orga 16247→		13.0460-3700.2 603700	CBI - WE / - WK + Zub		
1.2 PureTech 130	96	08/19→						13.0470-3700.2 LD3700	CBI - WE / - WK + Zub Ceramic
1.2 THP / PureTech 155	114	11/19→							
1.5 BlueHDI 100	75	08/19→							
1.5 BlueHDI 110	81	01/21→							
1.5 BlueHDI 130	96	08/19→							
e-2008	100 - 115	09/19→							
PEUGEOT - BOXER Bus 09/05→									
 Cable Pull, parking brake									
2.2 HDi 100	74	04/06→		for vehicles with track widening; →	2	24.3727-0361.2 580361	L= 1485		
2.2 HDi 110	81	03/11→12/20							
2.2 HDi 120	88	04/06→12/16							
2.2 HDi 130	96	03/11→							
2.2 HDi 150	110	03/11→							
3.0 HDi 160	115	04/06→12/15							
3.0 HDi 175	130	03/11→							
3.0 HDi 145	107	04/10→12/13		for vehicles with track widening; ↓	2	24.3727-0361.2 580361	L= 1485		
PEUGEOT - BOXER Platform/Chassis 04/06→									
 Cable Pull, parking brake									
2.2 HDi 100	74	04/06→		for vehicles with track widening; →	2	24.3727-0361.2 580361	L= 1485		
2.2 HDi 110	81	03/11→12/20							
2.2 HDi 120	88	04/06→12/16							
2.2 HDi 130	96	04/06→							
2.2 HDi 150	110	03/11→							
3.0 HDi 155	115	04/06→12/15							
3.0 HDi 160	116	04/06→12/15							
3.0 HDi 175	130	03/11→							
3.0 HDi 145	107	04/10→12/13		for vehicles with track widening; ↓	2	24.3727-0361.2 580361	L= 1485		
















	kW					! #		
PEUGEOT - BOXER Van 04/06→								
 Cable Pull, parking brake								
2.2 HDi 100	74	04/06→			for vehicles with track widening; →	2	24.3727-0361.2 580361	L= 1485
2.2 HDi 110	81	03/11→12/20			02/14; ↓			
2.2 HDi 120	88	04/06→12/16						
2.2 HDi 130	96	03/11→						
2.2 HDi 130 4x4	96	03/11→						
2.2 HDi 150	110	03/11→						
2.2 HDi 150 4x4	110	03/11→						
3.0 HDi 155	115	07/06→12/15						
3.0 HDi 160	116	04/06→12/15						
3.0 HDi 175	130	03/11→						
3.0 HDi 145	107	04/10→12/13			for vehicles with track widening; ↓	2	24.3727-0361.2 580361	L= 1485
POLESTAR - POLESTAR 2 (534) 02/19→								
 Brake Pad Set, disc brake								
EV	165 - 300	04/19→	←		Brake Size: 18"		13.0480-7328.2 EP7328	ATE + WE / - WK + Zub
			→		Brake Size: 18"; 24099→		13.0480-7326.2 EP7326	ATE + WE / - WK
EV	200 - 350	01/23→	←		Brake Size: 18"		13.0480-7328.2 EP7328	ATE + WE / - WK + Zub
 Brake Disc								
EV	165 - 350	04/19→	←				24.0430-0243.1 ED302430	345 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 27.5 Vented + S
			→		Brake Size: 18"		24.0420-0247.1 ED202470	340 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 17.5 Vented + S
RENAULT - 19 I (B/C53_) 01/88→09/94								
 Brake Master Cylinder								
1.2	40	01/88→12/92			02/92→		24.2120-2031.3 011188	ATE Ø 20.6
1.4	43	01/89→05/93						
1.4 Cat	43	01/89→04/92						
1.4	59	01/88→12/92			02/92→; not for driving school cars		24.2120-2031.3 011188	ATE Ø 20.6
					02/92→; - ABS		24.2120-2031.3 011188	ATE Ø 20.6
					02/92→; - ABS; not for driving school cars		24.2120-2031.3 011188	ATE Ø 20.6
					02/92→		24.2120-2031.3 011188	ATE Ø 20.6
					05/92→		24.2120-2031.3 011188	ATE Ø 20.6
1.7	54 - 66	09/88→04/92			02/92→; - ABS		24.2120-2031.3 011188	ATE Ø 20.6
					02/92→; - ABS; not for driving school cars		24.2120-2031.3 011188	ATE Ø 20.6
1.8 16V	99	06/89→04/92			- ABS		24.2120-2031.3 011188	ATE Ø 20.6
1.9 D	47	09/88→04/92			02/92→; - ABS		24.2120-2031.3 011188	ATE Ø 20.6
					02/92→; - ABS; not for driving school cars		24.2120-2031.3 011188	ATE Ø 20.6
					02/92→		24.2120-2031.3 011188	ATE Ø 20.6
RENAULT - 19 I Cabriolet (D53_) 07/91→04/92								
 Brake Master Cylinder								
1.7	55 - 70	07/91→04/92			02/92→; - ABS		24.2120-2031.3 011188	ATE Ø 20.6
1.8 16V	101	07/91→04/92			- ABS		24.2120-2031.3 011188	ATE Ø 20.6
RENAULT - 19 I Chamade (L53_) 01/88→12/92								
 Brake Master Cylinder								
1.2	40	01/88→12/92			02/92→; for left-hand drive vehicles		24.2120-2031.3 011188	ATE Ø 20.6
1.4	43	07/88→04/92			02/92→; for left-hand drive vehicles		24.2120-2031.3 011188	ATE Ø 20.6
					02/92→; not for driving school cars		24.2120-2031.3 011188	ATE Ø 20.6
					02/92→; - ABS; not for driving school cars		24.2120-2031.3 011188	ATE Ø 20.6
1.7	66	07/88→04/92			02/92→; - ABS; not for driving school cars		24.2120-2031.3 011188	ATE Ø 20.6
1.9 D	47	10/89→04/92						
1.7	79	08/88→12/92			02/92→; - ABS		24.2120-2031.3 011188	ATE Ø 20.6
1.9 TD	68	09/90→04/92						
1.8 16V	99 - 101	06/89→04/92			- ABS		24.2120-2031.3 011188	ATE Ø 20.6
















	kw					! #		
RENAULT - 19 I Hatchback Van (S53_) 01/88→12/92								
 Brake Master Cylinder								
1.2	40	01/88→12/92		02/92→		24.2120-2031.3	011188	ATE Ø 20.6
RENAULT - 19 II (B/C53_) 01/91→06/01								
 Brake Master Cylinder								
1.2	40 - 44	04/92→12/95				24.2120-2031.3	011188	ATE Ø 20.6
1.4	43	04/92→12/95				24.2120-2031.3	011188	ATE Ø 20.6
1.4	59	01/92→12/95		02/92→; not for driving school cars		24.2120-2031.3	011188	ATE Ø 20.6
				02/92→; - ABS		24.2120-2031.3	011188	ATE Ø 20.6
				02/92→; - ABS; not for driving school cars		24.2120-2031.3	011188	ATE Ø 20.6
				05/92→		24.2120-2031.3	011188	ATE Ø 20.6
				02/92→		24.2120-2031.3	011188	ATE Ø 20.6
1.4	55	01/92→12/95		09/94→; - ABS		24.2120-2031.3	011188	ATE Ø 20.6
1.7	54	04/92→12/95		- ABS		24.2120-2031.3	011188	ATE Ø 20.6
				- ABS; not for driving school cars		24.2120-2031.3	011188	ATE Ø 20.6
1.8	66	04/92→12/95		09/94→; - ABS		24.2120-2031.3	011188	ATE Ø 20.6
				09/94→		24.2120-2031.3	011188	ATE Ø 20.6
1.8	65	04/92→12/95		05/92→; - ABS		24.2120-2031.3	011188	ATE Ø 20.6
1.8 16V	99	04/92→12/95		- ABS		24.2120-2031.3	011188	ATE Ø 20.6
1.9 D	47	04/92→12/95		- ABS		24.2120-2031.3	011188	ATE Ø 20.6
				05/92→; - ABS		24.2120-2031.3	011188	ATE Ø 20.6
						24.2120-2031.3	011188	ATE Ø 20.6
				05/92→		24.2120-2031.3	011188	ATE Ø 20.6
				- ABS; not for driving school cars		24.2120-2031.3	011188	ATE Ø 20.6
1.9 dT	66	04/92→12/95		- ABS		24.2120-2031.3	011188	ATE Ø 20.6
						24.2120-2031.3	011188	ATE Ø 20.6
				05/92→		24.2120-2031.3	011188	ATE Ø 20.6
RENAULT - 19 II Cabriolet (D53_, 853_) 04/92→06/01								
 Brake Master Cylinder								
1.7	66	04/92→09/93		- ABS		24.2120-2031.3	011188	ATE Ø 20.6
1.8	79	07/94→06/96				24.2120-2031.3	011188	ATE Ø 20.6
1.8 16V	101	05/92→04/94				24.2120-2031.3	011188	ATE Ø 20.6
1.8	86	01/95→06/01		→ 03/95; - ABS		24.2120-2031.3	011188	ATE Ø 20.6
1.8 16V	99	04/92→06/96				24.2120-2031.3	011188	ATE Ø 20.6
1.8	65 - 66	04/92→06/96		→ 12/94		24.2120-2031.3	011188	ATE Ø 20.6
RENAULT - 19 II Chamade (L53_) 04/92→08/03								
 Brake Master Cylinder								
1.2	44	05/92→09/94		→ 12/92; for left-hand drive vehicles		24.2120-2031.3	011188	ATE Ø 20.6
1.4	44	05/92→09/94		for left-hand drive vehicles		24.2120-2031.3	011188	ATE Ø 20.6
1.4	43	04/92→12/95		not for driving school cars		24.2120-2031.3	011188	ATE Ø 20.6
				for left-hand drive vehicles		24.2120-2031.3	011188	ATE Ø 20.6
				05/92→		24.2120-2031.3	011188	ATE Ø 20.6
				- ABS; not for driving school cars		24.2120-2031.3	011188	ATE Ø 20.6
1.4	55	11/93→12/95		not for driving school cars		24.2120-2031.3	011188	ATE Ø 20.6
				09/94→; - ABS		24.2120-2031.3	011188	ATE Ø 20.6
				- ABS; not for driving school cars		24.2120-2031.3	011188	ATE Ø 20.6
						24.2120-2031.3	011188	ATE Ø 20.6
1.7	54 - 66	04/92→12/95		- ABS; not for driving school cars		24.2120-2031.3	011188	ATE Ø 20.6
1.9 dT	66	04/92→12/95				24.2120-2031.3	011188	ATE Ø 20.6
1.8	79	05/92→12/95		- ABS		24.2120-2031.3	011188	ATE Ø 20.6
1.8 16V	99	04/92→12/95				24.2120-2031.3	011188	ATE Ø 20.6
1.8	66	04/92→12/95		09/94→; - ABS		24.2120-2031.3	011188	ATE Ø 20.6
				09/94→		24.2120-2031.3	011188	ATE Ø 20.6
1.8	65 - 81	04/92→12/95		05/92→; - ABS		24.2120-2031.3	011188	ATE Ø 20.6
1.9 D	47	04/92→12/97		05/92→; - ABS		24.2120-2031.3	011188	ATE Ø 20.6
				- ABS; not for driving school cars		24.2120-2031.3	011188	ATE Ø 20.6













	kw					! #		
RENAULT - 19 II Hatchback Van (S53_) 03/92→12/95								
 Brake Master Cylinder								
1.2	40	03/92→12/95				24.2120-2031.3	011188	ATE Ø 20.6
1.9 dT	68	03/92→12/95				24.2120-2031.3	011188	ATE Ø 20.6
					- ABS; not for driving school cars	24.2120-2031.3	011188	ATE Ø 20.6
RENAULT - ARKANA I (LCM_, LDN_) 08/19→								
 Brake Disc								
1.3 TCe 140	103	09/20→	➔			24.0108-0123.1	408123	Ø 260 Brake Disc Thickness [mm] 8 Minimum thickness [mm] 7
1.3 TCe 160	116	03/21→						
1.6 E-TECH 145	105	03/21→						
RENAULT - AUSTRAL 07/22→								
 Brake Pad Set, disc brake								
E-TECH 200 Hybrid	146	10/22→	➔		for vehicles without four wheel steering	13.0470-7374.2	LD7374	ATE + WK Ceramic
RENAULT - CLIO I (B/C57_, 5/357_) 05/90→08/99								
 Brake Master Cylinder								
1.1	34 - 36	01/91→09/98				24.2120-2031.3	011188	ATE Ø 20.6
Electric Williams	21 - 108	05/96→02/98 01/94→09/98						
1.2	40 - 44	05/90→09/98			- ABS; not for driving school cars	24.2120-2031.3	011188	ATE Ø 20.6
1.9 D	40 - 48	01/91→09/98						
1.2	43	05/90→09/98			10/94→; - ABS; not for driving school cars	24.2120-2031.3	011188	ATE Ø 20.6
					- ABS; not for driving school cars	24.2120-2031.3	011188	ATE Ø 20.6
1.2	40	01/91→06/96			→ 01/96; - ABS; not for driving school cars	24.2120-2031.3	011188	ATE Ø 20.6
1.4	57	05/90→02/98			01/91→; - ABS; not for driving school cars; for left-hand drive vehicles	24.2120-2031.3	011188	ATE Ø 20.6
					01/91→; for right-hand drive vehicles; not for vehicle equipment line/variant: RTi	24.2120-2031.3	011188	ATE Ø 20.6
1.4	55 - 59	01/91→09/98			for right-hand drive vehicles; not for vehicle equipment line/variant: RTi	24.2120-2031.3	011188	ATE Ø 20.6
					- ABS; not for driving school cars; for left-hand drive vehicles	24.2120-2031.3	011188	ATE Ø 20.6
1.7	68	01/91→12/93			- ABS	24.2120-2031.3	011188	ATE Ø 20.6
1.8	65 - 70	01/91→09/98			- ABS; for left-hand drive vehicles	24.2120-2031.3	011188	ATE Ø 20.6
1.8 Rsi	79 - 80	01/93→09/98						
1.8 16V	99	01/91→03/96			08/91→ 06/94; - ABS; for left-hand drive vehicles	24.2120-2031.3	011188	ATE Ø 20.6
RENAULT - CLIO I Hatchback Van (S57_) 01/91→09/98								
 Brake Master Cylinder								
1.1	34	01/91→09/98				24.2120-2031.3	011188	ATE Ø 20.6
1.2	40 - 44	01/91→09/98			- ABS; not for driving school cars	24.2120-2031.3	011188	ATE Ø 20.6
1.9 D	48	01/91→09/98						
1.9 RND	40	04/96→02/98						
RENAULT - DOKKER 12/13→								
 Cable Pull, parking brake								
1.5 dCi	66	12/13→			Drum Brake; ⚠	2	24.3727-3612.2	583612 L= 1953
1.6	62	12/13→12/21						
RENAULT - ESPACE I (J11_) 07/84→12/92								
 Brake Master Cylinder								
2.0	74	01/88→12/90			for left-hand drive vehicles	24.2120-2031.3	011188	ATE Ø 20.6
2.0	80	07/84→12/90			T000349→	24.2120-2031.3	011188	ATE Ø 20.6
					T022234→; for left-hand drive vehicles	24.2120-2031.3	011188	ATE Ø 20.6
2.0 i	87	01/89→12/90			for left-hand drive vehicles; - ABS	24.2120-2031.3	011188	ATE Ø 20.6
2.0 i Quadra	87	03/88→12/92			→ 12/90; for left-hand drive vehicles; - ABS	24.2120-2031.3	011188	ATE Ø 20.6
2.1 TD	65	10/84→12/90			T012278→	24.2120-2031.3	011188	ATE Ø 20.6
					T000494→	24.2120-2031.3	011188	ATE Ø 20.6
2.2	79	07/86→12/90			- ABS	24.2120-2031.3	011188	ATE Ø 20.6
➔								






















	kw					! #		
RENAULT - ESPACE I (J11_) 07/84→12/92								
 Brake Master Cylinder								
2.2 Quadra	79 - 81	06/87→12/90			- ABS		24.2120-2031.3 011188	ATE Ø 20.6
RENAULT - EXPRESS Box Body/MPV 07/95→03/98								
 Brake Master Cylinder								
1.9 D	47	07/95→03/98					24.2120-2031.3 011188	ATE Ø 20.6
RENAULT - EXPRESS Pickup 07/95→10/99								
 Brake Master Cylinder								
1.9 D	40	07/95→10/97			09/95→		24.2120-2031.3 011188	ATE Ø 20.6
1.9 D	47	07/95→10/99			→ 03/98		24.2120-2031.3 011188	ATE Ø 20.6
RENAULT - LODGY (JS_) 07/13→								
 Cable Pull, parking brake								
1.5 dCi 1.6	62 59	01/15→ 07/13→			Drum Brake; ↓	2	24.3727-3612.2 583612	L= 1953
RENAULT - LOGAN/STEPWAY II (L8_) 09/12→								
 Brake Drum								
1.6	75 - 83	04/14→	➡		- ABS		24.0220-3753.2 480222	Ø 234 Inner brake drum height [mm] 48 / 204.5 + RLG / - ABS Ring
RENAULT - LOGAN II Estate (K8_) 11/13→								
 Brake Drum								
1.6	78	12/13→	➡		- ABS; Inner brake drum diameter [inch]: 8		24.0220-3753.2 480222	Ø 234 Inner brake drum height [mm] 48 / 204.5 + RLG / - ABS Ring
RENAULT - MEGANE I (BA0/1_) 08/95→12/04								
 Brake Master Cylinder								
1.4 e	55	01/96→08/03			06/98→ 02/99; - ABS		24.2120-2031.3 011188	ATE Ø 20.6
					→ 12/02; - ABS		24.2120-2031.3 011188	ATE Ø 20.6
1.4 Eco	52	01/96→03/99			- ABS		24.2120-2031.3 011188	ATE Ø 20.6
1.6 e	66	01/96→03/99						
1.6 i	55	01/96→03/99						
1.9 dT	76	08/98→10/99						
1.9 dTi	72	03/97→02/01						
1.6 LPG	66	08/95→03/99			01/96→; - ABS		24.2120-2031.3 011188	ATE Ø 20.6
1.9 D	69	04/96→02/01			09/96→; - ABS		24.2120-2031.3 011188	ATE Ø 20.6
1.9 D Eco	47	01/96→08/03			→ 12/02; - ABS		24.2120-2031.3 011188	ATE Ø 20.6
					→ 12/02; - ABS; for right-hand drive vehicles		24.2120-2031.3 011188	ATE Ø 20.6
					→ 12/02; - ABS; for left-hand drive vehicles; not for driving school cars		24.2120-2031.3 011188	ATE Ø 20.6
1.9 dT	66	01/96→08/03			03/96→ 12/02; - ABS		24.2120-2031.3 011188	ATE Ø 20.6
					→ 12/02; - ABS		24.2120-2031.3 011188	ATE Ø 20.6
1.9 TDI	69	09/96→08/03			→ 12/02; - ABS		24.2120-2031.3 011188	ATE Ø 20.6
2.0 i	84	01/96→08/03						
2.0 i	80	03/99→08/03			→ 12/02		24.2120-2031.3 011188	ATE Ø 20.6
RENAULT - MEGANE I Cabriolet (EA0/1_) 10/96→08/03								
 Brake Master Cylinder								
1.6 e	66	10/96→03/99			- ABS; for left-hand drive vehicles		24.2120-2031.3 011188	ATE Ø 20.6
2.0	84	04/97→08/03						
2.0 i	80	03/99→08/03						
RENAULT - MEGANE I Classic (LA0/1_) 09/96→08/03								
 Brake Master Cylinder								
1.4	55	09/96→08/03			→ 12/02; - ABS		24.2120-2031.3 011188	ATE Ø 20.6
1.9 D	47	09/96→08/03						
1.9 dT	66	09/96→08/03						
1.6 e	66	09/96→03/99			- ABS		24.2120-2031.3 011188	ATE Ø 20.6
1.6 i	55	09/96→03/99						
1.9 dT	76	08/98→10/99						
1.9 dTi	72	03/97→02/01						
2.0	85	05/98→05/01			- ABS		24.2120-2031.3 011188	ATE Ø 20.6
							24.2120-2031.3 011188	ATE Ø 20.6
→								















	kw					! #		
RENAULT - MEGANE I Classic (LA0/1_) 09/96→08/08								
 Brake Master Cylinder								
2.0 i	84	09/96→08/03		→ 12/02; - ABS		24.2120-2031.3	011188	ATE Ø 20.6
				→ 12/02		24.2120-2031.3	011188	ATE Ø 20.6
2.0 RT	112	10/96→02/99				24.2120-2031.3	011188	ATE Ø 20.6
RENAULT - MEGANE I Coach (DA0/1_) 03/96→08/03								
 Brake Master Cylinder								
1.6 e	66	03/96→03/99		- ABS; for left-hand drive vehicles		24.2120-2031.3	011188	ATE Ø 20.6
1.9 dTi	72	03/97→02/01		05/97→; - ABS		24.2120-2031.3	011188	ATE Ø 20.6
2.0 i	80 - 84	03/96→08/03		→ 02/03; - ABS; for left-hand drive vehicles		24.2120-2031.3	011188	ATE Ø 20.6
RENAULT - MEGANE I Hatchback Van (SA0/1_) 08/95→07/03								
 Brake Master Cylinder								
1.9	47	08/95→09/00		- ABS		24.2120-2031.3	011188	ATE Ø 20.6
				- ABS; for right-hand drive vehicles		24.2120-2031.3	011188	ATE Ø 20.6
				- ABS; for left-hand drive vehicles; not for driving school cars		24.2120-2031.3	011188	ATE Ø 20.6
RENAULT - MEGANE E-TECH SUV 11/21→								
 Brake Pad Set, disc brake								
EV40 EV60	96 160	11/21→ 11/21→				13.0470-7374.2	LD7374	ATE + WK Ceramic
RENAULT - MEGANE Scénic (JA0/1_) 10/96→12/01								
 Brake Master Cylinder								
1.4 i	55	01/97→09/99		→ 09/98; - ABS		24.2120-2031.3	011188	ATE Ø 20.6
1.6 i	55	01/97→09/99						
1.6 e	66	10/96→10/99		11/96→ 09/98; - ABS; Manual Transmission		24.2120-2031.3	011188	ATE Ø 20.6
RENAULT - RAPID Box Body/MPV (F40_, G40_) 07/85→11/01								
 Brake Master Cylinder								
1.2	40	09/91→08/93		for left-hand drive vehicles		24.2120-2031.3	011188	ATE Ø 20.6
1.4	43 - 59	09/91→08/97						
1.4 RN	44	09/91→08/93						
1.9 D	40	09/94→03/98						
1.2	40	09/91→03/98		10/92→; for left-hand drive vehicles		24.2120-2031.3	011188	ATE Ø 20.6
						24.2120-2031.3	011188	ATE Ø 20.6
1.4	58	01/94→03/98		for left-hand drive vehicles		24.2120-2031.3	011188	ATE Ø 20.6
						24.2120-2031.3	011188	ATE Ø 20.6
				09/94→		24.2120-2031.3	011188	ATE Ø 20.6
1.4	55	09/91→03/98		for left-hand drive vehicles		24.2120-2031.3	011188	ATE Ø 20.6
						24.2120-2031.3	011188	ATE Ø 20.6
1.4 Cat	43	08/88→03/98		09/91→		24.2120-2031.3	011188	ATE Ø 20.6
1.6 D	40	03/86→08/98						
1.6 D Electric	40	09/93→04/95				24.2120-2031.3	011188	ATE Ø 20.6
	21	01/94→11/98						
1.9 D	47	09/91→03/98				24.2120-2031.3	011188	ATE Ø 20.6
				09/95→		24.2120-2031.3	011188	ATE Ø 20.6
RENAULT - SANDERO/STEPWAY I (BS_) 11/07→								
 Brake Drum								
1.4	55	02/09→07/13		- ABS		24.0220-3753.2	480222	Ø 234 Inner brake drum height [mm] 48 / 204.5 + RLG / - ABS Ring
1.6	62 - 82	12/07→12/15						
1.6 Flex	82	08/08→06/14						
1.4 LPG	53	02/09→12/12				24.0220-3753.2	480222	Ø 234 Inner brake drum height [mm] 48 / 204.5 + RLG / - ABS Ring
1.6	66	05/09→						
RENAULT - SANDERO/STEPWAY II (B8_) 11/13→								
 Brake Drum								
1.0 SCe 75	54	12/19→		- ABS; Inner brake drum diameter [inch]: 8		24.0220-3753.2	480222	Ø 234 Inner brake drum height [mm] 48 / 204.5 + RLG / - ABS Ring
1.5 dCi	66	01/17→						
TCe 90	66	09/15→						
→								

















	kW			 	! #		
RENAULT - SANDERO/STEPWAY II (B8_) 11/13→							
 Brake Drum							
1.2 16V	55	04/15→	➔	- ABS		24.0220-3753.2 480222	Ø 234 Inner brake drum height [mm] 48 / 204.5 + RLG / - ABS Ring
RENAULT - THALIA I (LB_) 02/98→02/09							
 Brake Master Cylinder							
1.2 16V 1.4	55 55 - 72	04/02→02/09 05/00→02/09		- ABS		24.2120-2031.3 011188	ATE Ø 20.6
1.4 16V 1.5 dCi	47 - 62	08/00→02/09 06/01→02/09					
1.6	82	01/04→12/08		- ABS; 04/08→		24.2120-2031.3 011188	ATE Ø 20.6
RENAULT - THALIA II (LU_) 09/08→06/14							
 Brake Master Cylinder							
1.2 16V 1.2 LPG 1.4 1.5 dCi	55 55 55 47 - 66	09/08→06/14 01/10→12/13 09/08→06/14 09/08→06/14		- ABS		24.2120-2031.3 011188	ATE Ø 20.6
RENAULT - THALIA III (L8_) 12/13→							
 Brake Drum							
0.9 TCe 1.2 16V 1.5 dCi	66 55 55 - 70	06/14→ 12/13→ 12/13→	➔	- ABS		24.0220-3753.2 480222	Ø 234 Inner brake drum height [mm] 48 / 204.5 + RLG / - ABS Ring
SEAT - ALHAMBRA (710, 711) 06/10→12/22							
 Brake Master Cylinder							
1.4 TSI 1.8 TSI 2.0 TDI 2.0 TDi 4Drive 2.0 TDI 4Drive 2.0 TSI	110 118 85 - 135 130 103 - 135 147 - 162	06/10→12/22 11/12→04/15 06/10→12/22 11/18→12/22 05/11→12/22 11/10→12/22		for left-hand drive vehicles		24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
SEAT - ALHAMBRA VAN (711) 06/10→06/23							
 Brake Master Cylinder							
TDI TDI 4Drive TSi	85 - 135 110 110	10/14→12/22 05/15→12/22 05/15→12/22		for left-hand drive vehicles		24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
SEAT - IBIZA I (21A) 06/84→12/93							
 Brake Master Cylinder							
0.9 1.2 i 1.7 D	29 52 42	08/90→05/93 01/89→05/93 08/90→05/93		→ 01/93		24.2120-2031.3 011188	ATE Ø 20.6
0.9	32	08/86→05/93		11/86→ 01/93		24.2120-2031.3 011188	ATE Ø 20.6
1.2 1.5 1.7 D	44 - 46 63 40	11/84→12/93 11/84→05/93 06/84→05/93		05/85→ 01/93		24.2120-2031.3 011188	ATE Ø 20.6
1.5 i 1.5 i Cat	65 - 74 66	10/86→05/93 10/86→05/93		04/88→ 01/93		24.2120-2031.3 011188	ATE Ø 20.6
SEAT - LEON (1P1) 05/05→12/13							
 Brake Hose							
1.2 TSI 1.6 LPG 1.6 MultiFuel 1.6 TDI	77 75 75 66 - 77	02/10→12/12 12/09→12/12 07/05→08/13 02/10→12/12	➔	→ 10/12; ☐		24.5147-0255.3 331845	L= 270
			➔	→ 10/12; ☐		24.5147-0256.3 331846	L= 265
1.4 16V 1.8 TSI 2.0 Cupra R 2.0 TDI 2.0 TDI 16V	63 118 195 125 103	06/06→12/12 06/07→12/12 09/09→12/12 05/06→12/12 07/05→12/12	➔	11/09→ 10/12; ☐		24.5147-0255.3 331845	L= 270
			➔	11/09→ 10/12; ☐		24.5147-0256.3 331846	L= 265












	kw					! #		
SEAT - LEON (1P1) 05/05→12/13								
 Brake Hose								
2.0 TFSI	155	06/09→12/12	➔	11/09→10/12; ☐			24.5147-0255.3 331845	L= 270
			➔	11/09→10/12; ☐			24.5147-0256.3 331846	L= 265
1.4 TSI	92	11/07→12/12	➔	12/09→10/12; ☐			24.5147-0255.3 331845	L= 270
			➔	12/09→10/12; ☐			24.5147-0256.3 331846	L= 265
1.9 TDI	66 - 77	07/05→12/10	➔	11/09→; ☐			24.5147-0255.3 331845	L= 270
2.0 FSI	110	07/05→05/10	➔	11/09→; ☐			24.5147-0256.3 331846	L= 265
2.0 TDI	100 - 103	07/05→10/10						
2.0 TFSI	177	11/06→05/11						
SEAT - MALAGA (23A) 11/84→12/93								
 Brake Master Cylinder								
1.2	44 - 47	11/84→12/93		09/85→12/92			24.2120-2031.3 011188	ATE Ø 20.6
1.5	63	05/85→12/93						
1.7 D	40	05/85→12/93						
1.2 i	52	12/89→12/93		→12/92			24.2120-2031.3 011188	ATE Ø 20.6
1.7 D	42	05/90→12/93						
1.5 i	74	01/87→12/93		09/87→12/92			24.2120-2031.3 011188	ATE Ø 20.6
1.5 i Cat	66	10/86→12/93						
SEAT - RONDA (22A) 06/82→11/88								
 Brake Master Cylinder								
1.2	44	10/84→12/86		→07/86			24.2120-2031.3 011188	ATE Ø 20.6
1.2	47	08/83→05/85					24.2120-2031.3 011188	ATE Ø 20.6
1.4	54	06/82→11/88		→07/86			24.2120-2031.3 011188	ATE Ø 20.6
				09/85→07/86			24.2120-2031.3 011188	ATE Ø 20.6
1.5	63	09/84→12/86		09/85→07/86			24.2120-2031.3 011188	ATE Ø 20.6
1.6	68	08/83→09/85		→08/85			24.2120-2031.3 011188	ATE Ø 20.6
1.7 Diesel	40 - 41	06/82→12/86		06/83→07/86			24.2120-2031.3 011188	ATE Ø 20.6
SEAT - TOLEDO I (1L2) 01/91→10/99								
 Brake Master Cylinder								
1.6 i	52 - 54	05/91→03/99		09/91→; →1L-ZD101450			24.2120-2031.3 011188	ATE Ø 20.6
1.6 i	55 - 74	01/93→03/99		→1L-ZD101450			24.2120-2031.3 011188	ATE Ø 20.6
SKODA - ELROQ (PYL) 11/24→								
 Brake Pad Set, disc brake								
50	125	11/24→	←	+PR 1LB			13.0480-5551.2 EP5551	CBI + WE / + WK + Zub
60	150	11/24→						
85	210	11/24→						
85x 4motion	220	11/24→						
 Brake Disc								
50	125	11/24→	←	+PR 1LB			24.0427-0107.1 ED27107	Ø 340 Brake Disc Thickness [mm] 27 Minimum thickness [mm] 25.5 Vented + S
60	150	11/24→						
85	210	11/24→						
85x 4motion	220	11/24→						
SKODA - ENYAQ iV Coupe (5AC) 07/21→								
 Brake Pad Set, disc brake								
60	132	07/21→	←	+PR 1LB			13.0480-5551.2 EP5551	CBI + WE / + WK + Zub
80	150	07/21→						
80X 4x4	195	07/21→						
85	210	10/23→						
85X All-wheel Drive	210	10/23→						
RS	220 - 250	07/21→						
 Brake Disc								
60	132	07/21→	←	+PR 1LB			24.0427-0107.1 ED27107	Ø 340 Brake Disc Thickness [mm] 27 Minimum thickness [mm] 25.5 Vented + S
80	150	07/21→						
80X 4x4	195	07/21→						
85	210	10/23→						
85X All-wheel Drive	210	10/23→						
RS	220 - 250	07/21→						

















	kw					! #		
SKODA - ENYAQ IV SUV (5AZ) 10/20→								
 Brake Pad Set, disc brake								
50	109 - 125	10/20→	←	+PR 1LB			13.0480-5551.2 EP5551	CBI + WE / + WK + Zub
60	132	10/20→						
80	150	10/20→						
80X 4x4	195	10/21→						
85	210	10/23→						
85X	210	10/23→						
RS	220 - 250	07/23→						
 Brake Disc								
50	109 - 125	10/20→	←	+PR 1LB			24.0427-0107.1 ED27107	∅ 340 Brake Disc Thickness [mm] 27 Minimum thickness [mm] 25.5 Vented + S
60	132	10/20→						
80	150	10/20→						
80X 4x4	195	10/21→						
85	210	10/23→						
85X	210	10/23→						
RS	220 - 250	07/23→						
SKODA - OCTAVIA II (1Z3) 02/04→06/13								
 Brake Hose								
1.2 TSI	77	02/10→06/13	→	→ 01/13; ☐			24.5147-0255.3 331845	L= 270
2.0 TDI	81	03/10→06/13	→	→ 01/13; ☐			24.5147-0256.3 331846	L= 265
1.4	59	06/04→04/13	→	11/09→ 01/13; ☐			24.5147-0255.3 331845	L= 270
1.4 TSI	90	11/08→06/13						
1.6	75	06/04→06/13	→	11/09→ 01/13; ☐			24.5147-0256.3 331846	L= 265
1.6 MultiFuel	75	01/08→06/13						
1.6 TDI	77	06/09→04/13						
1.8 TSI	112 - 118	06/07→06/13						
2.0 TDI 16V	103	02/04→04/13						
2.0 TFSI	147	10/05→02/13						
1.6 LPG	75	08/09→11/12	→	11/09→; ☐			24.5147-0255.3 331845	L= 270
1.9 TDI	77	06/04→12/10						
2.0 TDI	100 - 103	02/04→05/10	→	11/09→; ☐			24.5147-0256.3 331846	L= 265
2.0 TDI RS	125	04/06→02/13						
SKODA - OCTAVIA II Combi (1Z5) 02/04→06/13								
 Brake Hose								
1.2 TSI	77	02/10→04/13	→	→ 01/13; ☐			24.5147-0255.3 331845	L= 270
2.0 TDI	81	03/10→06/13	→	→ 01/13; ☐			24.5147-0256.3 331846	L= 265
2.0 TDI 16V 4x4	103	05/10→02/13						
2.0 TDI 4x4	81	05/11→02/13						
1.4	59	05/06→06/13	→	11/09→ 01/13; ☐			24.5147-0255.3 331845	L= 270
1.4 TSI	90	11/08→06/13						
1.6	75	09/04→06/13	→	11/09→ 01/13; ☐			24.5147-0256.3 331846	L= 265
1.6 MultiFuel	75	01/08→06/13						
1.6 TDI	77	06/09→04/13						
1.6 TDI 4x4	77	06/09→02/13						
1.8 TSI	112 - 118	06/07→06/13						
1.8 TSI 4x4	112 - 118	11/08→02/13						
2.0 TDI 16V	103	02/04→05/13						
2.0 TFSI	147	10/05→02/13						
1.6 LPG	75	08/09→11/12	→	11/09→; ☐			24.5147-0255.3 331845	L= 270
1.9 TDI	77	09/04→12/10						
1.9 TDI 4x4	77	11/04→12/10	→	11/09→; ☐			24.5147-0256.3 331846	L= 265
2.0 TDI	103	11/05→05/10						
2.0 TDI 16V	100	02/04→05/10						
2.0 TDI 4x4	103	07/06→05/10						
2.0 TDI RS	125	04/06→02/13						
SKODA - SUPERB II (3T4) 03/08→05/15								
 Brake Hose								
1.4 TSI	92	07/08→05/15	→	+PR 1KS; ☐			24.5147-0255.3 331845	L= 270
1.6 TDI	77	09/10→05/15						
1.8 TSI	112 - 118	03/08→05/15	→	+PR 1KS; ☐			24.5147-0256.3 331846	L= 265
1.8 TSI 4x4	112 - 118	11/08→05/15						
1.9 TDI	77	03/08→11/10						
2.0 TDI	103 - 125	03/08→05/15						
2.0 TDI 16V	103	01/09→05/15						














	kw			 	! #		
SKODA - SUPERB II (3T4) 03/08→05/15							
 Brake Hose							
2.0 TDI 16V 4x4	103	11/10→05/15	➡	+PR 1KS; 		24.5147-0255.3 331845	L= 270
2.0 TDI 4x4	125	09/08→05/15	➡	+PR 1KS; 		24.5147-0256.3 331846	L= 265
2.0 TFSI	147	05/10→05/15					
3.6 FSI 4x4	191	11/08→05/15					
SKODA - SUPERB II Estate (3T5) 10/09→05/15							
 Brake Hose							
1.4 TSI	92	10/09→05/15	➡	+PR 1KS; 		24.5147-0255.3 331845	L= 270
1.6 TDI	77	09/10→05/15	➡	+PR 1KS; 		24.5147-0256.3 331846	L= 265
1.8 TSI	112 -	10/09→05/15					
	118						
1.8 TSI 4x4	112 -	10/09→05/15					
	118						
1.9 TDI	77	10/09→11/10					
2.0 TDI	103 -	10/09→05/15					
	125						
2.0 TDI 16V	103	10/09→05/15					
2.0 TDI 16V 4x4	103	11/10→05/15					
2.0 TDI 4x4	125	10/09→05/15					
2.0 TFSI	147	05/10→05/15					
3.6 V6 4x4	191	10/09→05/15					
SKODA - YETI (5L) 05/09→12/17							
 Brake Hose							
1.2 TSI	77	09/09→05/15	➡	11/09→; 		24.5147-0255.3 331845	L= 270
1.8 TSI 4x4	118	05/09→12/17	➡	11/09→; 		24.5147-0256.3 331846	L= 265
2.0 TDI 4x4	103	05/09→12/17					
1.2 TSI	81	05/15→12/17	➡			24.5147-0255.3 331845	L= 270
1.4 TSI	90 -	06/10→12/17	➡			24.5147-0256.3 331846	L= 265
	92						
1.4 TSI 4x4	110	05/15→12/17					
1.6	81	04/14→12/17					
1.6 TDI	77	11/10→05/15					
1.8 TSI 4x4	112	11/09→12/17					
2.0 TDI	81 -	11/09→12/17					
	110						
2.0 TDI 4x4	81 -	11/09→12/17					
	125						
TALBOT - HORIZON 02/78→06/86							
 Brake Master Cylinder							
1.1	40 -	01/79→09/84		02/83→		24.2120-2031.3 011188	ATE Ø 20.6
	43						
1.3	40 -	09/78→06/86					
	43						
1.4	48 -	07/79→06/86					
	61						
1.6	66	07/82→06/86					
1.9 Diesel	48	07/82→06/86					
1.9 Diesel	47	07/84→06/86				24.2120-2031.3 011188	ATE Ø 20.6
TOYOTA - CAMRY (_V7_, _VA7_, _VH7_) 06/17→							
 Brake Disc							
2.0	127	12/21→	←	Vehicle type: G / N		24.0128-0336.1 428336	Ø 305 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 25 Vented
2.0 VVTi	123	10/18→					
2.5	131 -	08/17→					
	152						
2.5 Hybrid	153 -	08/17→					
	160						
2.5 VVTi Hybrid	155	05/22→					
2.0	110	10/17→	←			24.0128-0336.1 428336	Ø 305 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 25 Vented
2.5	133 -	08/17→					
	154						
3.5	183 -	08/17→					
	224						
3.5 AWD	224	05/20→					
3.5 XLE	228	12/17→					
TOYOTA - CAMRY (_VA8_, _VH8_, _V8_) 01/24→							
 Brake Disc							
2.5 Hybrid	160	01/24→	←			24.0128-0336.1 428336	Ø 305 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 25 Vented









	kw					! #		
TOYOTA - C-HR (_X1_) 10/16→								
 Brake Disc								
1.2 4WD	85 - 96	10/16→	→	05/18→		24.0111-0200.1	411200	Ø 292 Brake Disc Thickness [mm] 11 Minimum thickness [mm] 9.5
2.0 Hybrid	135	10/19→	→			24.0111-0200.1	411200	Ø 292 Brake Disc Thickness [mm] 11 Minimum thickness [mm] 9.5
TOYOTA - COROLLA CROSS (ZVG1_, ZSG1_, MXGH1_, MXGA1_) 07/20→								
 Brake Disc								
1.8 Hybrid 2.0 VVTi Hybrid 2.0 VVTi Hybrid AWD	103 144 144	02/23→ 08/22→ 08/22→	←			24.0128-0336.1	428336	Ø 305 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 25 Vented
TOYOTA - LAND CRUISER PRADO (_J12_) 09/02→12/10								
 Cable Pull, parking brake								
2.7 3.0 D-4D 3.4 4.0	112 - 120 150 136 179 - 203	09/02→02/10 08/06→07/09 09/02→07/05 09/02→08/10		<input type="checkbox"/>		24.3727-1979.2	581979	L= 2061
3.0 D 3.0 D-4D	70 - 98 120 - 127	09/02→02/10 09/02→12/10		for extended wheelbase; <input type="checkbox"/>		24.3727-1979.2	581979	L= 2061
4.0	183	12/02→12/10		for model code: GRJ120; <input type="checkbox"/>		24.3727-1979.2	581979	L= 2061
TOYOTA - RAV 4 V (_A5_, _H5_) 12/18→								
 Brake Disc								
2.0 2.0 AWD 2.0 VVTi 2.0 VVTi AWD 2.5 Hybrid AWD 2.5 VVTi 2.5 VVTi AWD	129 129 110 - 127 110 - 127 163 149 149 - 152	12/18→ 12/18→ 12/18→ 12/18→ 12/18→ 12/18→ 12/18→	←			24.0128-0336.1	428336	Ø 305 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 25 Vented
2.5 Hybrid	160	12/18→	←	+ RUS		24.0128-0336.1	428336	Ø 305 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 25 Vented
TOYOTA - RAV 4 V VAN (_A5_, _H5_) 12/18→								
 Brake Disc								
2.0 VVTi 2.0 VVTi AWD 2.5 Hybrid 2.5 Hybrid AWD	129 129 160 163	12/18→ 12/18→ 12/18→ 12/18→	←			24.0128-0336.1	428336	Ø 305 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 25 Vented
TOYOTA - YARIS (_P13_) 12/10→06/20								
 Cable Pull, parking brake								
1.0 1.3	51 63 - 73	12/10→06/20 12/10→03/17		Vehicle Production Country France; - ESP; Drum Brake; <input type="checkbox"/>		24.3727-1982.2	581982	L= 1693
1.3 4WD 1.5	70 80	12/10→01/20 12/10→01/20		Vehicle Production Country France; - ESP; Drum Brake; <input type="checkbox"/>		24.3727-1983.2	581983	L= 1615
				Vehicle Production Country France; + ESP; Disc Brake; <input type="checkbox"/>		24.3727-1984.2	581984	L= 1705
1.0 1.5 1.5 Hybrid	53 82 74	06/18→06/20 03/17→06/20 04/15→03/17		Drum Brake; <input type="checkbox"/>		24.3727-1982.2	581982	L= 1693
				Drum Brake; <input type="checkbox"/>		24.3727-1983.2	581983	L= 1615
				Disc Brake; <input type="checkbox"/>		24.3727-1984.2	581984	L= 1705
1.4 D	66	09/11→05/18		- ESP; Drum Brake; <input type="checkbox"/>		24.3727-1982.2	581982	L= 1693
				- ESP; Drum Brake; <input type="checkbox"/>		24.3727-1983.2	581983	L= 1615
				+ ESP; Disc Brake; <input type="checkbox"/>		24.3727-1984.2	581984	L= 1705
1.8 GRMN	156	09/17→06/20		<input type="checkbox"/>		24.3727-1984.2	581984	L= 1705
TOYOTA - YARIS (_P15_) 10/13→								
 Cable Pull, parking brake								
1.5	79 - 80	03/14→		Drum Brake; <input type="checkbox"/>		24.3727-1982.2	581982	L= 1693
				Drum Brake; <input type="checkbox"/>		24.3727-1983.2	581983	L= 1615
				Disc Brake; <input type="checkbox"/>		24.3727-1984.2	581984	L= 1705















	kw					! #		
TOYOTA - YARIS Hatchback Van (_P13_) 10/12→06/20								
 Cable Pull, parking brake								
1.0 VVTi 1.3 VVTi	51 73	07/14→06/20 10/12→03/17		Vehicle Production Country France; - ESP; Drum Brake; <input type="checkbox"/>		24.3727-1982.2	581982	L= 1693
				Vehicle Production Country France; - ESP; Drum Brake; <input type="checkbox"/>		24.3727-1983.2	581983	L= 1615
				Vehicle Production Country France; + ESP; Disc Brake; <input type="checkbox"/>		24.3727-1984.2	581984	L= 1705
1.0 VVTi 1.5 VVTi	53 82	06/18→06/20 03/17→06/20		Drum Brake; <input type="checkbox"/>		24.3727-1982.2	581982	L= 1693
				Drum Brake; <input type="checkbox"/>		24.3727-1983.2	581983	L= 1615
				Disc Brake; <input type="checkbox"/>		24.3727-1984.2	581984	L= 1705
1.4 D4d	66	07/14→05/18		for vehicles with drum brakes on the rear axle; for left-hand drive vehicles; <input type="checkbox"/>		24.3727-1982.2	581982	L= 1693
				for vehicles with drum brakes on the rear axle; for left-hand drive vehicles; <input type="checkbox"/>		24.3727-1983.2	581983	L= 1615
				for vehicles with disc brakes on the rear axle; for left-hand drive vehicles; <input type="checkbox"/>		24.3727-1984.2	581984	L= 1705
VAUXHALL - CORSA Mk V (F) 07/19→								
 Brake Pad Set, disc brake								
1.2 1.2 Turbo Hybrid 1.5 CORSA-e	55 - 96 100 75 100	07/19→ 01/24→ 07/19→ 07/19→		for brake disc diameter [mm]: 302; Orga 16213→		13.0460-3700.2 13.0470-3700.2	603700 LD3700	CBI - WE / - WK + Zub CBI - WE / - WK + Zub Ceramic
VAUXHALL - MOVANO Mk III (C) Chassis/Cab (U9) 12/21→								
 Cable Pull, parking brake								
2.2 D	103 - 121	12/21→10/23		for vehicles with track widening; <input type="checkbox"/>	2	24.3727-0361.2	580361	L= 1485
VAUXHALL - MOVANO Mk III (C) VAN (U9) 12/21→								
 Cable Pull, parking brake								
2.2 D Movano-e	88 - 132 100	12/21→ 12/21→10/23		for vehicles with track widening; <input type="checkbox"/>	2	24.3727-0361.2	580361	L= 1485
VOLVO - XC40 (536) 10/17→								
 Brake Disc								
B3 Mild-Hybrid B4 Mild-Hybrid B4 Mild-Hybrid AWD B5 Mild-Hybrid AWD D3 D3 AWD D3 Polestar D3 Polestar AWD D4 AWD D4 Polestar AWD T2 T3 T4 T4 AWD T4 Plug-in Hybrid T5 AWD T5 Plug-in Hybrid T5 Plug-in Hybrid Polestar Performance T5 Polestar AWD	130 145 145 183 - 184 110 110 118 118 140 147 95 110 - 120 140 140 155 182 - 183 193 143 183	01/22→ 09/19→ 09/19→ 09/19→12/23 09/18→09/21 09/18→09/21 12/19→12/21 12/19→12/21 10/17→09/21 01/19→09/21 06/19→ 03/18→12/22 09/18→12/21 09/18→ 06/20→ 10/17→12/22 06/19→ 06/19→ 10/17→09/19		Brake Size: 16"		24.0125-0238.1	425238	Ø 296 Brake Disc Thickness [mm] 25 Minimum thickness [mm] 22 Vented + S
VW - 181 09/69→11/83								
 Brake Master Cylinder								
1.5 1.6 1.6	32 35 32	09/69→07/70 03/73→02/79 08/70→07/73		for left-hand drive vehicles → 07/72; for left-hand drive vehicles 08/72→; for left-hand drive vehicles		24.2119-8711.3 24.2119-8711.3 24.2119-8711.3	011185 011185 011185	ATE Ø 19 ATE Ø 19 ATE Ø 19
VW - BEETLE 12/47→08/03								
 Brake Master Cylinder								
1200 1.2	25	01/60→12/85		08/81→		24.2119-8711.3	011185	ATE Ø 19




























	kw				! #		
VW - BEETLE (5C1, 5C2) 04/11→07/19							
 Brake Hose							
1.2 TSI	77	07/11→07/19	➔	Disc Brake; <input type="checkbox"/>		24.5147-0255.3 331845	L= 270
1.2 TSI 16V	77	12/14→07/19	➔	Disc Brake; <input type="checkbox"/>		24.5147-0256.3 331846	L= 265
1.4 TSI	118	10/11→07/16	➔	Disc Brake; <input type="checkbox"/>		24.5147-0256.3 331846	L= 265
1.4 TSI	110	12/14→07/19	➔	<input type="checkbox"/>		24.5147-0255.3 331845	L= 270
1.6 TDI	77	10/11→07/16	➔	<input type="checkbox"/>		24.5147-0256.3 331846	L= 265
2.0 TDI	103	04/11→07/16	➔	<input type="checkbox"/>		24.5147-0256.3 331846	L= 265
2.0 TFSI	147	04/11→07/16	➔	<input type="checkbox"/>		24.5147-0256.3 331846	L= 265
2.0 TSI	130 - 162	12/14→07/19	➔	<input type="checkbox"/>		24.5147-0256.3 331846	L= 265
2.5	125	04/11→07/19	➔	<input type="checkbox"/>		24.5147-0256.3 331846	L= 265
2.0 TDI	81	06/14→09/18	➔	12/14→; <input type="checkbox"/>		24.5147-0255.3 331845	L= 270
			➔	12/14→; <input type="checkbox"/>		24.5147-0256.3 331846	L= 265
2.0 TDI	110	07/14→09/18	➔	09/14→; <input type="checkbox"/>		24.5147-0255.3 331845	L= 270
			➔	09/14→; <input type="checkbox"/>		24.5147-0256.3 331846	L= 265
2.0 TSI	155	12/12→07/19	➔	05/13→; <input type="checkbox"/>		24.5147-0255.3 331845	L= 270
			➔	05/13→; <input type="checkbox"/>		24.5147-0256.3 331846	L= 265
VW - BEETLE Convertible (5C7, 5C8) 12/11→07/19							
 Brake Hose							
1.2 TSI	77	12/11→07/19	➔	11/12→; <input type="checkbox"/>		24.5147-0255.3 331845	L= 270
1.4 TSI	118	12/11→07/16	➔	11/12→; <input type="checkbox"/>		24.5147-0256.3 331846	L= 265
1.6 TDI	77	12/11→07/16	➔	11/12→; <input type="checkbox"/>		24.5147-0256.3 331846	L= 265
2.0 TDI	103	04/12→07/16	➔	<input type="checkbox"/>		24.5147-0256.3 331846	L= 265
2.0 TFSI	147	12/11→07/16	➔	<input type="checkbox"/>		24.5147-0256.3 331846	L= 265
1.2 TSI 16V	77	12/14→07/19	➔	<input type="checkbox"/>		24.5147-0255.3 331845	L= 270
1.4 TSI	110	12/14→09/18	➔	<input type="checkbox"/>		24.5147-0256.3 331846	L= 265
2.0 TDI	110	09/14→09/18	➔	<input type="checkbox"/>		24.5147-0256.3 331846	L= 265
2.0 TSI	162	12/14→09/18	➔	<input type="checkbox"/>		24.5147-0256.3 331846	L= 265
2.0 TDI	81	06/14→09/18	➔	12/14→; <input type="checkbox"/>		24.5147-0255.3 331845	L= 270
			➔	12/14→; <input type="checkbox"/>		24.5147-0256.3 331846	L= 265
2.0 TSI	155	12/12→07/19	➔	05/13→; <input type="checkbox"/>		24.5147-0255.3 331845	L= 270
			➔	05/13→; <input type="checkbox"/>		24.5147-0256.3 331846	L= 265
2.5	125	12/11→07/16	➔	12/12→; <input type="checkbox"/>		24.5147-0255.3 331845	L= 270
			➔	12/12→; <input type="checkbox"/>		24.5147-0256.3 331846	L= 265
VW - CC B6 (357) 02/08→06/12							
 Brake Master Cylinder							
1.4 TSI MultiFuel	118	01/11→01/12		→ 09/11; for left-hand drive vehicles;		24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
2.0 TDI 4motion	103 - 125	08/09→01/12		+PR 1LH / 1LK / 1ZM		24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
1.8 TSI	112	11/08→05/10		+PR 1LH / 1LK; for left-hand drive vehicles		24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
2.0 BlueTDI	105	05/09→11/10				24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
2.0 TDI	100 - 120	02/08→05/11				24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
3.6 FSI 4motion	220	02/08→12/11				24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
1.8 TSI	118	06/08→01/12		→ 09/11; for left-hand drive vehicles;		24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
2.0 TDI	103 - 125	06/08→01/12		+PR 1LH / 1LK		24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
2.0 TFSI	147	06/08→01/12				24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
2.0 TSI	155	11/10→01/12				24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
3.6 FSI 4motion	206	06/08→01/12				24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
VW - CC B7 (358) 11/11→10/17							
 Brake Master Cylinder							
1.4 TSI	110 - 118	11/11→12/16		for left-hand drive vehicles; +PR 1LA / 1LB / 1ZM		24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
1.4 TSI MultiFuel	118	11/11→12/16				24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
1.8 TSI	112 - 118	11/11→12/16				24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
2.0 TDI	100 - 135	11/11→12/16				24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
2.0 TDI 4motion	103 - 130	11/11→12/16				24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
2.0 TFSI	147	11/11→12/16				24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
2.0 TSI	155	11/11→12/16				24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
3.6 FSI 4motion	220	11/11→12/16				24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
VW - CRAFTER 30-35 Bus (2E_) 04/06→12/16							
 Wheel Speed Sensor							
2.0 TDI	80 - 120	05/11→12/16	➔	01/12→; +PR 0WC / 0WL; <input type="checkbox"/>		24.0710-2217.3 360730	L= 1943
→						24.0710-2217.3 360730	L= 1943













	kw					! #		
VW - CRAFTER 30-35 Bus (2E_) 04/06→12/16								
 Wheel Speed Sensor								
2.5 TDI	80 - 100	04/06→05/13	➡	01/12→; +PR 0WC / OWL; ☐			24.0710-2217.3 360730	L= 1943
2.0 TDI	84	11/13→12/16	➡	+PR 0WC / OWL; ☐			24.0710-2217.3 360730	L= 1943
 Cable Pull, parking brake								
2.0 TDI	80 - 100	05/11→12/16		07/11→; +PR 0WC / OWL; ☐	2	24.3727-3800.2 583800		L= 1666
2.0 TDI	84 - 120	07/11→12/16		+PR 0WC / OWL; ☐	2	24.3727-3800.2 583800		L= 1666
2.0 TDI 4motion	120	11/11→12/16						
2.5 TDI	65 - 120	04/06→05/13		07/11→; +PR 0WC / OWL; ☐	2	24.3727-3800.2 583800		L= 1666
				→ 06/11; Disc Brake; +PR 0WC / OWL; ☐	2	24.3727-3800.2 583800		L= 1666
VW - CRAFTER 30-50 Platform/Chassis (2F_) 04/06→12/16								
 Wheel Speed Sensor								
2.0 TDI	80 - 120	05/11→12/16	➡	01/12→; +PR 0WC / OWL; ☐			24.0710-2217.3 360730	L= 1943
2.5 TDI	80 - 100	04/06→05/13						
2.0 TDI	84 - 103	11/13→12/16	➡	+PR 0WC / OWL; ☐			24.0710-2217.3 360730	L= 1943
 Cable Pull, parking brake								
2.0 TDI	80 - 100	05/11→12/16		07/11→; +PR 0WC / OWL; ☐	2	24.3727-3800.2 583800		L= 1666
2.0 TDI	84 - 120	07/11→12/16		+PR 0WC / OWL; ☐	2	24.3727-3800.2 583800		L= 1666
2.0 TDI 4motion	120	11/11→12/16						
2.5 TDI	65 - 120	04/06→05/13		07/11→; +PR 0WC / OWL; ☐	2	24.3727-3800.2 583800		L= 1666
				→ 06/11; Disc Brake; +PR 0WC / OWL; ☐	2	24.3727-3800.2 583800		L= 1666
VW - CRAFTER 30-50 Van (2E_) 04/06→12/16								
 Wheel Speed Sensor								
2.0 TDI	80 - 120	05/11→12/16	➡	01/12→; +PR 0WC / OWL; ☐			24.0710-2217.3 360730	L= 1943
2.5 TDI	80 - 100	04/06→05/13						
2.0 TDI	84 - 103	11/13→12/16	➡	+PR 0WC / OWL; ☐			24.0710-2217.3 360730	L= 1943
 Cable Pull, parking brake								
2.0 TDI	80 - 100	05/11→12/16		07/11→; +PR 0WC / OWL; ☐	2	24.3727-3800.2 583800		L= 1666
2.0 TDI	84 - 120	07/11→12/16		+PR 0WC / OWL; ☐	2	24.3727-3800.2 583800		L= 1666
2.0 TDI 4motion	120	07/11→12/16		11/11→; +PR 0WC / OWL; ☐	2	24.3727-3800.2 583800		L= 1666
2.5 TDI	65 - 120	04/06→05/13		07/11→; +PR 0WC / OWL; ☐	2	24.3727-3800.2 583800		L= 1666
				→ 06/11; Disc Brake; +PR 0WC / OWL; ☐	2	24.3727-3800.2 583800		L= 1666
VW - DERBY (86) 02/77→09/81								
 Brake Master Cylinder								
1.1	37	02/77→09/81		..F-127904→; for left-hand drive vehicles; for vehicles with brake booster			24.2120-2031.3 011188	ATE Ø 20.6
1.3	43 - 44	02/77→09/81						
VW - DERBY (86C, 80) 08/81→12/84								
 Brake Master Cylinder								
1.0	29	10/81→12/84		..F-127904→; for left-hand drive vehicles; for vehicles with brake booster			24.2120-2031.3 011188	ATE Ø 20.6
1.1	37	10/81→07/83						
1.3	37 - 55	08/81→12/84						
VW - EOS (1F7, 1F8) 03/06→08/15								
 Brake Hose								
1.4 TSI	90 - 118	11/07→08/15	➡	+PR 1KS; ☐			24.5147-0255.3 331845	L= 270
1.6 FSI	85	06/06→05/08	➡	+PR 1KS; ☐			24.5147-0256.3 331846	L= 265
2.0 TDI	100 - 103	06/06→08/15						
→								














	kw					! #		
VW - EOS (1F7, 1F8) 03/06→08/15								
 Brake Hose								
2.0 TDI 16V	103	05/08→08/15	➡	+PR 1KS; ☐			24.5147-0255.3 331845	L= 270
2.0 TSI	155	11/09→08/15	➡	+PR 1KS; ☐			24.5147-0256.3 331846	L= 265
3.2 V6	184	06/06→05/09						
3.6 V6	191	05/09→11/10						
2.0 FSI	110	03/06→05/08	➡	05/06→; +PR 1KS; ☐			24.5147-0255.3 331845	L= 270
2.0 TFSI	147	03/06→08/15	➡	05/06→; +PR 1KS; ☐			24.5147-0256.3 331846	L= 265
VW - GOLF I Cabriolet (155) 01/79→08/93								
 Brake Master Cylinder								
1.6	53 - 55	08/79→04/92		15-E-011291→ 15-L-015000			24.2120-2031.3 011188	ATE Ø 20.6
1.8	66 - 82	08/82→04/93						
VW - GOLF II (19E, 1G1) 08/83→12/92								
 Brake Master Cylinder								
1.0	33 - 37	11/83→10/91		- ABS			24.2120-2031.3 011188	ATE Ø 20.6
1.3	37 - 43	08/83→12/87						
1.3 Cat	40	06/86→12/92						
1.6	51 - 55	08/83→12/92						
1.8 i Cat Syncro	66	08/87→10/91						
1.8 Syncro	66 - 72	02/86→07/91						
1.6 D	37 - 40	08/83→10/91		→ 07/89; - ABS			24.2120-2031.3 011188	ATE Ø 20.6
1.6 TD	51 - 59	08/83→10/91						
1.8	62 - 66	08/84→10/91						
1.8 i Cat	66	08/87→10/91						
1.8 GTI	77 - 79	01/85→10/87		→ 1G-KB075000; - ABS			24.2120-2031.3 011188	ATE Ø 20.6
1.8 GTI 16V	95 - 102	02/86→10/91		→ 1G-KW240000; - ABS			24.2120-2031.3 011188	ATE Ø 20.6
1.8 GTI Cat	79	01/87→10/91						
1.8 GTI	82	08/83→10/91		01/84→; → 1G-KB075000; - ABS			24.2120-2031.3 011188	ATE Ø 20.6
				01/84→; → 1G-KW240000; - ABS			24.2120-2031.3 011188	ATE Ø 20.6
1.8 GTI G60 Syncro	118	08/88→12/91		04/89→; - ABS			24.2120-2031.3 011188	ATE Ø 20.6
VW - GOLF II Van (19E, 1G1) 08/83→07/91								
 Brake Master Cylinder								
1.6 D	40	08/83→07/91		→ 07/89; - ABS			24.2120-2031.3 011188	ATE Ø 20.6
VW - GOLF IV (9B3) 03/06→								
 Brake Hose								
1.6	74	03/07→12/10	➡	11/09→; +PR 1KS / 1KT; ☐			24.5147-0255.3 331845	L= 270
1.6 Total Flex	74 - 77	03/07→06/14	➡	11/09→; +PR 1KS / 1KT; ☐			24.5147-0256.3 331846	L= 265
1.8 GTI	132	01/07→12/10						
2.0	85	01/07→12/10						
VW - GOLF VI (5K1) 10/08→12/14								
 Brake Hose								
1.2 TSI	63	05/10→11/12	➡	+PR 1KD; ☐			24.5147-0255.3 331845	L= 270
Blue E-Motion	65	12/10→11/13	➡	+PR 1KD; ☐			24.5147-0256.3 331846	L= 265
1.2 TSI	77	11/08→11/12	➡	11/09→; +PR 1KD; ☐			24.5147-0255.3 331845	L= 270
			➡	11/09→; +PR 1KD; ☐			24.5147-0256.3 331846	L= 265
1.4	59	10/08→11/12	➡	11/09→; +PR 1KS / 1KT; ☐			24.5147-0255.3 331845	L= 270
1.4 TSI	90 - 118	10/08→11/12	➡	11/09→; +PR 1KS / 1KT; ☐			24.5147-0256.3 331846	L= 265
1.6	75	10/08→11/12						
1.6 BiFuel	75	03/09→11/12						
1.6 MultiFuel	75	10/08→11/12						
1.6 TDI	66 - 77	02/09→11/12						
2.0 GTi	147 - 155	04/09→11/13						
2.0 TDI	81 - 125	10/08→05/13						
→								














	kw			 	! #		
VW - GOLF VI (5K1) 10/08→12/14							
 Brake Hose							
2.5	125	07/09→05/13	➡	11/09→; +PR 1KS / 1KT; ☐		24.5147-0255.3 331845	L= 270
			➡	11/09→; +PR 1KS / 1KT; ☐		24.5147-0256.3 331846	L= 265
1.8 TSI	118	06/09→01/11	➡	+PR 1KS / 1KT; ☐		24.5147-0255.3 331845	L= 270
2.0 GTi	173	05/11→11/12	➡	+PR 1KS / 1KT; ☐		24.5147-0256.3 331846	L= 265
2.0 R 4motion	188 - 199	11/09→11/13	➡	+PR 1KS; ☐		24.5147-0255.3 331845	L= 270
2.0 TFSI 4motion	191	09/11→11/13	➡	+PR 1KS; ☐		24.5147-0256.3 331846	L= 265
2.0 TDI 4motion	103	05/09→11/12	➡	11/09→; +PR 1KS; ☐		24.5147-0255.3 331845	L= 270
			➡	11/09→; +PR 1KS; ☐		24.5147-0256.3 331846	L= 265
VW - GOLF VI Convertible (517) 03/11→10/17							
 Brake Hose							
1.2 TSI	77	03/11→05/16	➡	06/11→; +PR 1KS / 1KT; ☐		24.5147-0255.3 331845	L= 270
1.4 TSI	118	03/11→05/16	➡			24.5147-0256.3 331846	L= 265
1.6 TDI	77	03/11→05/16	➡	06/11→; +PR 1KS / 1KT; ☐		24.5147-0256.3 331846	L= 265
1.2 TSI 16V	77	11/13→05/16	➡	+PR 1KS / 1KT; ☐		24.5147-0255.3 331845	L= 270
1.4 TSI	90 - 110	11/11→05/16	➡	+PR 1KS / 1KT; ☐		24.5147-0256.3 331846	L= 265
2.0 GTI	155	05/12→05/16					
2.0 R	195	01/13→05/16					
2.0 TDI	81 - 110	11/11→05/16					
2.0 TSI	162	11/13→05/16					
VW - GOLF VI Van (5K1) 10/08→11/12							
 Brake Hose							
1.2 TSi	63	05/10→11/12	➡	+PR 1KD; ☐		24.5147-0255.3 331845	L= 270
			➡	+PR 1KD; ☐		24.5147-0256.3 331846	L= 265
1.2 TSi	77	05/09→11/12	➡	11/09→; +PR 1KD; ☐		24.5147-0255.3 331845	L= 270
			➡	11/09→; +PR 1KD; ☐		24.5147-0256.3 331846	L= 265
1.4 TSi	118	10/08→11/12	➡	11/09→; +PR 1KS / 1KT; ☐		24.5147-0255.3 331845	L= 270
1.6 TDi	66 - 77	02/09→11/12	➡	11/09→; +PR 1KS / 1KT; ☐		24.5147-0256.3 331846	L= 265
2.0 GTi	155	02/09→11/12					
2.0 TDi	103	09/09→11/12					
TSi	90	10/08→11/12					
2.0 TDi	125	05/10→11/12	➡	+PR 1KS / 1KT; ☐		24.5147-0255.3 331845	L= 270
			➡	+PR 1KS / 1KT; ☐		24.5147-0256.3 331846	L= 265
2.0 TSi R 4motion	199	11/09→11/12	➡	+PR 1KS; ☐		24.5147-0255.3 331845	L= 270
			➡	+PR 1KS; ☐		24.5147-0256.3 331846	L= 265
VW - GOLF VI Variant (AJ5) 07/09→07/14							
 Brake Hose							
1.2 TSI	63	07/10→07/13	➡	→ 11/11; ☐		24.5147-0255.3 331845	L= 270
1.6 MultiFuel	75	07/10→07/13	➡			24.5147-0255.3 331845	L= 270
1.6 TDI	66	12/09→07/13	➡	12/11→; ☐		24.5147-0255.3 331845	L= 270
2.0 TDI	81	01/10→07/13	➡	→ 11/11; ☐		24.5147-0256.3 331846	L= 265
			➡	12/11→; ☐		24.5147-0256.3 331846	L= 265
1.2 TSI	77	07/09→07/13	➡	12/09→ 11/11; ☐		24.5147-0255.3 331845	L= 270
1.4	59	07/09→07/13	➡			24.5147-0255.3 331845	L= 270
1.4 TSI	90 - 118	07/09→07/13	➡	12/11→; ☐		24.5147-0255.3 331845	L= 270
			➡	12/09→ 11/11; ☐		24.5147-0256.3 331846	L= 265
1.6	75	07/09→07/13	➡			24.5147-0256.3 331846	L= 265
1.6 TDI	77	07/09→07/13	➡	12/11→; ☐		24.5147-0256.3 331846	L= 265
1.6 TDI 4motion	77	07/09→07/13					
2.0 TDI	100 - 103	07/09→07/13					
2.0 TFSI	147	07/09→07/13					
1.6 BiFuel	75	07/09→12/10	➡	☐		24.5147-0255.3 331845	L= 270
			➡	☐		24.5147-0256.3 331846	L= 265
VW - GOLF VAN VI Variant (AJ5) 07/09→05/14							
 Brake Hose							
1.2 TSi	77	09/09→05/14	➡	12/09→ 11/11; ☐		24.5147-0255.3 331845	L= 270
1.4 TSi	90 - 118	07/09→05/14	➡	12/11→; ☐		24.5147-0255.3 331845	L= 270
1.6 TDi	77	07/09→05/14	➡			24.5147-0256.3 331846	L= 265
2.0 TDi	103	07/09→05/14	➡	12/09→ 11/11; ☐		24.5147-0256.3 331846	L= 265
→							















	kW					! #		
VW - GOLF VAN VI Variant (AJ5) 07/09→05/14								
 Brake Hose								
1.2 TSi 1.4 TSi	77 90 - 118	09/09→05/14 07/09→05/14	➡	12/11→; ☐			24.5147-0256.3 331846	L= 265
1.6 TDi 2.0 TDi	77 103	07/09→05/14 07/09→05/14						
1.6 TDi	66	12/09→10/12	➡	→ 11/11; ☐			24.5147-0255.3 331845	L= 270
			➡	12/11→; ☐			24.5147-0255.3 331845	L= 270
			➡	→ 11/11; ☐			24.5147-0256.3 331846	L= 265
			➡	12/11→; ☐			24.5147-0256.3 331846	L= 265
VW - ID.3 (E11, E12) 11/19→								
 Brake Pad Set, disc brake								
1st GTX GTX Performance Pro Pro S Pure	150 210 240 107 - 170 150 - 170 93 - 125	11/19→ 06/24→ 08/24→ 11/20→ 11/21→ 03/20→	←	+PR 1LA			13.0480-5550.2 EP5550	CBI + WE / + WK + Zub
 Brake Disc								
1st GTX GTX Performance Pro Pro S Pure	150 210 240 107 - 170 150 - 170 93 - 125	11/19→ 06/24→ 08/24→ 11/20→ 11/21→ 03/20→	←	+PR 1LA			24.0423-0130.1 ED23130	330 Brake Disc Thickness [mm] 23 Minimum thickness [mm] 21.5 Vented + S
VW - ID.4 (E21) 05/20→								
 Brake Pad Set, disc brake								
GTX GTX 4motion Performance Pro PRO PRO 4motion Pure Pure Performance	220 250 150 128 195 - 210 210 109 125	05/21→ 10/23→ 05/20→ 11/21→ 07/22→ 09/23→ 01/21→ 01/21→	←	+PR 1LB / 1LF			13.0480-5551.2 EP5551	CBI + WE / + WK + Zub
 Brake Disc								
GTX GTX 4motion Performance Pro PRO PRO 4motion Pure Pure Performance	220 250 150 128 195 - 210 210 109 125	05/21→ 10/23→ 05/20→ 11/21→ 07/22→ 09/23→ 01/21→ 01/21→	←	+PR 1LB / 1LF			24.0427-0107.1 ED27107	340 Brake Disc Thickness [mm] 27 Minimum thickness [mm] 25.5 Vented + S
VW - ID.5 (E39) 07/21→								
 Brake Pad Set, disc brake								
GTX GTX 4motion Pro Pro Performance Pure	220 250 128 - 210 150 125	08/21→ 10/23→ 07/21→ 08/21→ 06/24→	←	+PR 1LB / 1LF			13.0480-5551.2 EP5551	CBI + WE / + WK + Zub
 Brake Disc								
GTX GTX 4motion Pro Pro Performance Pure	220 250 128 - 210 150 125	08/21→ 10/23→ 07/21→ 08/21→ 06/24→	←	+PR 1LB / 1LF			24.0427-0107.1 ED27107	340 Brake Disc Thickness [mm] 27 Minimum thickness [mm] 25.5 Vented + S














	kw					! #		
VW - ID.7 (ED2) 06/23→								
 Brake Disc								
GTX 4motion PRO PRO S	250 210 210	06/24→ 06/23→ 02/24→	←	+PR 1LB		24.0427-0107.1	ED27107	Ø 340 Brake Disc Thickness [mm] 27 Minimum thickness [mm] 25.5 Vented + S
VW - ID.7 Tourer (ED5) 02/24→								
 Brake Disc								
GTX 4motion PRO PRO S	250 210 210	06/24→ 02/24→ 02/24→	←	+PR 1LB		24.0427-0107.1	ED27107	Ø 340 Brake Disc Thickness [mm] 27 Minimum thickness [mm] 25.5 Vented + S
VW - JETTA II Sedan (19E, 1G2, 165) 08/83→12/92								
 Brake Master Cylinder								
1.3 1.3 Cat 1.6 1.8 1.8 Syncro	40 - 43 40 51 - 55 79 62 - 72	01/84→06/87 06/87→12/91 01/84→07/92 08/85→10/87 08/87→07/91		- ABS		24.2120-2031.3	011188	ATE Ø 20.6
1.6 D 1.6 TD 1.8 1.8 Cat	40 51 - 59 62 - 82 66 - 79	01/84→10/91 01/84→10/91 01/84→10/91 01/87→10/91		→ 07/89; - ABS		24.2120-2031.3	011188	ATE Ø 20.6
1.8 16V	95 - 102	08/86→10/91		→ 1G-KB075000; - ABS → 1G-KW240000; - ABS		24.2120-2031.3	011188	ATE Ø 20.6 ATE Ø 20.6
VW - JETTA IV (162, 163, AV3, AV2) 01/08→12/19								
 Brake Hose								
1.2 TSI 1.6 TDI 2.0 TDI 2.0 TFSI 2.5	77 77 103 147 125	10/10→12/17 04/10→07/15 07/10→12/17 12/10→07/14 04/10→12/17	→	12/11→; +PR 1KS / 1KT; Disc Brake; 		24.5147-0255.3	331845	L= 270
				04/11→ 11/11; Disc Brake; 		24.5147-0255.3	331845	L= 270
				12/11→; +PR 1KS / 1KT; Disc Brake; 		24.5147-0256.3	331846	L= 265
				04/11→ 11/11; Disc Brake; 		24.5147-0256.3	331846	L= 265
1.2 TSI 16V 1.6 1.6 MPi 2.0 TSI	77 63 - 81 66 155	08/14→12/17 12/11→04/18 09/15→04/18 12/12→12/17	→	+PR 1KS / 1KT; Disc Brake; 		24.5147-0255.3	331845	L= 270
				+PR 1KS / 1KT; Disc Brake; 		24.5147-0256.3	331846	L= 265
1.4 TSI 1.4 TSI Hybrid 2.0 TDI	90 - 118 125 81	04/11→12/17 04/11→12/17 10/10→12/17	→	→ 11/11; Disc Brake; 		24.5147-0255.3	331845	L= 270
				12/11→; +PR 1KS / 1KT; Disc Brake; 		24.5147-0255.3	331845	L= 270
				→ 11/11; Disc Brake; 		24.5147-0256.3	331846	L= 265
				12/11→; +PR 1KS / 1KT; Disc Brake; 		24.5147-0256.3	331846	L= 265
2.0	85	06/10→12/17	→	→ 11/11; Disc Brake; 		24.5147-0255.3	331845	L= 270
				+PR 1KS / 1KT; Disc Brake; 		24.5147-0255.3	331845	L= 270
				→ 11/11; Disc Brake; 		24.5147-0256.3	331846	L= 265
				+PR 1KS / 1KT; Disc Brake; 		24.5147-0256.3	331846	L= 265
VW - MULTIVAN T7 (STM, STN) 08/21→								
 Brake Pad Set, disc brake								
1.4 eHybrid 1.5 TSi 2.0 TDI 2.0 TSi	160 100 110 150	08/21→05/24 09/21→05/24 03/22→ 10/21→	←	+PR 1LA		13.0460-3704.2 13.0470-3704.2	603704 LD3704	CBI + WE / + WK + Zub CBI + WE / + WK + Zub Ceramic
VW - PASSAT ALLTRACK B7 Variant (365) 01/12→12/14								
 Brake Master Cylinder								
1.8 TSI 2.0 TDI 2.0 TDI 4motion 2.0 TSI 4motion	112 - 118 103 103 - 130 155	01/12→12/14 01/12→12/14 01/12→12/14 01/12→12/14		+PR 1LA / 1LB / 1ZM; for left-hand drive vehicles		24.4123-1740.3	011137	ATE Ø 23.8 without brake fluid reservoir
















	kw					! #		
VW - PASSAT B6 Sedan (3C2) 03/05→04/11								
 Brake Master Cylinder								
1.4 TSI 1.8 TSI	90 118	05/07→07/10 05/07→07/10		10/07→; for left-hand drive vehicles; +PR 1LJ / 1LK / 1LH / 1LM			24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
1.4 TSI EcoFuel 1.6 1.6 FSI 1.6 TDI 1.8 TSI 1.9 TDI 2.0 BlueTDI 2.0 FSI 2.0 FSI 4motion 2.0 TDI 2.0 TDI 16V 2.0 TDI 16V 4motion 2.0 TDI 4motion 2.0 TFSI 3.2 FSI 4motion 3.6 R36 4motion	110 75 85 77 112 77 105 110 - 125 110 81 - 125 103 103 103 - 125 147 184 220	01/09→07/10 05/05→07/10 03/05→06/08 08/09→07/10 11/09→07/10 03/05→07/10 01/09→11/10 03/05→07/10 09/05→07/10 03/05→11/10 03/05→07/10 03/05→08/10 03/05→07/10 07/05→07/10 11/05→07/10 04/07→07/10		for left-hand drive vehicles; +PR 1LJ / 1LK / 1LH / 1LM			24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
VW - PASSAT B6 Variant (3C5) 08/05→11/11								
 Brake Master Cylinder								
1.4 TSI 1.8 TSI	90 118	05/07→11/10 05/07→10/11		10/07→; for left-hand drive vehicles; +PR 1LJ / 1LK / 1LH / 1LM			24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
1.4 TSI EcoFuel 1.6 1.6 FSI 1.6 TDI 1.8 TSI 1.9 TDI 2.0 BlueTDI 2.0 FSI 2.0 FSI 4motion 2.0 TDI 2.0 TDI 16V 2.0 TDI 4motion 2.0 TFSI 3.2 FSI 4motion 3.6 R36 4motion	110 75 85 77 112 77 105 110 110 81 - 125 103 125 147 184 220	01/09→11/10 08/05→11/10 08/05→06/08 08/09→11/10 11/09→11/10 08/05→11/10 01/09→11/10 08/05→11/10 09/05→11/10 08/05→11/10 05/09→11/10 08/05→11/10 11/05→11/10 04/07→11/10		+PR 1LJ / 1LK / 1LH / 1LM; for left-hand drive vehicles			24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
2.0 TDI 16V 4motion 2.0 TDI 4motion	103 103	08/05→11/10 08/05→05/09		09/05→; +PR 1LJ / 1LK / 1LH / 1LM; for left-hand drive vehicles			24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
VW - PASSAT B7 (362) 08/10→04/16								
 Brake Master Cylinder								
1.4 TSI 1.4 TSI EcoFuel 1.4 TSI MultiFuel 1.6 TDI 1.8 TSI 2.0 TDI 2.0 TDI 4motion 2.0 TSI 3.6 FSI 4motion	90 - 118 110 118 77 112 - 118 100 - 130 103 - 130 155 220	08/10→12/14 08/10→12/14 11/10→12/14 08/10→12/14 08/10→12/14 08/10→12/14 08/10→12/14 11/10→12/14 01/11→12/14		→ 10/14; +PR 1LA / 1LB / 1ZM; for left-hand drive vehicles			24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
2.0 TDI 4motion	125	08/10→01/13		+PR 1LA / 1LB / 1ZM; for left-hand drive vehicles			24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
VW - PASSAT B7 (A32, A33) 01/11→12/20								
 Brake Master Cylinder								
2.0 TDI 2.5	103 125	04/11→06/15 01/11→12/20		→ 10/14; +PR 1LA / 1LB / 1ZM; for left-hand drive vehicles			24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
2.0 TDI	110	06/14→12/15		+PR 1LA / 1LB / 1ZM; for left-hand drive vehicles			24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
VW - PASSAT B7 Estate Van (365) 08/10→12/14								
 Brake Master Cylinder								
1.4 TSI 1.6 TDI 1.8 TSI	90 77 112 - 118	08/10→12/14 08/10→12/14 08/10→12/14		→ 10/14; for left-hand drive vehicles; +PR 1LA / 1LB / 1ZM			24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
→								

	kw					! #		
VW - PASSAT B7 Estate Van (365) 08/10→12/14								
 Brake Master Cylinder								
2.0 TDI	100 - 130	08/10→12/14			→ 10/14; for left-hand drive vehicles; +PR 1LA / 1LB / 1ZM		24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
2.0 TSI	155	11/10→12/14						
3.6 FSi 4motion	220	01/11→12/14						
2.0 TDI	125	08/10→12/14			+PR 1LA / 1LB / 1ZM; for left-hand drive vehicles		24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
VW - PASSAT B7 Variant (365) 08/10→12/15								
 Brake Master Cylinder								
1.4 TSI	90 - 118	08/10→12/14			→ 10/14; +PR 1LA / 1LB / 1ZM; for left-hand drive vehicles		24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
1.4 TSI EcoFuel	110	08/10→12/14						
1.4 TSI MultiFuel	118	11/10→12/14						
1.6 TDI	77	08/10→12/14						
1.8 TSI	112 - 118	08/10→12/14						
2.0 TDI	100 - 130	08/10→12/14						
2.0 TDI 4motion	103 - 130	08/10→12/14						
2.0 TSI	155	11/10→12/15						
3.6 FSi 4motion	220	01/11→12/14						
2.0 TDI 4motion	125	08/10→01/13			+PR 1LA / 1LB / 1ZM; for left-hand drive vehicles		24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
VW - POLO II (86C, 80) 10/81→09/94								
 Brake Master Cylinder								
1.0	29 - 33	10/81→01/92			..-F-127904→; for left-hand drive vehicles; for vehicles with brake booster		24.2120-2031.3 011188	ATE Ø 20.6
1.0 Cat	33	08/89→09/94						
1.3	37 - 55	10/81→09/89			..-F-127904→; for left-hand drive vehicles		24.2120-2031.3 011188	ATE Ø 20.6
1.3 Cat	40 - 55	07/87→09/94						
1.3 D	33	08/86→07/90			for left-hand drive vehicles		24.2120-2031.3 011188	ATE Ø 20.6
1.4 D	35	10/90→09/94						
VW - POLO CLASSIC (86C, 80) 01/85→09/94								
 Brake Master Cylinder								
1.0	29	01/85→10/86			..-F-127904→; for left-hand drive vehicles; for vehicles with brake booster		24.2120-2031.3 011188	ATE Ø 20.6
1.3	40	01/85→07/87						
1.0	33	01/85→09/94			..-F-127904→; → 12/88; for left-hand drive vehicles; for vehicles with brake booster		24.2120-2031.3 011188	ATE Ø 20.6
1.3 Cat	40	07/87→09/94			..-F-127904→; for left-hand drive vehicles		24.2120-2031.3 011188	ATE Ø 20.6
1.3 D	33	08/86→12/88			for left-hand drive vehicles		24.2120-2031.3 011188	ATE Ø 20.6
1.4 D	35	10/90→09/94						
VW - POLO Coupe (86C, 80) 10/81→09/94								
 Brake Master Cylinder								
1.0	29 - 33	05/82→01/92			..-F-127904→; for left-hand drive vehicles; for vehicles with brake booster		24.2120-2031.3 011188	ATE Ø 20.6
1.0 Cat	33	08/89→09/94						
1.3	40 - 57	10/81→09/94			..-F-127904→; for left-hand drive vehicles		24.2120-2031.3 011188	ATE Ø 20.6
1.3 Cat	40 - 55	07/87→09/94						
1.3 D	33	08/86→08/90			for left-hand drive vehicles		24.2120-2031.3 011188	ATE Ø 20.6
1.3 G40	83 - 85	01/87→09/94						
1.4 D	35	08/90→09/94						
VW - POLO Hatchback Van (86CF) 08/92→07/94								
 Brake Master Cylinder								
1.0	33	08/92→07/94			..-F-127904→; for left-hand drive vehicles; for vehicles with brake booster		24.2120-2031.3 011188	ATE Ø 20.6
1.3	40	08/92→07/94			..-F-127904→; for left-hand drive vehicles		24.2120-2031.3 011188	ATE Ø 20.6
1.4 D	35	08/92→07/94			for left-hand drive vehicles		24.2120-2031.3 011188	ATE Ø 20.6

	kW					! #		
VW - SCIROCCO (53B) 08/80→07/92								
 Brake Master Cylinder								
1.3	40 - 44	08/80→07/84		53-E-022075→; for left-hand drive vehicles			24.2120-2031.3 011188	ATE Ø 20.6
1.6	51 - 81	08/80→07/90		53-E-022075→ 53-L-010000; for left-hand drive vehicles			24.2120-2031.3 011188	ATE Ø 20.6
1.8	66 - 82	08/82→07/92						
VW - SCIROCCO III (137, 138) 05/08→01/18								
 Brake Hose								
1.4 TSI	90 - 118	05/08→11/17	➡	11/09→; +PR 1KS / 1KT; ☐			24.5147-0255.3 331845	L= 270
2.0 TDI	103 - 125	08/08→11/17	➡	11/09→; +PR 1KS / 1KT; ☐			24.5147-0256.3 331846	L= 265
2.0 TFSI	147	05/08→11/09						
1.4 TSI	92 - 110	11/13→11/17	➡	+PR 1KS / 1KT; ☐			24.5147-0255.3 331845	L= 270
2.0 R	188 - 206	11/09→11/17	➡	+PR 1KS / 1KT; ☐			24.5147-0256.3 331846	L= 265
2.0 TDI	100 - 135	11/10→11/17						
2.0 TSI	132 - 162	11/09→11/17						
VW - SCIROCCO Van (137) 06/08→05/14								
 Brake Hose								
1.4 TSi	90 - 118	06/08→05/14	➡	11/09→; +PR 1KS / 1KT; ☐			24.5147-0255.3 331845	L= 270
2.0 TDi	103 - 125	08/08→05/14	➡	11/09→; +PR 1KS / 1KT; ☐			24.5147-0256.3 331846	L= 265
2.0 TFSi	155	11/09→05/14	➡	+PR 1KS / 1KT; ☐			24.5147-0255.3 331845	L= 270
			➡	+PR 1KS / 1KT; ☐			24.5147-0256.3 331846	L= 265
VW - SHARAN (7N1, 7N2) 05/10→11/22								
 Brake Master Cylinder								
1.4 TSI	110	05/10→11/15		07/10→; for left-hand drive vehicles			24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
2.0 TDI	100 - 103	05/10→11/15						
1.4 TSI	110	05/15→11/22		for left-hand drive vehicles			24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
2.0 TDI	85 - 135	05/10→06/22						
2.0 TDI 4motion	103 - 135	05/11→10/20						
2.0 TFSI	147	12/10→11/15						
2.0 TSI	162	05/15→12/20						
VW - SHARAN Box Body/MPV (7N1, 7N2) 05/10→								
 Brake Master Cylinder								
1.4 TSI	110	05/10→11/15		07/10→; for left-hand drive vehicles			24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
2.0 TDI	100 - 103	05/10→11/15						
2.0 TDI	85 - 125	08/10→11/15		for left-hand drive vehicles			24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
2.0 TSI	147	12/10→11/15						
VW - TIGUAN (5N_) 09/07→07/18								
 Brake Master Cylinder								
1.4 TSI	90 - 118	05/08→07/18		for left-hand drive vehicles			24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
1.4 TSI 4motion	110 - 118	09/07→07/18						
2.0 TDI	81 - 110	03/08→07/18						
2.0 TDI 4motion	100 - 135	09/07→07/18						
2.0 TFSI	147	11/07→07/18						
2.0 TFSI 4motion	125	09/07→07/18						
2.0 TSI 4motion	132 - 155	05/11→07/18						
2.0 TDI 4motion	125	09/07→07/18		01/08→; for left-hand drive vehicles			24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
2.0 TFSI 4motion	147	09/07→07/18		02/08→; for left-hand drive vehicles			24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir

	kw					! #		
VW - TIGUAN VAN (5N_) 09/07→07/18								
 Brake Master Cylinder								
1.4 TSI	90 - 118	05/08→07/18			for left-hand drive vehicles		24.4123-1740.3 011137	ATE Ø 23.8 without brake fluid reservoir
1.4 TSI 4motion	118	09/12→07/18						
2.0 TDI	81 - 103	11/09→07/18						
2.0 TDI 4motion	103 - 130	11/07→07/18						
2.0 TSI 4motion	125 - 155	11/09→07/18						
VW - TOURAN (1T1, 1T2) 02/03→01/11								
 Brake Hose								
1.4 TSI	103 - 125	02/06→05/10	➔		11/09→; ☐		24.5147-0255.3 331845	L= 270
1.4 TSI EcoFuel	110	05/09→05/10	➔		11/09→; ☐		24.5147-0256.3 331846	L= 265
1.6	75	07/03→05/10						
1.6 BiFuel	75	11/06→05/10						
1.9 TDI	66 - 77	08/03→05/10						
2.0 TDI	100 - 125	02/03→05/10						
2.0 TDI 16V	103	08/03→05/10						
VW - TOURAN (1T3) 05/10→09/16								
 Brake Hose								
1.2 TSI	77	05/10→05/15	➔		☐		24.5147-0255.3 331845	L= 270
1.4 TSI	103 - 125	05/10→05/15	➔		☐		24.5147-0256.3 331846	L= 265
1.4 TSI EcoFuel	110	05/10→05/15						
1.6 TDI	66 - 77	05/10→05/15						
2.0 TDI	81 - 130	05/10→05/15						
VW - TOURAN Box Body/MPV (1T1, 1T2) 02/03→05/10								
 Brake Hose								
1.9 TDI	66	11/04→05/10	➔		11/09→; ☐		24.5147-0255.3 331845	L= 270
2.0 TDi	103	08/03→05/10						
2.0 TDI	100	02/03→05/10	➔		11/09→; ☐		24.5147-0256.3 331846	L= 265
VW - TOURAN Box Body/MPV (1T3) 05/10→05/15								
 Brake Hose								
1.2 TSI	77	05/10→05/15	➔		☐		24.5147-0255.3 331845	L= 270
1.4 TSI	103 - 125	05/10→05/15	➔		☐		24.5147-0256.3 331846	L= 265
1.4 TSi EcoFuel	110	05/10→05/15						
1.6 TDI	66 - 77	05/10→05/15						
2.0 TDi	125	05/10→01/13						
2.0 TDI	103	05/10→05/15						
VW - TRANSPORTER / CARAVELLE T3 Bus (25_) 05/79→12/03								
 Brake Master Cylinder								
1.6	37	05/79→12/82			07/79→; - ABS; for vehicles with brake booster		24.2123-0271.3 011189	ATE Ø 23.8
1.6 D	37	01/81→07/87			- ABS; for vehicles with brake booster		24.2123-0271.3 011189	ATE Ø 23.8
1.6 TD	51	08/84→07/92						
1.7 D	42	10/86→07/92						
1.9	44 - 66	08/82→07/92						
2.0	51	05/79→12/82						
2.1	64 - 70	08/85→07/92						
2.1 Cat	70	06/89→07/92						
2.1 i	68	07/89→07/92						
1.6 TD Syncro	51	03/86→07/92			- ABS		24.2123-0271.3 011189	ATE Ø 23.8
1.9 Syncro	57	02/85→07/92						
2.1 Syncro	64 - 82	08/85→07/92						
2.1	82	08/84→07/92			08/85→; - ABS; for vehicles with brake booster		24.2123-0271.3 011189	ATE Ø 23.8
VW - TRANSPORTER / CARAVELLE T5 Bus (7HB, 7HJ, 7EB, 7EJ) 04/03→03/16								
 Cable Pull, parking brake								
1.9 TDI	62 - 77	04/03→11/09			+PR G0C / G0K / G1A / 0E1; ☐	1	24.3727-3425.2 583425	L= 1430

	kW			 	! #		
VW - TRANSPORTER / CARAVELLE T5 Bus (7HB, 7HJ, 7EB, 7EJ) 04/03→03/16							
 Cable Pull, parking brake							
2.0	85	11/03→08/15		+PR G0C / G0K / G1A / 0E1; 	1	24.3727-3425.2 583425	L= 1430
2.0 BiTDI	132	09/09→08/15					
2.0 BiTDI 4motion	132	09/09→08/15					
2.0 CNG	85	01/06→08/15					
2.0 TDI	62 -	09/09→08/15					
	103						
2.0 TDI 4motion	100 -	09/09→08/15					
	103						
2.0 TSI	110 -	05/11→08/15					
	150						
2.0 TSI 4motion	150	07/11→08/15					
2.5 TDi	120	11/03→11/09					
2.5 TDI	96 -	04/03→11/09					
	128						
2.5 TDI 4motion	96 -	07/04→11/09					
	128						
3.2 V6 4motion	173	11/03→12/09					
VR6 3.2	173	02/04→11/09					
VW - TRANSPORTER / KOMBI T3 Van (24_, 25_) 05/79→12/92							
 Brake Master Cylinder							
1.6	37	05/79→12/82		07/79→; - ABS; for vehicles with brake booster		24.2123-0271.3 011189	ATE Ø 23.8
1.6 D	37	01/81→07/87		- ABS; for vehicles with brake booster		24.2123-0271.3 011189	ATE Ø 23.8
1.6 TD	51	10/84→07/92					
1.7 D	42	08/84→07/92					
1.9	44 -	10/82→07/92					
	66						
2.0	51	05/79→04/86					
2.1	70 -	08/85→07/92					
	82						
2.1 i	68	07/89→07/92					
1.6 TD Syncro	51	03/86→07/92		- ABS		24.2123-0271.3 011189	ATE Ø 23.8
1.9 Syncro	57	11/84→07/92					
2.1 Syncro	70 -	08/85→07/92					
	82						
VW - TRANSPORTER / KOMBI T5 Van (7HA, 7HH, 7EA, 7EH) 04/03→							
 Cable Pull, parking brake							
1.9 TDI	62 -	04/03→11/09		+PR G0C / G0K / G1A / 0E1; 	1	24.3727-3425.2 583425	L= 1430
	77						
2.0	85	11/03→08/15					
2.0 BiFuel	85	06/07→08/15					
2.0 BiTDI	132	09/09→08/15					
2.0 BiTDI 4motion	132	09/09→08/15					
2.0 TDI	62 -	09/09→08/15					
	103						
2.0 TDI 4motion	100 -	09/09→08/15					
	103						
2.0 TSI	110 -	05/11→08/15					
	150						
2.0 TSI 4motion	150	07/11→08/15					
2.5 TDI	96 -	04/03→11/09					
	128						
2.5 TDI 4motion	96 -	07/04→11/09					
	128						
VR6 3.2	173	02/04→11/09					
VR6 3.2 4motion	173	11/03→11/09					
VW - TRANSPORTER T3 Platform/Chassis (24_) 05/79→12/92							
 Brake Master Cylinder							
1.6 D	37	01/81→07/87		- ABS; for vehicles with brake booster		24.2123-0271.3 011189	ATE Ø 23.8
1.6 TD	51	10/84→07/92					
1.7 D	42	08/85→07/92					
1.9	44 -	08/82→07/92					
	61						
2.0	51	05/79→04/86					
2.1	70 -	08/85→07/92					
	82						
2.1 i	68	07/89→07/92					
1.6 TD Syncro	51	03/86→07/92		- ABS		24.2123-0271.3 011189	ATE Ø 23.8
1.9 Syncro	57	12/84→07/92					
2.1 Syncro	70 -	08/85→07/92					
	82						


















	kW			 	! #		
VW - TRANSPORTER T5 Platform/Chassis (7JD, 7JE, 7JL, 7JY, 7JZ, 7F 04/03→03/16)							
 Cable Pull, parking brake							
1.9 TDI	62 - 77	04/03→11/09		+PR G0C / G0K / G1A / 0E1; 	1	24.3727-3425.2 583425	L= 1430
2.0	85	11/03→05/13					
2.0 BiTDI	132	09/09→08/15					
2.0 BiTDI 4motion	132	09/09→08/15					
2.0 CNG	85	11/03→05/11					
2.0 TDI	62 - 103	09/09→08/15					
2.0 TDI 4motion	100 - 103	09/09→08/15					
2.0 TSI	110	07/12→08/15					
2.5 TDI	96 - 128	04/03→11/09					
2.5 TDI 4motion	96 - 128	04/04→11/09					
VR6 3.2	173	08/03→11/09					
VW - TRANSPORTER T6 / CARAVELLE T6 Bus (SGB, SGJ, SHB, SHJ) 04/15→08/24							
 Cable Pull, parking brake							
2.0 TDI	62 - 150	04/15→08/24		+PR G0C / G0K / G1A / 0E1; 	1	24.3727-3425.2 583425	L= 1430
2.0 TDI 4motion	103 - 150	06/15→08/24					
2.0 TSI	110 - 150	04/15→07/19					
2.0 TSI 4motion	150	06/15→07/19					
VW - TRANSPORTER T6 Platform/Chassis (SFD, SFE, SFL, SFZ, SJD, SJ 04/15→08/24)							
 Cable Pull, parking brake							
2.0 TDI	62 - 150	04/15→08/24		+PR G0C / G0K / G1A / 0E1; 	1	24.3727-3425.2 583425	L= 1430
2.0 TDI 4motion	103 - 150	06/15→08/24					
2.0 TSI	110	04/15→06/19					
VW - TRANSPORTER T6 Van (SGA, SGH, SHA, SHH) 04/15→08/24							
 Cable Pull, parking brake							
2.0 TDI	62 - 150	04/15→08/24		+PR G0C / G0K / G1A / 0E1; 	1	24.3727-3425.2 583425	L= 1430
2.0 TDI 4motion	103 - 150	06/15→08/24					
2.0 TSI	110 - 150	04/15→07/19					
2.0 TSI 4motion	150	06/15→07/19					



- EN** Technical translations
- DE** Technische Übersetzungen
- ES** Traducciones técnicas
- FR** Traductions techniques
- IT** Traduzioni tecniche

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

EN		EN	
	Brake Master Cylinder	+ S	with bolts/screws
		+ WE	prepared for wear warning indicator
	Brake Hose	+ WK	incl. wear warning contact with acoustic wear warning
	Cable Pull, parking brake	+ Zub	with accessories
		16"	16"
	Brake Caliper	18"	18"
		20"	20"
	Brake Drum	2021	2021
		5	5
	Brake Pad Set, disc brake	- ABS	for vehicles without ABS
		- ABS Ring	without ABS sensor ring
	Brake Disc	Article number of recommended accessories	Article number of recommended accessories
	Wheel Speed Sensor	at master cylinder	at master cylinder
	Rear	Automatic Transmission	Automatic Transmission
	Rear Axle Left	B	Coated
	Rear Axle Right	B1=	Width 1 [mm]
		B2=	Width 2 [mm]
	Left Rear	Bolt Hole Circle Ø [mm]	Bolt Hole Circle Ø [mm]
	Centre	Bore Diameter [mm]	Bore Diameter [mm]
	Right Rear	Brake Disc Thickness [mm]	Brake Disc Thickness [mm]
	Front	Brake Size	Brake Size
	Front Axle Left	BRE	Brake System, Brembo
	Front Axle Right	Centering Diameter [mm]	Centering Diameter [mm]
/	max. brake drum reboring dimension [mm]	Czech Republic	Czech Republic
+ ABS	for vehicles with ABS	Disc Brake	Disc Brake
+ ESP	for vehicles with ESP	Drum Brake	Drum Brake
+PR	for PR number	- eFSB	for vehicles without electric parking brake
+ RLG	with wheel bearing		
+ RUS	Russia		

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

EN		EN	
- ESP	for vehicles without ESP	for vehicles without four wheel steering	for vehicles without four wheel steering
Exchange Part	Exchange Part	for vehicles without M-sport brakes	for vehicles without M-sport brakes
Flange Hole Diameter [mm]	Flange Hole Diameter [mm]	for vehicles with track widening	for vehicles with track widening
for brake disc diameter [mm]	for brake disc diameter [mm]	France	France
for DAM number from →	for DAM number from →	HC	High-carbon
for extended wheelbase	for extended wheelbase	HC L	Alloyed/High-carbon
for left-hand drive vehicles	for left-hand drive vehicles	Height [mm]	Height [mm]
for model code	for model code	Height 1 [mm]	Height 1 [mm]
for OE number	for OE number	Height 2 [mm]	Height 2 [mm]
for right-hand drive vehicles	for right-hand drive vehicles	Inner brake drum diameter [inch]	Inner brake drum diameter [inch]
for type code	for type code	Inner brake drum height [mm]	Inner brake drum height [mm]
for vehicles with 3rd seating row	for vehicles with 3rd seating row	Internal Thread 1 [mm]	Internal Thread 1 [mm]
for vehicles with brake booster	for vehicles with brake booster	L=	Length [mm]
for vehicles with disc brakes on the rear axle	for vehicles with disc brakes on the rear axle	L=	Warning Contact Length [mm]
for vehicles with drum brakes on the rear axle	for vehicles with drum brakes on the rear axle	L1=	Length 1 [mm]
for vehicles with handbrake lever at the centre console	for vehicles with handbrake lever at the centre console	L2=	Length 2 [mm]
for vehicles with M-sport brakes	for vehicles with M-sport brakes	Machining	Machining
		MAN	Brake System, Mando
		Manual Transmission	Manual Transmission
		Manufacturer Restriction	Manufacturer Restriction
		Minimum thickness [mm]	Minimum thickness [mm]
		not for armoured vehicles	not for armoured vehicles

Technical translations






















Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

EN		EN	
not for driving school cars	not for driving school cars	TRW	Brake System, Lucas / TRW
not for special equipment code	not for special equipment code	Vehicle Production Country	Vehicle Production Country
not for vehicle equipment line/variant	not for vehicle equipment line/variant	Vehicle type	Vehicle type
not for vehicles with reinforced brakes	not for vehicles with reinforced brakes	Version	Version
Number of Doors	Number of Doors	- WE	not prepared for wear warning indicator
Number of Holes	Number of Holes	Width [mm]	Width [mm]
Orga →	for RPO number from	with anti-squeak plate	with anti-squeak plate
Permissible up to vehicle capacity [kW]	Permissible up to vehicle capacity [kW]	with banjo bolt	with banjo bolt
Piston Diameter [mm]	Piston Diameter [mm]	with brake caliper screws	with brake caliper screws
replacement part	replacement part	without banjo bolt	without banjo bolt
Slovakia	Slovakia	without brake fluid reservoir	without brake fluid reservoir
Spanner Size	Spanner Size	- WK	excl. wear warning contact
Spanner Size 1 [mm]	Spanner Size 1 [mm]	x	Number of connectors
Spanner Size 2 [mm]	Spanner Size 2 [mm]	Yes	Yes
Support plate diameter [mm]	Support plate diameter [mm]	∅	Diameter [mm] Outer brake drum diameter [mm] Inner Diameter [mm] Outer Diameter [mm] Inner brake drum diameter [mm]
Surface	Surface	→	Construction Year from Vehicle Identification Number (VIN) from
Thickness [mm]	Thickness [mm]	→	Construction Year to Vehicle Identification Number (VIN) to
Thickness 1 [mm]	Thickness 1 [mm]	→ Model Year to	Model Year to
Thickness 2 [mm]	Thickness 2 [mm]	→Orga	for RPO number up to
Total brake drum height [mm]	Total brake drum height [mm]		



Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

DE		DE	
	Hauptbremszylinder	+ WE	für Verschleißwarnanzeige vorbereitet
	Bremsschlauch	+ WK	inkl. Verschleißwarnkontakt mit akustischer Verschleißwarnung
	Seilzug, Feststellbremse	+ Zub	mit Zubehör
	Bremssattel	16"	16"
	Bremstrommel	18"	18"
	Bremssattel	20"	20"
	Bremstrommel	2021	2021
	Bremstrommel	5	5
	Bremssattel	- ABS	für Fahrzeuge ohne ABS
	Bremssattel	- ABS Ring	ohne ABS-Sensorring
	Bremsscheibe	Article number of recommended accessories	Artikelnummer des empfohlenen Zubehörs
	Raddrehzahlsensor	at master cylinder	am Hauptzylinder
	hinten	Automatic Transmission	Automatikgetriebe
	Hinterachse links	B	beschichtet
	Hinterachse rechts	B1=	Breite 1 [mm]
	hinten links	B2=	Breite 2 [mm]
	Mitte	Bolt Hole Circle Ø [mm]	Lochkreis-Ø [mm]
	hinten rechts	Bore Diameter [mm]	Bohrungsdurchmesser [mm]
	vorne	Brake Disc Thickness [mm]	Bremsscheibendicke [mm]
	Vorderachse links	Brake Size	Bremsengröße
	Vorderachse rechts	BRE	Bremssystem, Brembo
/	max. Bremstrommelausdrehmaß [mm]	Centering Diameter [mm]	Zentrierungsdurchmesser [mm]
+ ABS	für Fahrzeuge mit ABS	Czech Republic	Tschechische Republik
+ ESP	für Fahrzeuge mit ESP	Disc Brake	Scheibenbremse
+PR	für PR-Nummer	Drum Brake	Trommelbremse
+ RLG	mit Radlager	- eFSB	für Fahrzeuge ohne elektrische Feststellbremse
+ RUS	Russland	- ESP	für Fahrzeuge ohne ESP
+ S	mit Schrauben		

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

DE		DE	
Exchange Part	Austauschteil	for vehicles without four wheel steering	für Fahrzeuge ohne Vierradlenkung
Flange Hole Diameter [mm]	Flanschlochdurchmesser [mm]	for vehicles without M-sport brakes	für Fahrzeuge ohne M-Sportbremse
for brake disc diameter [mm]	für Bremsscheibendurchmesser [mm]	for vehicles with track widening	für Fahrzeuge mit Spurverbreiterung
for DAM number from →	für DAM-Nummer ab →	France	Frankreich
for extended wheelbase	für verlängerten Radstand	HC	hochgekoht
for left-hand drive vehicles	für Linkslenker	HC L	legiert/hochgekoht
for model code	für Modellreihenbaumuster	Height [mm]	Höhe [mm]
for OE number	für OE-Nummer	Height 1 [mm]	Höhe 1 [mm]
for right-hand drive vehicles	für Rechtslenker	Height 2 [mm]	Höhe 2 [mm]
for type code	für Typenbaumuster	Inner brake drum diameter [inch]	Bremstrommeldurchmesser innen [Zoll]
for vehicles with 3rd seating row	für Fahrzeuge mit 3. Sitzreihe	Inner brake drum height [mm]	Bremstrommelhöhe innen [mm]
for vehicles with brake booster	für Fahrzeuge mit Bremskraftverstärker	Internal Thread 1 [mm]	Innengewinde 1 [mm]
for vehicles with disc brakes on the rear axle	für Fahrzeuge mit Scheibenbremse an der Hinterachse	L=	Länge [mm]
for vehicles with drum brakes on the rear axle	für Fahrzeuge mit Trommelbremse an der Hinterachse	L=	Warnkontaktlänge [mm]
for vehicles with hand-brake lever at the centre console	für Fahrzeuge mit Handbremshebel an der Mittelkonsole	L1=	Länge 1 [mm]
for vehicles with M-sport brakes	für Fahrzeuge mit M-Sportbremse	L2=	Länge 2 [mm]
		Machining	Bearbeitung
		MAN	Bremssystem, Mando
		Manual Transmission	Schaltgetriebe
		Manufacturer Restriction	Herstellereinschränkung
		Minimum thickness [mm]	Mindestdicke [mm]
		not for armoured vehicles	nicht für gepanzerte Fahrzeuge





Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

DE		DE	
not for driving school cars	nicht für Fahrschulwagen	TRW	Bremssystem, Lucas / TRW
not for special equipment code	nicht für Sonderausstattungscode (SA-Code)	Vehicle Production Country	Fahrzeugproduktionsland
not for vehicle equipment line/variant	nicht für Fahrzeugausstattungsline/-Variante	Vehicle type	Fahrzeugtyp
not for vehicles with reinforced brakes	nicht für Fahrzeuge mit verstärkter Bremse	Version	Version
Number of Doors	Türenanzahl	- WE	nicht für Verschleißwarnanzeige vorbereitet
Number of Holes	Lochanzahl	Width [mm]	Breite [mm]
Orga →	für Organisationsnummer ab	with anti-squeak plate	mit Anti-Quietsch-Blech
Permissible up to vehicle capacity [kW]	Zulässig bis Fahrzeugleistung [kW]	with banjo bolt	mit Hohlschraube
Piston Diameter [mm]	Kolbendurchmesser [mm]	with brake caliper screws	mit Bremssattelschrauben
replacement part	Austauschteil	without banjo bolt	ohne Hohlschraube
Slovakia	Slowakische Republik	without brake fluid reservoir	ohne Bremsflüssigkeitsbehälter
Spanner Size	Schlüsselweite	- WK	exkl. Verschleißwarnkontakt
Spanner Size 1 [mm]	Schlüsselweite 1 [mm]	x	Anschlussanzahl
Spanner Size 2 [mm]	Schlüsselweite 2 [mm]	Yes	Ja
Support plate diameter [mm]	Durchmesser Aufnahme [mm]	Ø	Durchmesser [mm] Bremsstrommeldurchmesser außen [mm] Innendurchmesser [mm] Außendurchmesser [mm] Bremsstrommeldurchmesser innen [mm]
Surface	Oberfläche	→	Baujahr ab Fahrgestellnummer (VIN) ab
Thickness [mm]	Dicke/Stärke [mm]	→	Baujahr bis Fahrgestellnummer (VIN) bis
Thickness 1 [mm]	Dicke/Stärke 1 [mm]	→ Model Year to	Modelljahr bis
Thickness 2 [mm]	Dicke/Stärke 2 [mm]	→ Orga	für Organisationsnummer bis
Total brake drum height [mm]	Bremstrommelhöhe gesamt [mm]		

Technical translations

Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

ES		ES	
	Cilindro principal de freno	+ S	con tornillos
	Tubo flexible de frenos	+ WE	preparado para indicador de desgaste
	Cable de accionamiento, freno de estacionamiento	+ WK	con contacto avisador de desgaste con avisador acústico de desgaste
	Pinza de freno	+ Zub	con accesorios
	Tambor de freno	16"	16"
	Juego de pastillas de freno	18"	18"
	Disco de freno	20"	20"
	Sensor de velocidad de la rueda	2021	2021
	posterior	5	5
	Eje trasero izquierda	- ABS	para vehículos sin ABS
	Eje trasero, derecha	- ABS Ring	sin anillo sensor ABS
	Atrás izquierda	Article number of recommended accessories	Nº art. de accesorio recomendado
	Centro	at master cylinder	en el cilindro principal
	Atrás derecha	Automatic Transmission	Transmisión automática
	delante	B	revestido
	Eje delantero, izquierda	B1=	Ancho 1 [mm]
	Eje delantero, derecha	B2=	Ancho 2 [mm]
/	distancia máx. de desenroscado de tambor de freno [mm]	Bolt Hole Circle Ø [mm]	corona de agujeros - Ø [mm]
+ ABS	para vehículos con ABS	Bore Diameter [mm]	Diámetro de orificio [mm]
+ ESP	para vehículos con ESP	Brake Disc Thickness [mm]	Espesor de disco de frenos [mm]
+PR	Número de PR	Brake Size	Tamaño freno
+ RLG	con cojinete rueda	BRE	Sistema de frenos, Brembo
+ RUS	Rusia	Centering Diameter [mm]	Diámetro de centrado [mm]
		Czech Republic	República Checa
		Disc Brake	Discos
		Drum Brake	Freno de tambor
		- eFSB	para vehículos sin freno de estacionamiento electrónico

Technical translations

Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

ES		ES	
- ESP	para vehículos sin ESP	for vehicles without four wheel steering	para vehículos sin dirección en las 4 ruedas
Exchange Part	Pieza de intercambio	for vehicles without M-sport brakes	Para vehículos sin frenos deportivos M
Flange Hole Diameter [mm]	Diám. taladro brida [mm]	for vehicles with track widening	para vehículos con ampliación ancho de vía
for brake disc diameter [mm]	para diámetro disco de freno [mm]	France	Francia
for DAM number from →	para número DAM desde →	HC	altamente carbonizado
for extended wheelbase	para distancia entre ejes prolongada	HC L	aleado/alt. carburado
for left-hand drive vehicles	para vehic. dirección izquierda	Height [mm]	Altura [mm]
for model code	para el tipo de serie del modelo	Height 1 [mm]	Altura 1 [mm]
for OE number	para OE N°	Height 2 [mm]	Altura 2 [mm]
for right-hand drive vehicles	para vehíc. dirección a la derecha	Inner brake drum diameter [inch]	Diámetro interior de tambor de freno [pulgadas]
for type code	para el tipo de modelo	Inner brake drum height [mm]	Altura interior de tambor de freno [mm]
for vehicles with 3rd seating row	para vehículos con 3 hileras de asientos	Internal Thread 1 [mm]	Rosca interior 1 [mm]
for vehicles with brake booster	para vehículos con servofreno	L=	Longitud [mm]
for vehicles with disc brakes on the rear axle	para vehículos con freno de disco en eje trasero	L=	Longitud contacto de aviso [mm]
for vehicles with drum brakes on the rear axle	para vehículos con freno de tambor en eje trasero	L1=	Long. 1 [mm]
for vehicles with hand-brake lever at the centre console	para vehículos con palanca de freno mano en consola central	L2=	Long. 2 [mm]
for vehicles with M-sport brakes	Para vehículos con frenos deportivos M	Machining	Procesamiento
		MAN	Sistema de frenos, Mando
		Manual Transmission	Caja de cambios manual
		Manufacturer Restriction	Restricción de fabricante
		Minimum thickness [mm]	Espesor mínimo [mm]
		not for armoured vehicles	no para vehículos blindados

Technical translations


















Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

ES		ES	
not for driving school cars	no para veh. autoescuela	TRW	Sistema de frenos, Lucas / TRW
not for special equipment code	no para código de equipamiento especial	Vehicle Production Country	País producción vehículo
not for vehicle equipment line/variant	no para variante/línea de equipamiento de vehículo	Vehicle type	Tipo de vehículo
not for vehicles with reinforced brakes	no para vehículos con frenos reforzados	Version	Versión
Number of Doors	Número de puertas	- WE	no preparado para indicador de desgaste
Number of Holes	Número de orificios	Width [mm]	Ancho [mm]
Orga →	para número de OPR desde	with anti-squeak plate	con chapa antichirrido
Permissible up to vehicle capacity [kW]	Permitido hasta la potencia del vehículo [kW]	with banjo bolt	con tornillo hueco
Piston Diameter [mm]	Diámetro del pistón [mm]	with brake caliper screws	con tornillos pinza freno
replacement part	Recambio	without banjo bolt	sin tornillo hueco
Slovakia	República eslovaca	without brake fluid reservoir	sin depósito líquido frenos
Spanner Size	Ancho de llave	- WK	excl. contacto de avisador de desgaste
Spanner Size 1 [mm]	Ancho de llave 1 [mm]	x	Número de conexiones
Spanner Size 2 [mm]	Ancho de llave 2 [mm]	Yes	sí
Support plate diameter [mm]	Diámetro alojamiento [mm]	∅	Diámetro [mm] Diámetro exterior del tambor de freno [mm] Diámetro interior [mm] Diámetro exterior [mm] Diámetro interior de tambor de freno [mm]
Surface	Superficie	→	año construcción desde N.º de chasis (VIN) desde
Thickness [mm]	Espesor [mm]	→	año construcción hasta N.º de chasis (VIN) hasta
Thickness 1 [mm]	Espesor/grosor 1 [mm]	→ Model Year to	año modelo hasta
Thickness 2 [mm]	Espesor/grosor 2 [mm]	→ Orga	para número de OPR hasta
Total brake drum height [mm]	Altura total de tambor de freno [mm]		



Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

FR		FR	
	Maître-cylindre de frein	+ RUS	Russie
		+ S	avec vis/boulons
	Flexible de frein	+ WE	préparé pour l'indicateur d'usure
		+ WK	contact de signal d'usure inclu avec indicateur d'usure
	Tirette à câble, frein de stationnement	+ Zub	avec accessoires
	Étrier de frein	16"	16"
		18"	18"
	Tambour de frein	20"	20"
		2021	2021
	Kit de plaquettes de frein, frein à disque	5	5
	Disque de frein	- ABS	pour véhicules sans système antiblo-cage
		- ABS Ring	sans bague ABS
	Capteur de vitesse de roue	Article number of recommended accessories	Référence de l'accessoire recommandé
	arrière	at master cylinder	au maître-cylindre
	Essieu arrière gauche	Automatic Transmission	Boîte automatique
	Essieu arrière droit	B	revêtu
	arrière gauche	B1=	Largeur 1 [mm]
	Centre	B2=	Largeur 2 [mm]
	arrière droite	Bolt Hole Circle Ø [mm]	Cercle de perçage -Ø [mm]
	avant	Bore Diameter [mm]	Diamètre de l'alésage [mm]
	Essieu avant gauche	Brake Disc Thickness [mm]	Épaisseur du disque de frein [mm]
	Essieu avant droit	Brake Size	Dimension des freins
/	dimension max. d'extraction du tambour de frein [mm]	BRE	Système de freinage, Brembo
+ ABS	pour véhicules avec système antiblo-cage	Centering Diameter [mm]	Diamètre du centrage [mm]
+ ESP	pour véhicules avec ESP	Czech Republic	République tchèque
+PR	pour numéro PR	Disc Brake	Frein à disque
+ RLG	avec roulement de roue	Drum Brake	Frein à tambour

Technical translations

Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

FR		FR	
- eFSB	pour véhicules sans frein d'arrêt électrique	for vehicles with M-sport brakes	pour véhicules avec système de freinage sport M
- ESP	pour véhicules sans ESP	for vehicles without four wheel steering	pour véhicules sans direction par quatre roues
Exchange Part	Pièce en échange standard	for vehicles without M-sport brakes	pour véhicules sans système de freinage sport M
Flange Hole Diameter [mm]	Diamètre du trou de bride [mm]	for vehicles with track widening	pour véhicules avec écartement des roues élargi
for brake disc diameter [mm]	pour diamètre du disque de frein [mm]	France	France
for DAM number from →	pour numéro DAM à partir de →	HC	à haute teneur en carbone
for extended wheelbase	pour empattement rallongé	HC L	allié/carbonisé
for left-hand drive vehicles	pour véhicules avec direction à gauche	Height [mm]	Hauteur [mm]
for model code	pour le modèle de la série de modèles	Height 1 [mm]	Hauteur 1 [mm]
for OE number	pour numéro OE	Height 2 [mm]	Hauteur 2 [mm]
for right-hand drive vehicles	pour véhicules avec direction à droite	Inner brake drum diameter [inch]	Diamètre intérieur du tambour de frein [pouces]
for type code	pour le type de modèle	Inner brake drum height [mm]	Hauteur intérieure du tambour de frein [mm]
for vehicles with 3rd seating row	pour véhicules avec 3ième rangée de sièges	Internal Thread 1 [mm]	Taraudage 1 [mm]
for vehicles with brake booster	pour véhicules avec dispositif d'assistance de frein	L=	Longueur [mm]
for vehicles with disc brakes on the rear axle	pour véhicules avec frein à disques à l'essieu arrière	L=	Longueur de contacts d'avertissement [mm]
for vehicles with drum brakes on the rear axle	pour véhicules avec frein à tambour à l'essieu arrière	L1=	Longueur 1 [mm]
for vehicles with hand-brake lever at the centre console	pour véhicules avec levier frein à main sur console centrale	L2=	Longueur 2 [mm]
		Machining	Traitement
		MAN	Système de freinage, Mando
		Manual Transmission	boîte de vitesses manuelle
		Manufacturer Restriction	Montage d'origine
		Minimum thickness [mm]	Épaisseur minimum [mm]




















Technical translations

Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

FR		FR	
not for armoured vehicles	pas pour véhicules blindés	Total brake drum height [mm]	Hauteur totale du tambour de frein [mm]
not for driving school cars	pas pour véhicules d'auto-école	TRW	Système de freinage, Lucas / TRW
not for special equipment code	pas pour code d'équipement spécial	Vehicle Production Country	Pays constructeur du véhicule
not for vehicle equipment line/variant	pas pour ligne/variante d'équipement du véhicule	Vehicle type	Type de véhicule
not for vehicles with reinforced brakes	pas pour véhicules avec frein assisté	Version	Version
Number of Doors	Nombre de portes	- WE	non préparé pour l'indicateur d'usure
Number of Holes	Nombre de trous	Width [mm]	Largeur [mm]
Orga →	pour n° OPR (date de fabrication du véhicule) à partir de	with anti-squeak plate	avec tôle anti-bruit
Permissible up to vehicle capacity [kW]	Autorisé jusqu'à la puissance du véhicule [kW]	with banjo bolt	avec vis creuse
Piston Diameter [mm]	Diamètre du piston [mm]	with brake caliper screws	avec vis d'étrier de frein
replacement part	Pièce de rechange	without banjo bolt	sans vis creuse
Slovakia	République slovaque	without brake fluid reservoir	sans réservoir du liquide de frein
Spanner Size	Ouverture de la clé	- WK	contact de signal d'usure exclu
Spanner Size 1 [mm]	Largeur de clé 1 [mm]	x	Nombre de connexions
Spanner Size 2 [mm]	Largeur de clé 2 [mm]	Yes	Oui
Support plate diameter [mm]	Diamètre réception [mm]	Ø	Diamètre [mm] Diamètre extérieur du tambour de frein [mm] Diamètre intérieur [mm] Diamètre extérieur [mm] Diamètre intérieur du tambour de frein [mm]
Surface	Surface	→	Année à partir de Numéro de châssis (VIN) à partir de
Thickness [mm]	Épaisseur [mm]	→	Année jusqu'à Numéro de châssis (VIN) à
Thickness 1 [mm]	Épaisseur 1 [mm]	→ Model Year to	Année jusqu'à
Thickness 2 [mm]	Épaisseur 2 [mm]	→ Orga	pour numéro OPR jusqu'à

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

IT		IT	
	Cilindro maestro del freno	+ S	con bulloni/viti
	Flessibile del freno	+ WE	predisposto per visualizzazione avviso usura
	Cavo comando, Freno stazionamento	+ WK	Con contatto segnalazione usura con segnalatore acustico usura
	Pinza freno	+ Zub	con accessori
	Tamburo freno	16"	16"
	Kit pastiglie freno, Freno a disco	18"	18"
	Disco freno	20"	20"
	Sensore velocità ruote	2021	2021
	posteriore	2021	2021
	Assale posteriore Sx	5	5
	Assale posteriore Dx	- ABS	per veicoli senza ABS
	posteriore Sx	- ABS Ring	senza anello sensore ABS
	Centro	Article number of recommended accessories	N° articolo accessorio consigliato
	posteriore Dx	at master cylinder	al cilindro maestro
	anteriore	Automatic Transmission	Trasmissione automatica
	Assale anteriore Sx	B	rivestito
	Assale anteriore Dx	B1=	Larghezza 1 [mm]
/	misura max. di rotazione tamburo del freno [mm]	B2=	Larghezza 2 [mm]
+ ABS	per veicoli con ABS	Bolt Hole Circle Ø [mm]	Cerchio foro-Ø [mm]
+ ESP	per veicoli con ESP	Bore Diameter [mm]	Diametro foro [mm]
+PR	per N° PR	Brake Disc Thickness [mm]	Spessore disco freno [mm]
+ RLG	con cuscinetto ruota	Brake Size	Misura freno
+ RUS	Russia	BRE	Sistema frenante, Brembo
		Centering Diameter [mm]	Diametro centraggio [mm]
		Czech Republic	Repubblica Ceca
		Disc Brake	Freno a disco
		Drum Brake	Freno a tamburo

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

IT		IT	
- eFSB	per veicoli senza freno stazionamento elettrico	for vehicles with M-sport brakes	per veicoli con freni sportivi M
- ESP	per veicoli senza ESP	for vehicles without four wheel steering	per veicoli senza quattro ruote sterzanti
Exchange Part	Ricambio di rotazione	for vehicles without M-sport brakes	per veicoli senza freni sportivi M
Flange Hole Diameter [mm]	Diametro foro flangia [mm]	for vehicles with track widening	per veicoli con allargamento carreggiata
for brake disc diameter [mm]	per diametro disco freno [mm]	France	Francia
for DAM number from →	per numero DAM da →	HC	ad alto tenore di carbonio
for extended wheelbase	per passo route allungato	HC L	legato /ad alto tenore di carbonio
for left-hand drive vehicles	per veicolo con guida a Sx	Height [mm]	Altezza [mm]
for model code	per la serie di modelli	Height 1 [mm]	Altezza 1 [mm]
for OE number	per N° OE	Height 2 [mm]	Altezza 2 [mm]
for right-hand drive vehicles	per veicolo con guida a Dx	Inner brake drum diameter [inch]	Diametro tamburo del freno interno [pollici]
for type code	per modelli del tipo	Inner brake drum height [mm]	Altezza tamburo del freno interna [mm]
for vehicles with 3rd seating row	per veicoli con 3ª fila sedili	Internal Thread 1 [mm]	Filettatura interna 1 [mm]
for vehicles with brake booster	per veicoli con servofreno	L=	Lunghezza [mm]
for vehicles with disc brakes on the rear axle	per veicoli con freni a disco ad assale posteriore	L=	Lunghezza contatti di segnalazione [mm]
for vehicles with drum brakes on the rear axle	per veicoli con freni a tamburo ad assale posteriore	L1=	Lunghezza 1 [mm]
for vehicles with hand-brake lever at the centre console	per veicoli con leva freno a mano alla consolle centrale	L2=	Lunghezza 2 [mm]
		Machining	Lavorazione/Trattamento
		MAN	Sistema frenante, Mando
		Manual Transmission	Cambio manuale
		Manufacturer Restriction	Limitazione costruttore
		Minimum thickness [mm]	Spessore min. [mm]

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

IT		IT	
not for armoured vehicles	Non per veicoli corazzati	Total brake drum height [mm]	Altezza tamburo del freno totale [mm]
not for driving school cars	Non per vettura per scuola guida	TRW	Sistema frenante, Lucas / TRW
not for special equipment code	non per codice modello speciale	Vehicle Production Country	Paese produzione veicolo
not for vehicle equipment line/variant	non per linea/variante dotazione veicolo	Vehicle type	Tipo veicolo
not for vehicles with reinforced brakes	Non per veicoli con freno rinforzato	Version	Versione
Number of Doors	N° portiere	- WE	non predisposto per visualizzazione avviso usura
Number of Holes	N° fori	Width [mm]	Larghezza [mm]
Orga →	per numero organizzazione da	with anti-squeak plate	con lamierino anticigolio
Permissible up to vehicle capacity [kW]	Consentito fino a potenza veicolo [kW]	with banjo bolt	con vite cava
Piston Diameter [mm]	Diametro pistone [mm]	with brake caliper screws	con bulloni pinza freno
replacement part	Ricambio di rotazione	without banjo bolt	senza vite cava
Slovakia	Repubblica slovacca	without brake fluid reservoir	senza serbatoio liquido freni
Spanner Size	Apertura chiave	- WK	senza contatto segnalazione usura
Spanner Size 1 [mm]	Apertura chiave 1 [mm]	x	N° raccordi
Spanner Size 2 [mm]	Apertura chiave 2 [mm]	Yes	Si
Support plate diameter [mm]	Diametro sede [mm]	Ø	Diametro [mm] Diametro tamburo del freno esterno [mm] Diametro interno [mm] Diametro esterno [mm] Diametro tamburo del freno interno [mm]
Surface	Superficie	→	Anno da N° telaio (VIN) da
Thickness [mm]	Spessore [mm]	→	Anno fino a N° telaio (VIN) fino a
Thickness 1 [mm]	Spessore 1 [mm]	→ Model Year to	Anno modello fino a
Thickness 2 [mm]	Spessore 2 [mm]	→ Orga	per numero organizzazione fino a



AUMOVIO Aftermarket GmbH

Guerickestrasse 7
60488 Frankfurt a. M.
Tel. +49 69 / 76030
www.ate.de

**Continental Automotive Trading
Italia S.r.l.**

Via Matteotti, 62
I-20092 Cinisello Balsamo (MI)
Tel. +39 02 35680 1
www.ate-freni.it

**Continental Automotive Trading
France**

6 rue Jean Moulin
F-78120 Rambouillet
www.ate-freinage.fr

Continental Automotive Spain, S.A.

C/ Sepúlveda, 11
E-28108 Alcobendas (Madrid)
Phone+34 91 657 21 21
www.frenos-ate.es

